

Bibliographie

- ADA – American Diabetes Association (2008), « Economic Costs of Diabetes in the US in 2007 », *Diabetes Care*, vol. 31, n° 3, pp. 596-615.
- AHRQ – Agency for Health Research and Quality (2006), *Patient Safety Indicators Overview: AHRQ Quality Indicators – February 2006*, AHRQ, Rockville, MD.
- AHRQ (2009), *Preventable Hospitalizations: Overview*, www.ahrq.gov/data/hcup/factbk5/factbk5b.htm.
- AHRQ (2011a), *2010 National Healthcare Quality Report*, AHRQ, Rockville, MD.
- AHRQ (2011b), *2010 National Healthcare Disparities Report*, AHRQ, Rockville, MD.
- AIHW – Australian Institute of Health and Welfare (2010a), *Mental Health Services in Australia 2007-08*, Cat. n° HSE 88, AIHW, Canberra.
- AIHW (2010b), *Medical Labour Force 2008*, AIHW Bulletin n° 82, AIHW, Canberra.
- AIHW (2010c), *Breast Screen Australia Monitoring Report 2006-2007 and 2007-2008*, AIHW, Canberra.
- Aiken, L. et R. Cheung (2008), « Nurse Workforce Challenges in the United States: Implications for Policy », Document de travail de l'OCDE sur la santé, n° 35, Éditions OCDE, Paris.
- Allin, S., M. Grignon et J. Le Grand (2010), « Subjective Unmet Need and Utilization of Health Care Services in Canada: What are the Equity Implications? », *Social Science and Medicine*, vol. 70, n° 3, pp. 465-472.
- Alzheimer's Australia (2009), « Keeping Dementia Front of Mind: Incidence and Prevalence 2009-2050 », Access Economics Reports, www.alzheimers.org.au/research-publications/access-economics-reports.aspx.
- Alzheimer Europe (2009), « Prevalence of Dementia in Europe », www.alzheimer-europe.org/EN/Research/European-Collaboration-on-Dementia/Prevalence-of-dementia2/Prevalence-of-dementia-in-Europe.
- American Academy of Family Physicians, American College of Physicians and American Osteopathic Association (2009), « Call for Primary Care Reform », www.aafp.org/online/en/home/media/releases/newsreleases-statements-2009/primarycarereform-aafp-acp-aoa.html.
- American Cancer Society (2010), *Cancer Facts and Figures 2010*, American Cancer Society, Inc., Atlanta.
- Arah, O. et al. (2006), « A Conceptual Framework for the OECD Health Care Quality Indicators Project », *International Journal for Quality in Health Care*, vol. 18, supplément n° 1, pp. 5-13.
- ASPC – Agence de la santé publique du Canada (2005), « Stratégie intégrée en matière de modes de vie sains et de maladies chroniques », www.phac-aspc.gc.ca/media/nr-rp/2005/2005_37bk3-fra.php.
- ASPC (2008), *Programmes organisés de dépistage du cancer du sein au Canada*, Rapport du Programme Performance en 2003 et 2004, ASPC, Canada.
- ASPC (2009), « Programmes d'immunisation subventionnés par l'État au Canada – Calendrier d'immunisation systématique des nourrissons et des enfants », www.phac-aspc.gc.ca/im/ptimprog-progimpt/table-1-fra.php.
- Baert, K. et B. de Norre (2009), « Perception of Health and Access to Health Care in the EU-25 in 2007 », *Eurostat Statistics in Focus 24/2009*, Commission européenne, Luxembourg.
- Baker, L., S.W. Atlas et C.C. Afendulis (2008), « Expanded Use of Imaging Technology and the Challenge of Measuring Value », *Health Affairs*, vol. 27, n° 6, pp. 1467-1478.
- Banthin, J.S., P. Cunningham et D.M. Bernard (2008), « Financial Burden of Health Care, 2001-2004 », *Health Affairs*, vol. 27, pp. 188-195.
- Belizán, J.M. et al. (1999), « Rates and Implications of Caesarean Sections in Latin America: Ecological Analysis », *British Medical Journal*, vol. 319, pp. 1397-1400.

- Bellanger, M. et Z. Or (2008), « What Can We Learn From a Cross-Country Comparison of the Costs of Child Delivery? », *Health Economics*, vol. 17, pp. S47-S57.
- Bennett, J. (2003), « Investment in Population Health in Five OECD Countries », Document de travail de l'OCDE sur la santé, n° 2, Éditions OCDE, Paris.
- Bewley, S. et J. Cockburn (2002), « The Unethics of 'Request' Caesarean Section », *British Journal of Obstetrics and Gynaecology*, vol. 109, pp. 593-596.
- Blendon, R. et al. (2002), « Inequalities in Health Care: a Five-Country Survey », *Health Affairs*, vol. 21, pp. 182-191.
- Bourgueil, Y., A. Marek et J. Mousquès (2006), « Vers une coopération entre médecins et infirmières – L'apport d'expériences européennes et canadiennes », DREES, Série études, n° 57, mars.
- Brennan, T.A., L.L. Leape, N.M. Laird et al. (1991), « Incidence of Adverse Events and Negligence in Hospitalized Patients: Results of the Harvard Medical Practice Study I », *New England Journal of Medicine*, vol. 324, pp. 370-376.
- Buchan, J. et S. Black (2011) « The Impact of Pay Increases on Nurses' Labour Market: A Review of Evidence from Four OECD Countries », Document de travail de l'OCDE sur la santé, n° 57, Éditions OCDE, Paris.
- Burns, A., D. van der Mensbrugghe et H. Timmer (2008), *Evaluating the Economic Consequences of Avian Influenza*, Banque mondiale, Washington.
- Cabinet Office, gouvernement japonais (2006), *White Paper on the National Lifestyle 2006*, Cabinet Office, gouvernement japonais, Tokyo.
- Carrière, G. et C. Sanmartin (2010), « Waiting Time for Medical Specialist Consultations in Canada, 2007 », *Health Reports*, vol. 21, n° 2, pp. 7-14.
- Castoro, C. et al. (2007), *Policy Brief – Day Surgery: Making it Happen*, Organisation mondiale de la santé pour l'Observatoire européen des systèmes et politiques de santé, Copenhague.
- CDC – Centers for Disease Control and Prevention (2009), « Key Facts about Seasonal Influenza (Flu) », www.cdc.gov/flu/keyfacts.htm.
- CDC (2010a), *Factsheet: HIV in the United States*, CDC, Atlanta, Georgie.
- CDC (2010b), *Behavioral Risk Factor Surveillance System Survey Data*, CDC, Atlanta, Georgie.
- Chaloff, J. (2008), « Mismatches in the Formal Sector, Expansion of the Informal Sector: Immigration of Health Professionals to Italy », Document de travail de l'OCDE sur la santé, n° 34, Éditions OCDE, Paris.
- Cho, N.H. (2010), « The Epidemiology of Diabetes in Korea: From the Economics to Genetics », *Korean Diabetes Journal*, vol. 34, n° 1, pp. 10-15.
- Cho, K.H. et Y.K. Roh (2003), « Primary Care Physicians Shortage: a Korean Example », *Public Health Review*, vol. 31, n° 2, pp. 133-148.
- Chun, C.B. et al. (2009), « Republic of Korea: Health System Review. Health Systems in Transition », *European Observatory on Health Systems and Policies*, vol. 11, n° 7, pp. 1-184.
- CIHI – Canadian Institute for Health Information (2005), *Geographic Distribution of Physicians in Canada: Beyond How Many and Where*, CIHI, Ottawa.
- CIHI (2011), *Wait Times in Canada – A Comparison by Province*, 2011, CIHI, Ottawa.
- CIRC (2011), *GLOBOCAN 2008: Cancer Fact Sheet*, <http://globocan.iarc.fr/factsheets/cancers/colorectal.asp>.
- CIRC Groupe de travail sur l'évaluation de la cancérogénicité pour l'homme (1995), *Human Papillomaviruses*, Monographie sur l'évaluation de la cancérogénicité pour l'homme, vol. 64, Centre international de recherche sur le cancer, Lyon.
- Cole, T.J. et al. (2000), « Establishing a Standard Definition for Child Overweight and Obesity Worldwide: International Survey », *British Medical Journal*, vol. 320, pp. 1-6.
- Coleman, M.P. et al. (2008), « Cancer Survival in Five Continents: A Worldwide Population-Based Study (CONCORD) », *The Lancet Oncology*, vol. 9, pp. 730-756.
- Coleman, M., D. Forman, H. Bryant et al. (2011), « Cancer Survival in Australia, Canada, Denmark, Norway, Sweden and the UK, 1995-2007 (International Cancer Benchmarking Partnership): An Analysis of Population-based Cancer Registry Data », *The Lancet*, vol. 377, n° 9760, pp. 127-138.
- Colombo, F. et al. (2011), *Besoin d'aide ? La prestation de services et le financement de la dépendance*; Éditions OCDE, Paris.

- Commission des Nations unies de l'information et la redevabilité pour la santé de la femme et de l'enfant (2011), *Tenir les promesses, mesurer les résultats : Rapport final de la Commission*, OMS, Genève.
- Commission européenne (2006), *Lignes directrices européennes sur l'assurance qualité du dépistage et du diagnostic du cancer du sein*, 4e édition, Luxembourg.
- Commission européenne (2008a), *Hospital Data Project Phase 2, Final Report*, Luxembourg.
- Commission européenne (2008b), *Major and Chronic Diseases – Report 2007*, Direction générale pour la santé et les consommateurs, Luxembourg.
- Commission européenne (2008c), *European Guidelines for Quality Assurance in Cervical Cancer Screening, 2nd edition*, Luxembourg.
- Commonwealth Fund (2008), *National Scorecard on US Health System Performance, 2008*, Chartpack, Commonwealth Fund, New York.
- Commonwealth Fund (2010), *2010 International Health Policy Survey in Eleven Countries*, Chartpack, Commonwealth Fund, New York.
- Corrieri, S. et al. (2010), « Income-, Éducation- and Gender-related Inequalities in Out-Of-Pocket Health-Care Payments for 65+ Patients – A Systematic Review », *International Journal for Equity in Health*, vol. 9, Article n° 20.
- Couture, M.-C. et al. (2008), « Inequalities in Breast and Cervical Cancer Screening Among Urban Mexican Women », *Preventive Medicine*, vol. 47, pp. 471-476.
- Crimmins, E.M., S.H. Preston et B. Cohen (dir. pub.) (2010), *Explaining Divergent Levels of Longevity in High-Income Countries*, National Academies Press, Washington, DC.
- Cutler, D. et E.L. Glaeser (2006), « Why do Europeans Smoke More Than Americans? », Document de travail n° 12124, National Bureau of Economic Research, Cambridge, MA.
- Davis, K. et al. (2004), *Mirror, Mirror on the Wall: Looking at the Quality of American Health Care through the Patients's Lens*, Commonwealth Fund, New York.
- Davis, K. et al. (2006), *Mirror, Mirror on the Wall: An Update on the Quality of American Health Care through the Patients's Lens*, Commonwealth Fund, New York.
- Davis, K. et al. (2010), *Mirror, Mirror on the Wall: How the Performance of the US Health Care System Compares Internationally, 2010 Update*, Commonwealth Fund, New York.
- De Onis, M. et al. (2007), « Development of a WHO Growth Reference for School-aged Children and Adolescents », *Bulletin of the World Health Organization*, vol. 9, pp. 649-732.
- Declercq, E., F. Menacker et M. Macdorman (2005), « Rise in 'No Indicated Risk' Primary Caesareans in the United States, 1991-2001: Cross Sectional Analysis », *British Medical Journal*, vol. 330, pp. 71-72.
- Delamaire, M.-L. et G. Lafortune (2010), « Les pratiques infirmières avancées : Une description et évaluation des expériences dans 12 pays développés », Document de travail de l'OCDE sur la santé, n° 54, Éditions OCDE, Paris.
- Department of Health (2009), *Equality Impact Assessment - 18 Weeks Referral to Treatment Standards*, Department of Health, Angleterre.
- Di Mario, S. et al. (2005), *What is the Effectiveness of Antenatal Care? (Supplement)*, Bureau régional de l'OMS pour l'Europe (Health Evidence Network Report), Copenhague.
- Dickman, P.W. et H.O. Adami (2006), « Interpreting Trends in Cancer Patient Survival », *Journal of Internal Medicine*, n° 260, pp. 103-117.
- Dolea, C., L. Stormont et J.-M. Braichet (2010), « Evaluated Strategies to Increase Attraction and Retention of Health Workers in Remote and Rural Areas », *Bulletin of the World Health Organization*, vol. 88, n° 5, pp. 379-385.
- Dormont, B. et H. Huber (2006), « Causes of Health Expenditure Growth: the Predominance of Changes in Medical Practices Over Population Ageing », *Annales d'Economie et de Statistique*, n° 83/84, pp. 187-217.
- DPP – Diabetes Prevention Program Research Group (2002), « Reduction in the Incidence of Type 2 Diabetes with Lifestyle Intervention or Metformin », *New England Journal of Medicine*, vol. 346, n° 6, pp. 393-403.
- DREES (2010), « Les médecins – au 1^{er} janvier 2010 », Document de travail n° 152, DREES, Paris.
- Drösler, S.E. et al. (2009), « Application of Patient Safety Indicators Internationally: A Pilot Study among Seven Countries », *International Journal of Quality in Health Care*, vol. 21, pp. 272-278.

- Drösler, S.E., P.S. Romano, D.J. Tancredi et N.S. Klazinga (2011), « International Comparability of Patient Safety Indicators in 15 OECD Member Countries: A Methodological Approach of Adjustment by Secondary Diagnoses », *Health Services Research*, dx.doi.org/10.1111/j.1475-6773.2011.01290.x.
- Dumont, J.C., P. Zurn, J. Church et C. Le Thi (2008), *International Mobility of Health Professionals and Health Workforce Management in Canada: Myths and Realities*, Document de travail de l'OCDE sur la santé, n° 40, Éditions OCDE, Paris.
- Eagle, K.A. et al. (2005), « Guideline-Based Standardized Care is Associated with Substantially Lower Mortality in Medicare Patients with Acute Myocardial Infarction: the American College of Cardiology's Guidelines Applied in Practice (GAP) », *Journal of the American College of Cardiology*, vol. 46, pp. 1242-1248.
- ECDC – European Centre for Disease Prevention and Control et Bureau régional de l'OMS pour l'Europe (2010), *HIV/AIDS Surveillance in Europe 2009*, ECDC, Stockholm.
- Egede, L.E. (2004), « Diabetes, Major Depression, and Functional Disability Among US Adults », *Diabetes Care*, vol. 27, n° 2, pp. 421-428.
- Epstein, A. et al. (2011), « Coronary Revascularization Trends in the United States, 2001-2008 », *Journal of the American Medical Association*, vol. 305, n° 17, 4 mai, pp. 1769-1775.
- Ersek K. et al. (2009), « Parallel Sessions-Dementia Policies: Epidemiology and Disease Burden of Dementia in Hungary », Alzheimer Europe, www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies.
- Eurobaromètre (2010), « Mental Health », Special Eurobarometer 345/Wave 73.2, Commission européenne.
- European Lung Foundation (2011), COPD Burden in Europe, www.european-lung-foundation.org/63-european-lung-foundation-elf-burden-in-europe.htm.
- Euro-Peristat (2008), *European Perinatal Health Report*, 2008, Luxembourg.
- FDSCS – Fédération suisse des programmes de dépistage du cancer du sein (2011), www.depistage-sein.ch.
- Fedorowicz, Z., D. Lawrence et P. Gutierrez (2004), « Day Care versus In-Patient Surgery for Age-related Cataract », *Cochrane Database of Systematic Reviews*, vol. 25, n° CD004242.
- FERLAY, J. et al. (2010), « GLOBOCAN 2008, Cancer Incidence and Mortality Worldwide », IARC CancerBase, n° 10, International Agency for Research on Cancer, Lyon, France, www.globocan.iarc.fr.
- FHF – Fédération hospitalière de France (2008), *Étude sur les césariennes*, FHF, Paris.
- FID – Fédération internationale du diabète (2006), *Atlas du diabète*, 3e édition, FID, Bruxelles.
- FID (2009), *Atlas du diabète*, 4e édition, FID, Bruxelles.
- Fordyce, M.A. et al. (2007), *2005 Physician Supply and Distribution in Rural Areas of the United States*, Rapport final n° 116, WWAMI Rural Health Research Center, Université de Washington, Seattle.
- Foresight (2007), « Tackling Obesities: Future Choices », Government Office for Science, www.foresight.gov.uk/Obesity/17.pdf.
- Fox, K.A.A. et al. (2007), « Declines in Rates of Death and Heart Failure in Acute Coronary Syndromes, 1999-2006 », *Journal of the American Medical Association*, vol. 297, n° 17, pp. 1892-1900.
- Franco, E.L., T.E. Rohan et L.L. Villa (1999), « Epidemiologic Evidence and Human Papillomavirus Infection as a Necessary Cause of Cervical Cancer », *Journal of the National Cancer Institute*, vol. 91, n° 6, pp. 506-511.
- Friðfinnsdóttir, E. et J. Jónsson (2010), *The Impact of the Economic Recession on Nurses and Nursing in Iceland*, International Centre for Human Resources in Nursing (ICHRN), Genève.
- Fujisawa, R. et G. Lafourche (2008), « The Remuneration of General Practitioners and Specialists in 14 OECD Countries: What are the Factors Explaining Variations across Countries », Document de travail de l'OCDE sur la santé, n° 41, Éditions OCDE, Paris.
- Gakidou, E., S. Nordhagen et Z. Obermeyer (2008), « Coverage of Cervical Cancer Screening in 57 Countries: Low Average Levels and Large Inequalities », *PLoS Medicine*, vol. 5, n° 6, pp. 0863-0868.
- Gawande, A.A., D.M. Studdert, E.J. Orav, T.A. Brennan et M.J. Zinne (2003), « Risk Factors for Retained Instruments and Sponges After Surgery », *New England Journal of Medicine*, vol. 348, n° 3, pp. 229-235.
- Gil, M., J. Marrugat et J. Sala (1999), « Relationship of Therapeutic Improvements and 28-Day Case Fatality in Patients Hospitalized with Acute Myocardial Infarction Between 1978 and 1993 in the REGICOR Study, Gerona, Spain », *Circulation*, vol. 99, pp. 1767-1773.

- Goldberg, R.J., J. Yaerzebski et D. Lessard (1999), « A Two-Decades (1975 to 1995) Long Experience in the Incidence, In-Hospital and Long-Term Case-Fatality Rates of Acute Myocardial Infarction: A Community-Wide Perspective », *Journal of the American College of Cardiology*, vol. 33, pp. 1533-1539.
- Goldhaber-Fiebert, J.D., N.K. Stout, J.A. Salomon, K.M. Kuntz et S.J. Goldie (2008), « Cost-effectiveness of Cervical Cancer Screening with Human Papillomavirus DNA Testing and HPV-16, 18 Vaccination », *Journal of the National Cancer Institute*, vol. 100, n° 5, pp. 308-320.
- Grandfils, N. et C. Sermet (2009), « Evolution 1998-2002 of the Antidepressant Consumption in France, Germany and the United Kingdom », Document de travail de l'IRDES, n° 21, IRDES, Paris.
- Grignon, M., J. Hurley, L. Wang et S. Allin (2010), « Inequality in a Market-Based Health System: Evidence from Canada's Dental Sector », *Health Policy*, vol. 98, pp. 81-90.
- Hacke, W. et al. (1995), « Intravenous Thrombolysis with Recombinant Tissue Plasminogen Activator for Acute Hemispheric Stroke. The European Co-operative Acute Stroke Study (ECASS) », *Journal of the American Medical Association*, vol. 274, n° 13, pp. 1017-1025.
- Hals, E., P. Øian, P. Pirhonen, M. Gissler, S. Hjelle et al. (2010), « A Multicenter Interventional Program to Reduce the Incidence of Anal Sphincter Tears », *Obstetrics and Gynecology*, vol. 116, n° 4, pp. 901-908.
- Hatem, M., J. Sandall, D. Devane, H. Soltani et S. Gates (2008), « Midwife-led Versus Other Models of Care for Childbearing Women », *Cochrane Database Systematic Review*, vol. 4, CD004667, 8 octobre.
- Hawton, K. et K. van Heeringen (2009), « Suicide », *The Lancet*, vol. 373, pp. 1373-1381.
- HCSP – High Council of Public Health (2010), « Health of the Population in France: Report 2009-2010 », www.sante.gouv.fr/l-etat-de-sante-de-la-population-rapport-2009-2010.html.
- HHS Office of Health Reform (2009), « Health Disparities: A Case for Closing the Gap », US Department of Health and Human Services, www.healthreform.gov.
- HIRA – Korean Health Insurance Review and Assessment Service (2011), « More Koreans Seek Treatment for Depression, Bipolar Disorder », *The Chosun Ilbo (English Edition)*, 3 juin 2011, english.chosun.com.
- Hockley, T. et M. Gemmill (2007), *European Cholesterol Guidelines Report*, Policy Analysis Centre, London School of Economics, Londres.
- Hoffman, C., D. Rowland et E.C. Hamel (2005), *Medical Debt and Access to Health Care*, Kaiser Commission on Medicaid and the Uninsured, Washington.
- HRSA – HHS Health Resources and Services Administration (2008), « The Physician Workforce: Projections and Research into Current Issues Affecting Supply and Demand », US Department of Health and Human Services, bhpr.hrsa.gov/healthworkforce/reports/physwfissues.pdf.
- Huber, M., A. Stanicole, J. Bremner et K. Wahlbeck (2008), « Quality in and Equality of Access to Healthcare Services », Direction générale Emploi, Affaires sociales et Égalité des chances de la Commission européenne, Luxembourg.
- IMA-AIM – Intermutualistisch Agentschap (2010), « Programma Borstkancerscreening, Vergelijking van de Eerste Drie Rondes, 2002-2003, 2004-2005 en 2006-2007 », Bruxelles.
- Institute of Alcohol Studies (2007), « Binge Drinking-Nature, Prevalence and Causes », IAS Fact Sheet, www.ias.org.uk/resources/factsheets/binge_drinking.pdf.
- Institute of Cancer Research (2009), « Prostate Cancer », www.cancer.gov/cancertopics/types/prostate/.
- International Association for the Study of Obesity (2011), « Overweight Children around the World », www.iaso.org.
- INVS – Institut de veille sanitaire (2011), « Évaluation des programmes de dépistage des cancers », www.invs.sante.fr/surveillance/cancers/index.htm#depistage.
- IS-GBE – German Federal Health Monitoring Information System (2011), *Das Informations-system der Gesund-heits-bericht-erstat-tung des Bundes*, www.gbe-bund.de.
- Jha, P. et al. (2006), « Social Inequalities in Male Mortality, and in Male Mortality from Smoking: Indirect Estimation from National Death Rates in England and Wales, Poland, and North America », *The Lancet*, vol. 368, n° 9533, pp. 367-370.
- Johanson, R. (2002), « Has the Medicalisation of Childbirth Gone Too Far? », *British Medical Journal*, vol. 324, n° 7342, pp. 892-895.
- Joumard, I., C. Andre, C. Nicq et O. Chatal (2008), « Health Status Determinants: Lifestyle, Environment, Health Care Resources and Efficiency », Document de travail du Département des Affaires économiques de l'OCDE, n° 627, Éditions OCDE, Paris.

- Juva, M. (2009), « Parallel Sessions-Dementia Policies: From National Dementia Plan to Local Reality », Alzheimer Europe, www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies.
- Kaikkonen, R. (2007), TEROKA-Project for Reducing Socioeconomic Health Inequalities in Finland, Ministère des Affaires sociales et de la Santé, www.teroka.fi.
- KBV – Kassenärztliche Bundesvereinigung (2010), Versichertenbefragung der Kassenärztlichen Bundesvereinigung 2010, Forschungsgruppe Wahnen Telefonfeld, Mannheim, Allemagne.
- Keech, M., A.J. Scott et P.J. Ryan (1998), « The Impact of Influenza and Influenza-like Illness on Productivity and Healthcare Resource Utilization in a Working Population », *Occupational Medicine*, vol. 49, pp. 85-90.
- Kelley, E. et J. Hurst (2006), « Health Care Quality Indicators Project Conceptual Framework », Document de travail de l'OCDE sur la santé, n° 23, Éditions OCDE, Paris.
- Kenigsberg, P.A. (2009), « Parallel Sessions-Dementia Policies: The Changing Economic Environment of Alzheimer's Disease in France », Alzheimer Europe, www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies.
- Kessler, R.C. et T.B. Üstün (eds.) (2008), *The WHO World Mental Health Surveys: Global Perspectives on the Epidemiology of Mental Disorders*, Cambridge University Press, New York.
- KFF – Kaiser Family Foundation (2010), *The Uninsured: A Primer. Key Facts About Americans without Health Insurance*, The Henry J. Kaiser Family Foundation, Washington, DC.
- Khush, K.K., E. Rapaport et D. Waters (2005), « The History of the Coronary Care Unit », *Canadian Journal of Cardiology*, vol. 21, pp. 1041-1045.
- Kiely, J., K. Brett, S. Yu et D. Rowley (1995), « Low Birth Weight and Intrauterine Growth Retardation », in L. Wilcox et J. Marks (dir. pub.), *From Data to Action: CDC's Public Health Surveillance for Women, Infants, and Children*, Center for Disease Control and Preventions, Atlanta, pp. 185-202.
- Koechlin, F., L. Lorenzoni et P. Schreyer (2010), « Comparing Price Levels of Hospital Services across Countries: Results of a Pilot Study », Document de travail de l'OCDE sur la santé, n° 53, Éditions OCDE, Paris.
- Kohn, L.T., J.M. Corrigan et M.S. Donaldson (dir. pub.) (2000), *To Err is Human: Building a Safer Health System*, Institute of Medicine, National Academy Press, Washington, DC.
- Koulova, A., J. Tsui, K. Irwin, P. Van Damme et M.T. Biellik Aguado (2008), « Country Recommendations on the Inclusion of HPV Vaccines in National Immunization Programs Among High Income Countries », *Vaccine*, vol. 26, n° 19, pp. 6529-6541.
- Kovess-Masfety, V. et al. (2007), « Differences in Lifetime Use of Services for Mental Health Problems in Six European Countries », *Psychiatric Services*, vol. 58, n° 2, pp. 213-220.
- Kunze, U. et al. (2007), « Influenza Vaccination in Austria, 1982-2003 », *Wien Med Wochenschr*, vol. 157, n° 5-6, pp. 98-101.
- Kwon, J.-K., H. Chun et S. Cho (2009), « A Closer Look at the Increase in Suicide Rates in South Korea from 1986-2005 », *BMC Public Health*, vol. 9, n° 72.
- Kwon, S., J. Lee, S. Park et K. Choi, (2010), « The Association between the Supply of Primary Care Physicians and Population Health Outcomes in Korea », *Family Medicine*, vol. 42, n° 9, pp. 628-635.
- Kynnyk, J.A. et al. (2011), « Asthma, the Sex Difference », *Current Opinion in Pulmonary Medicine*, vol. 17, n 1, pp. 6-11.
- Lagrew, D.C. et J.A. Adashek (1998), « Lowering the Cesarean Section Rate in a Private Hospital: Comparison of Individual Physicians' Rates, Risk Factors and Outcomes », *American Journal of Obstetrics and Gynecology*, vol. 178, pp. 1207-1214.
- Laine, K., M. Gissler et J. Pirhonen (2009), « Changing Incidence of Anal Sphincter Tears in Four Nordic Countries Through the Last Decades », *European Journal of Obstetrics & Gynecology and Reproductive Biology*, vol. 146, n° 1, pp. 71-75.
- Laudicella, M. et al. (2010), *Waiting Times and Socioeconomic Status: Evidence from England, Health, Econometrics and Data Group Working Paper n 10/05*, Université de York.
- Listl, S. (2011), « Income-Related Inequalities in Dental Service Utilization by Europeans Aged 50+ », *Journal of Dental Research*, vol. 90, n° 6, pp. 717-723.
- Lu, J.R. et al. (2007), « Horizontal Equity in Health Care Utilization Evidence from Three High-Income Asian Economies », *Social Science and Medicine*, vol. 64, pp. 199-212.

- Macinko, J., B. Starfield et L. Shi (2007), « Quantifying the Health Benefits of Primary Care Physician Supply In The United States », *International Journal Of Health Services Research*, vol. 37, n° 1, pp. 111-126.
- Mackenbach, J.P. et al. (2008), « Socioeconomic Inequalities in Health in 22 European Countries », *New England Journal of Medicine*, vol. 358, pp. 2468-2481.
- Mackie, C.O. et al. (2009), « Hepatitis B Immunisation Strategies: Timing is Everything », *Canadian Medical Association Journal*, vol. 181, n° 2, pp. 196-202.
- Mariotto, A.B., K.R. Yabroff, Y. Shao et al. (2011), « Projections of the Cost of Cancer Care in the United States: 2010-2020 », *Journal of the National Cancer Institute*, <http://jnci.oxfordjournals.org/content/early/2011/01/12/jnci.djq495.abstract>.
- Maslow, K. (2010), « 2010 Alzheimer's Disease Facts and Figures », *Alzheimer's and Dementia: The Journal of Alzheimer's Association*, vol. 6, n° 2, pp. 158-194.
- Masoli, M. et al. (2004), *Global Burden of Asthma*, Global Initiative for Asthma.
- Masseria, C. et M. Giannoni (2010), « Equity in Access to Health Care in Italy: A Disease Approach », *European Journal of Public Health*, vol. 20, n° 5, pp. 504-510.
- Mathers, C. et al. (2005), « Counting the Dead and What They Died From: An Assessment of the Global Status of Cause of Death Data », *Bulletin of the World Health Organization*, vol. 83, n° 3, pp. 171-177.
- Matsumoto, M. (2010), « Geographical Distributions of Physicians in Japan and US: Impact of Healthcare System on Physician Dispersal Pattern », *Health Policy*, vol. 96, pp. 255-261.
- Mauri, D., N.P. Polyzos, G. Salanti et al. (2008), « Multiple-treatments Meta-analysis of Chemotherapy and Targeted Therapies in Advanced Breast Cancer », *Journal of the National Cancer Institute*, vol. 100, n° 24, pp. 1780-1791.
- McKinsey Global Institute (2008), « Accounting for the Cost of US Health Care: A New Look at Why Americans Spend More », www.mckinsey.com/mgi/reports/pdfs/healthcare/US_healthcare_report.pdf.
- Melander, A. et al. (2006), « Utilisation of Antihyperglycaemic Drugs in Ten European Countries: Different Developments and Different Levels », *Diabetologia*, vol. 49, pp. 2024-2029.
- MEXT (2010), *Past Policies for Increasing Quotas of Medical Department of University*, www.mext.go.jp/b_menu/shingi/chousa/koutou/043/siryo/_icsFiles/afieldfile/2011/01/18/1300372_1.pdf.
- Mezuk, B. et al. (2008), « Depression and Type 2 Diabetes Over the Lifespan: A Meta-Analysis », *Diabetes Care*, vol. 31, n° 12, pp. 2383-2390.
- MHLW – Ministry of Health, Labour and Welfare (2007), « Emergency Countermeasure for Securing of Physicians », www.mhlw.go.jp/topics/bukyoku/isei/kinkyu/dl/01a.pdf.
- Mililunpalo, S. et al. (1997), « Self-rated Health Status as a Health Measure: the Predictive Value of Self-reported Health Status on the Use of Physician Services and on Mortality in the Working-age Population », *Journal of Clinical Epidemiology*, vol. 50, pp. 90-93.
- Minkoff, H. et F.A. Chervenak (2003), « Elective Primary Cesarean Section », *New England Journal of Medicine*, vol. 348, pp. 946-950.
- MoH – Ministère de la Santé, Nouvelle-Zélande (2010), *Annual Report for the year ended 30 June 2010 – Including the Director-General of Health's Annual Report on the State of Public Health*, Ministère de la Santé, Wellington, Nouvelle-Zélande.
- Moïse, P. (2003), « The Heart of the Health Care System: Summary of the Ischaemic Heart Disease Part of the OECD Ageing-related Diseases Study », *A Disease-based Comparison of Health Systems: What is Best and at What Cost?*, Éditions OCDE, Paris.
- Moïse, P. et al. (2003), « OECD Study of Cross-national Differences in the Treatment, Costs and Outcomes for Ischaemic Heart Disease », Document de travail de l'OCDE sur la santé, n° 3, Éditions OCDE, Paris.
- Moon, L. et al. (2003), « Stroke Care in OECD Countries: A Comparison of Treatment, Costs and Outcomes in 17 OECD Countries », Document de travail de l'OCDE sur la santé, n° 5, Éditions OCDE, Paris.
- Mori, E. et al. (1992), « Intravenous Recombinant Tissue Plasminogen Activator in Acute Carotid Artery Territory Stroke », *Neurology*, vol. 42, n° 5, pp. 976-982.
- National Heart Foundation of Australia and the Cardiac Society of Australia and New-Zealand (2005), « Position Statement on Lipid Management-2005 », www.heartfoundation.org.au/SiteCollectionDocuments/The-lipid-position-statement.pdf.
- NCHS – National Centre for Health Statistics (2007), *Health, United States, 2007*, NCHS, Hyattsville, MD.

- NCHS (2009), *Health, United States, 2008*, NCHS, Hyattsville, MD.
- NCHS (2011), *Health, United States, 2010: With Special Feature on Death and Dying*, NCHS, Hyattsville, MD.
- NHSBSP – National Health Service Breast Screening Programme (2010), *Overcoming Barriers: NHS Breast Screening Programme Annual Review 2010*, NHS, Londres.
- NICE – National Institute for Health and Clinical Excellence (2009), *Evaluation Pathway Programme for Medical Technologies*, NICE, Londres et Manchester.
- Nicholson, K.G., R. Snacken et A.M. Palache (1995), « Influenza Immunization Policies in Europe and the United States », *Vaccine*, vol. 13, n° 4, pp. 365-369.
- NINDS – National Institute of Neurological Disorders and Stroke (1995), « Tissue Plasminogen Activator for Acute Ischemic Stroke », *New England Journal of Medicine*, vol. 333, n° 24, pp. 1581-1587.
- NOMESCO (2004), « Equal Access to Care », *Health Statistics in the Nordic Countries 2002*, NOMESCO, Copenhague.
- NOMESCO (2007), *Health Statistics in the Nordic Countries 2005*, NOMESCO, Copenhague.
- OCDE (1985), *Measuring Health Care, 1960-1983: Expenditure, Costs and Performance*, Éditions OCDE, Paris.
- OCDE (2000), *Système de comptes de la santé*, Éditions OCDE, Paris.
- OCDE (2003), *A Disease-based Comparison of Health Systems: What is Best and at What Cost?*, Éditions OCDE, Paris.
- OCDE (2004a), *Vers des systèmes de santé plus performants*, Éditions OCDE, Paris.
- OCDE (2004b), *L'assurance-maladie privée dans les pays de l'OCDE*, Éditions OCDE, Paris.
- OCDE (2005a), *Les soins de longue durée pour les personnes âgées*, Éditions OCDE, Paris.
- OCDE (2005b), *OECD Reviews of Health Systems – Finland*, Éditions OCDE, Paris.
- OCDE (2008a), *Les personnels de santé dans les pays de l'OCDE : Comment répondre à la crise imminente ?*, Éditions OCDE, Paris.
- OCDE (2008b), *Études économiques de l'OCDE : États-Unis*, Éditions OCDE, Paris.
- OCDE (2008c), *Les prix des médicaments sur un marché global : politiques et enjeux*, Éditions OCDE, Paris.
- OCDE (2009a), *Études économiques de l'OCDE : Grèce*, Éditions OCDE, Paris.
- OCDE (2009b), *Panorama de la santé : Les indicateurs de l'OCDE*, Éditions OCDE, Paris.
- OCDE (2010a), *Systèmes de santé : efficacité et politique*, Éditions OCDE, Paris.
- OCDE (2010b), *Optimiser les dépenses de santé*, Études de l'OCE sur les politiques de santé, Éditions OCDE, Paris.
- OCDE (2011a), *Base de données de l'OCDE sur la santé 2011 en ligne*, Éditions OCDE, Paris, <http://stats.oecd.org/index.aspx?lang=fr> (Santé).
- OCDE (2011b), *Panorama des régions de l'OCDE 2011*, Éditions OCDE, Paris.
- OCDE/FIT (2010), *Évolution des Transports 1970-2008*, Éditions OCDE, Paris.
- OCDE/FIT (2011), *IRTAD Sécurité routière 2010 Rapport annuel*, Éditions OCDE, Paris.
- OCDE et Banque mondiale (2008), *OECD Reviews of Health Systems: Turkey*, Éditions OCDE, Paris.
- OCDE, Eurostat et OMS (2011), *A System of Health Accounts, 2011 Edition*, Éditions OCDE, Paris.
- OCDE et OMS (2011), *Examens de l'OCDE des systèmes de santé – Suisse*, Éditions OCDE, Paris.
- OMS – Organisation mondiale de la santé (2000), « Obésité : prévention et prise en charge de l'épidémie mondiale – Rapport d'une consultation de l'OMS », Série de rapports techniques de l'OMS n° 894, OMS, Genève.
- OMS (2001), *Rapport sur la santé dans le monde – La santé mentale : nouvelle conception, nouveaux espoirs*, OMS, Genève.
- OMS (2004a), *Rapport mondial OMS sur la situation concernant l'alcool 2004*, OMS, Genève.
- OMS (2004b), « Vaccin anti-hépatite B », *Bulletin épidémiologie hebdomadaire*, n° 28, pp. 253-264.
- OMS (2008a), « Enquête mondiale de l'OMS sur la surveillance de la santé maternelle et périnatale », www.who.int/reproductivehealth/topics/best_practices/globalsurvey/en/index.html.
- OMS (2008b), « The Global Burden of Disease: 2004 Update », OMS, Genève.
- OMS (2009a), *Rapport de situation sur la sécurité routière dans le monde : il est temps d'agir*, OMS, Genève.

- OMS (2009b), Hépatite B OMS Fact Sheet n° 204, OMS, Genève.
- OMS (2009c), *Innocuité des vaccins contre la grippe A (H1N1)*, www.who.int/csr/disease/swineflu/frequently_asked_questions/vaccine_preparedness/safety_approval/fr/index.html.
- OMS (2010a), Stratégie mondiale de l'OMS visant à réduire l'usage nocif de l'alcool, OMS, Genève.
- OMS (2010b), Maladies rhumatismales chroniques, Fact Sheet, www.who.int/chp/topics/rheumatic/en/.
- OMS (2010c), Rapport sur la santé dans le monde : Le financement des systèmes de santé -Le chemin vers une couverture universelle, OMS, Genève.
- OMS (2010d), Accroître l'accès aux personnels de santé dans les zones rurales pour reculer par un meilleur recrutement : Recommandations politiques, OMS, Genève.
- OMS (2011a), Système mondial d'information sur l'alcool et la santé, www.apps.who.int/ghodata/.
- OMS (2011b), « Asthme », Aide mémoire n° 307, www.who.int/mediacentre/factsheets/fs307/fr/index.html.
- OMS (2011c), « Bronchopneumopathie chronique obstructive (BPCO) », Aide mémoire n° 315, www.who.int/mediacentre/factsheets/fs315/fr/index.html.
- OMS (2011d), « Cancer », Aide mémoire n° 297, www.who.int/mediacentre/factsheets/fs297/fr/index.html.
- OMS (2011e), Cancer du sein : prévention et lutte contre la maladie, www.who.int/topics/cancer/breastcancer/fr/index.html.
- OMS (2011f), WHO Vaccine Preventable Diseases Monitoring System, www.who.int/immunization_monitoring/routine/en/.
- OMS Europe (2007), « Prevalence of Excess Body Weight and Obesity in Children and Adolescents », Fact Sheet No. 2.3, European Environment and Health Information System.
- ONS – Osservatorio Nazionale Screening (2010), *The National Centre for Screening Monitoring, Eighth Report*, ONS, Florence.
- ONUSIDA – Programme conjoint des Nations unies sur le VIH/SIDA (2010), *Global Report: Rapport ONUSIDA sur l'épidémie mondiale de SIDA 2010*, ONUSIDA, Genève.
- Or, Z. (2000), « Exploring the Effects of Health Care on Mortality Across OECD Countries », Document de l'OCDE sur le marché du travail et les politiques sociales, n° 46, Éditions OCDE, Paris.
- Or, Z., F. Jusot et E. Yilmaz (2008), « Impact of Health Care System on Socioeconomic Inequalities in Doctor Use », IRDES Working Paper n° 17, IRDES, Paris.
- Orosz, E. et D. Morgan (2004), « SHA-based National Health Accounts in Thirteen OECD Countries: A Comparative Analysis », Document de travail de l'OCDE sur la santé, n° 16, Éditions OCDE, Paris.
- Page, A. et R. Taylor (2010), *BreastScreen Aotearoa Independent Monitoring Report: Screening and Assessment Report of Women Attending BSA (Women Screened January 2008 to December 2009)*, School of Population Health, Université de Queensland, Brisbane.
- Parikh, N.I. et al. (2009), « Long-Term Trends in Myocardial Infarction Incidence and Case Fatality in the National Heart, Lung, and Blood Institute's Framingham Heart Study », *Circulation*, vol. 119, pp. 1203-1210.
- Paris, V., M. Devaux et L. Wei (2010), « Health Systems Institutional Characteristics: A Survey of 29 OECD Countries », Document de travail de l'OCDE sur la santé, n° 50, Éditions OCDE, Paris.
- Parkin, D.M., F. Bray, F. Ferlay et P. Pisani (2005), « Global Cancer Statistics 2002 », *CA Cancel J Clin*, n° 55, pp. 74-108.
- Peden, M. et al. (eds.) (2004), *Rapport mondial sur la prévention des traumatismes dus à la circulation*, Organisation mondiale de la santé, Genève.
- Peralta, L.M.P. (2006), « The Prehospital Emergency Care System in Mexico City: A System's Performance Evaluation », *Prehospital and Disaster Medicine*, vol. 21, n° 2, pp. 104-111.
- Rehm, J. et al. (2009), « Global Burden of Disease and Injury and Economic Cost Attributable to Alcohol Use and Alcohol-use Disorder », *The Lancet*, vol. 373, pp. 2223-2233.
- Retzlaff-Roberts, D., C. Chang et R. Rubin (2004), « Technical Efficiency in the Use of Health Care Resources: A Comparison of OECD Countries », *Health Policy*, vol. 69, pp. 55-72.
- Rosso, S., A. Gondos, R. Zanetti et al. et EUNICE Survival Working Group (2010), « Up-to-date Estimates of Breast Cancer Survival for the Years 2000-2004 in 11 European Countries: The Role of Screening and a Comparison with Data from the United States », *European Journal of Cancer*, vol. 46, n° 18, pp. 3351-3357.

- Sachs, B.P., C. Kobelin, M.A. Castro et F. Frigoletto (1999), « The Risks of Lowering the Cesarean-delivery Rate », *New England Journal of Medicine*, vol. 340, pp. 54-57.
- Sanmartin, C. et al. (2003), *Access to Health Care Services in Canada, 2001*, Statistique Canada, Ottawa.
- Sant, M. et al. (2009), « EUROCARE-4. Survival of Cancer Patients Diagnosed in 1995-1999. Results and Commentary », *European Journal of Cancer*, vol. 45, n° 6, pp. 931-991.
- Sassi, F. (2010), *L'obésité et l'économie de la prévention – Objectif santé*, Éditions de l'OCDE, Paris.
- Sassi, F., M. Devaux, J. Church, M. Cecchini et F. Borgonovi (2009), « Éducation and Obesity in Four OECD Countries », Document de travail de l'OCDE sur la santé, n° 46, Éditions de l'OCDE, Paris.
- Scherer, P. et M. Devaux (2010), « The Challenge of Financing Health Care in the Current Crisis: An Analysis Based on the OECD Data », Document de travail de l'OCDE sur la santé, n° 49, Éditions de l'OCDE, Paris.
- Schoen, C. et al. (2010), « How Health Insurance Design Affects Access to Care and Costs, by Income, in Eleven Countries », *Health Affairs*, vol. 29, n° 12, pp. 2323-2334.
- Seenan, P., M. Long et P. Langhorne (2007), « Stroke Units in Their Natural Habitat: Systematic Review of Observational Studies », *Stroke*, vol. 38, pp. 1886-1892.
- Shafey, O. et al. (eds.) (2009), *The Tobacco Atlas*, 3^e édition, American Cancer Society, Atlanta.
- Shefer, A., L. Markowitz, S. Deeks et al. (2008), « Early Experience with Human Papillomavirus Vaccine Introduction in the United States, Canada, and Australia », *Vaccine*, vol. 26, n° S10, pp. K68-K75.
- Siciliani, L. et J. Hurst (2003), « Explaining Waiting Times Variations for Elective Surgery across OECD Countries », Document de travail de l'OCDE sur la santé, n° 7, Éditions de l'OCDE, Paris.
- Simoens, S. et J. Hurst (2006), « The Supply of Physician Services in OECD Countries », Document de travail de l'OCDE sur la santé, n° 21, Éditions de l'OCDE, Paris.
- Singleton, J.A. et al. (2000), « Influenza, Pneumococcal, and Tetanus Toxoid Vaccination of Adults – United States, 1993-1997 », *Morbidity and Mortality Weekly Report*, vol. 49, n° SS-9, pp. 39-63.
- Sirven, N. et Z. Or (2010), *Disparities in Regular Health Care Utilisation in Europe*, IRDES Working Paper n° 37, IRDES, Paris.
- Smith-Bindman, R., D.L. Miglioretti et E.B. Larson (2008), « Rising Use of Diagnostic Medical Imaging in a Large Integrated Health System », *Health Affairs*, vol. 27, n° 6, pp. 1491-1502.
- Society of Obstetricians and Gynaecologists of Canada et al. (2008), « Joint Policy Statement on Normal Childbirth », *Journal of Obstetrics and Gynaecology Canada*, vol. 30, n° 12, pp. 1163-1165.
- Sönnichsen, A.E. et al. (2010), « The Effectiveness of the Austrian Disease Management Programme for Type 2 Diabetes: A Cluster-Randomised Controlled Trial », *BMC Family Practice*, vol. 11, n° 86, pp. 2-10.
- Soop, M., U. Fryksmark, M. Köster et al. (2009), « The Incidence of Adverse Events in Swedish Hospitals: A Retrospective Medical Record Review Study », *International Journal for Quality in Health Care*, vol. 21, pp. 285-291.
- Starfield, B. et al. (2005), « Contribution of Primary Care to Health Systems and Health », *The Milbank Quarterly*, vol. 83, n° 3, pp. 457-502.
- Statistik Austria (2007), *Österreichische Gesundheitsbefragung 2006/2007 – Hauptergebnisse und methodische Dokumentation*, Statistik Austria, Vienne.
- Sullivan, D.F. (1971), « A Single Index of Mortality and Morbidity », *Health Services Mental Health Administration Health Reports*, vol. 86, pp. 347-354.
- Swedish Association of Local Authorities and Regions and National Board of Health and Welfare (2010), *Quality and Efficiency in Swedish Health Care – Regional Comparisons 2009*, Stockholm.
- Szucs, T. (2004), « Medical Economics in the Field of Influenza: Past, Present and Future », *Virus Research*, vol. 103, pp. 25-30.
- Taggart, D. (2009), « PCI or CABG in Coronary Artery Disease? », *The Lancet*, vol. 373, pp. 1190-1197.
- Tu, J.V. et al. (2009), « National Trends in Rates of Death and Hospital Admissions Related to Acute Myocardial Infarction, Heart Failure and Stroke, 1994-2004 », *Canadian Medical Association Journal*, vol. 180, n° 13, pp. E118-E125.
- UNICEF et OMS (2004), *Low Birthweight: Country, Regional and Global Estimates*, UNICEF, New York.
- Union européenne (2003), « Recommandation du Conseil du 2 décembre 2003 relative au dépistage du cancer (2003/879/EC) », *Journal officiel de l'Union européenne*, L327, vol. 46, 16 décembre 2003, pp. 34-38.

- Union européenne (2009), « Recommandation du Conseil du 9 juin 2009 relative à la sécurité des patients, y compris la prévention des infections associées aux soins et la lutte contre celles-ci (2009/C 151/01) », Journal officiel de l'Union européenne, vol. 151, 3 juillet 2009, pp. 1-6.
- US Department of Health and Human Services (2006), *Healthy People 2010 Midcourse Review*, US Government Printing Office, Washington, DC.
- USPSTF – US Preventive Services Task Force (2008), « Screening for Colorectal Cancer: US Preventive Services Task Force Recommendation Statement », *Annals of Internal Medicine*, vol. 149, pp. 627-637.
- USRDS – US Renal Data System (2008), *2008 Annual Data Report: Atlas of Chronic Kidney Disease and End-Stage Renal Disease in the United States*, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD.
- Van Doorslaer, E. et al. (2004), « Income-related Inequality in the Use of Medical Care in 21 OECD Countries », Document de travail de l'OCDE sur la santé, n° 14, Éditions de l'OCDE, Paris.
- Verdecchia, A. et al. (2007), « Recent Cancer Survival in Europe: A 2000-02 Period Analysis of EUROCARE-4 Data », *The Lancet Oncology*, vol. 8, pp. 784-796.
- Villar, J. et al. (2006), « Caesarean Delivery Rates and Pregnancy Outcomes: the 2005 WHO Global Survey on Maternal and Perinatal Health in Latin America », *The Lancet*, vol. 367, pp. 1819-1829.
- von Wagner, C. et al. (2011), « Inequalities in Participation in an Organized National Colorectal Cancer Screening Programme: Results From the First 2.6 Million Invitations in England », *International Journal of Epidemiology*, vol. 40, pp. 712-718.
- Westert, G.P. et al. (dir.pub.) (2010), *Dutch Health Care Performance Report 2010*, National Institute for Public Health and the Environment, Bilthoven, Pays-Bas.
- Wheeler, C.M., W.C. Hunt, N.E. Joste et al. (2009), « Human Papillomavirus Genotype Distributions: Implications for Vaccination and Cervical Cancer Screening in the United States », *Journal of the National Cancer Institute*, vol. 101, n° 7, pp. 1-13.
- Wiegers, T. et C. Hukkelhoven (2010), « The Role of Hospital Midwives in the Netherlands », *BMC Pregnancy and Childbirth*, vol. 10, n° 80, www.biomedcentral.com/1471-2393/10/80.
- Wiener, J. et al. (2009), « Why Are Nursing Home Utilization Rates Declining? », Real Choice System Change Grant Program, US Department of Health and Human Services, Centres for Medicare and Medicaid Services, www.hcbs.org/files/160/7990/SCGNursing.pdf.
- Wimo, A., B. Winblad et L. Jonsson (2010), « The Worldwide Societal Costs of Dementia: Estimates for 2009 », *Alzheimer's & Dementia*, vol. 6, pp. 98-103.
- Woods, L.M., B. Rachet et M.P. Coleman (2006), « Origins of Socio-economic Inequalities in Cancer Survival: A Review », *Annals of Oncology*, vol. 17, n° 1, pp. 5-19.
- Wortmann, M. (2009), « Parallel Sessions-Dementia Policies: The Role of Alzheimer Associations in Campaigning for Change », Alzheimer Europe, www.alzheimer-europe.org/Conferences/Previous-conferences/2009-Brussels/Abstracts-and-presentations/Dementia-policies.



Extrait de :
Health at a Glance 2011
OECD Indicators

Accéder à cette publication :
https://doi.org/10.1787/health_glance-2011-en

Merci de citer ce chapitre comme suit :

OCDE (2011), « Bibliographie », dans *Health at a Glance 2011 : OECD Indicators*, Éditions OCDE, Paris.

DOI: https://doi.org/10.1787/health_glance-2011-74-fr

Cet ouvrage est publié sous la responsabilité du Secrétaire général de l'OCDE. Les opinions et les arguments exprimés ici ne reflètent pas nécessairement les vues officielles des pays membres de l'OCDE.

Ce document et toute carte qu'il peut comprendre sont sans préjudice du statut de tout territoire, de la souveraineté s'exerçant sur ce dernier, du tracé des frontières et limites internationales, et du nom de tout territoire, ville ou région.

Vous êtes autorisés à copier, télécharger ou imprimer du contenu OCDE pour votre utilisation personnelle. Vous pouvez inclure des extraits des publications, des bases de données et produits multimédia de l'OCDE dans vos documents, présentations, blogs, sites Internet et matériel d'enseignement, sous réserve de faire mention de la source OCDE et du copyright. Les demandes pour usage public ou commercial ou de traduction devront être adressées à rights@oecd.org. Les demandes d'autorisation de photocopier une partie de ce contenu à des fins publiques ou commerciales peuvent être obtenues auprès du Copyright Clearance Center (CCC) info@copyright.com ou du Centre français d'exploitation du droit de copie (CFC) contact@cfcopies.com.