

Bibliography

- [1829BER] Berzelius, J. J., Untersuchung eines neuen Minerals und einer darin enthaltenen zuvor unbekanntenen Erde, *Ann. Phys. (Berlin)*, **7**, (1829), 385. Cited on page: 347.
- [1874CLE] Cleve, P. T., Sur les combinaisons du thorium, *Bull. Soc. Chim. Fr.*, **21**, (1874), 115. Cited on page: 347.
- [1880NIL/PET] Nilson, L. F., Pettersson, O., Über Molekularwärme und Molekularvolumina der Seltenen Erden und deren Sulfate, *Ber. Dtsch. Chem. Ges.*, **13**, (1880), 1459-1465, in German. Cited on page: 277.
- [1899KAU] Kauffmann, O., Ph. D. Thesis, University of Rostock, (1899), p. 50. Cited on page: 326.
- [1908WOH/PLU] Wöhler, L., Plüddemann, W., Wöhler, P., Eine neue Methode zur Tensionsbestimmung von Sulfaten, *Ber. Dtsch. Chem. Ges.*, **41**, (1908), 703-717, in German. Cited on pages: 277, 399.
- [1910BAR] Barre, M., Sur quelques sulfates doubles de thorium, *Compt. Rend.*, **150**, (1910), 1599-1602. Cited on pages: 289, 290, 292, 294, 295, 400, 402, 492.
- [1910KOP/HOL] Koppel, I., Holtkamp, H., Beiträge zur Theorie der Fabrikation von Thoriumsalzen. I. Das Sulfatreinigungsverfahren, *Z. Anorg. Allg. Chem.*, **67**, (1910), 266-292. Cited on pages: 289, 290, 293, 400, 404, 405, 408, 492.
- [1910KOP] Koppel, I., Hydratationswärme und Dampfdruck von Thoriumsulfathydraten, *Z. Anorg. Allg. Chem.*, **67**, (1910), 293-301, in German. Cited on pages: 288, 293, 400.
- [1910WAR] von Wartenberg, H., Thorium, *Z. Elektrochem.*, **15**, (1910), 866-872. Cited on page: 231.

- [1911BAR] Barre, M., Contribution à l'étude des sels doubles formés par les sulfates peu solubles avec les sulfates alcalins, *Ann. Chim. Phys.*, **24**, (1911), 223-241. Cited on pages: 289, 290, 292, 294, 295, 296, 297, 298, 400, 401, 402, 403, 405, 492.
- [1911CHA] Chauvenet, E., Contribution à l'étude des dérivés halogénés et oxyhalogénés du thorium, *Ann. Chim. Phys.*, **23**, (1911), 425-490. Cited on pages: 225, 231, 232, 235, 236, 251, 254, 255, 265, 267, 405.
- [1911CHA2] Chauvenet, E., Sur les carbonates de thorium, *Compt. Rend.*, **153**, (1911), 66-68. Cited on page: 347.
- [1912BAR] Barre, M., Sur la solubilité du sulfate de thorium dans l'acide sulfurique et dans les solutions de sulfate de lithium, *Bull. Soc. Chim. Fr.*, **11**, (1912), 646-648, in French. Cited on pages: 289, 290, 291, 292, 293, 400, 401, 404, 408, 492, 775, 777, 778, 779.
- [1912WIR] Wirth, F., Beiträge zur Chemie und Technik des Thors und der seltenen Erden, *Z. Anorg. Allg. Chem.*, **76**, (1912), 174-200. Cited on pages: 289, 290, 293, 400, 404, 408, 492.
- [1916SCH] Schaller, W. T., Thorium minerals in 1916, *Mineral Resources of US*, Part II, (1916), 223-237. Cited on page: 394.
- [1917LAW] Lawson, R. W., The age of thorium minerals, *Sitzungsber. Akad. Wiss., Wien*, **126**, (1917), 721-739. Cited on page: 394.
- [1922BRO] Brønsted, J. N., Studies of solubility: IV. The principle of specific interaction of ions, *J. Am. Chem. Soc.*, **44**, (1922), 877-898. Cited on page: 706.
- [1922BRO2] Brønsted, J. N., Calculation of the osmotic and activity functions in solutions of uni-univalent salts, *J. Am. Chem. Soc.*, **44**, (1922), 938-948. Cited on page: 706.
- [1925ARK/BOE] van Arkel, A. E., de Boer, J. H., Darstellung von reinem Titanium-, Zirkonium-, Hafnium- und Thoriummetall, *Z. Anorg. Allg. Chem.*, **148**, (1925), 345-350, in German. Cited on page: 410.
- [1925BRI] Britton, H. T. S., Electrometric studies of the precipitation of hydroxides. Part I. Precipitation of magnesium, manganous, ferrous, cobalt, nickel, and thorium hydroxides by use of the hydrogen electrode, *J. Chem. Soc.*, **127**, (1925), 2110-2120. Cited on pages: 173, 408.

- [1925HOL/LAW] Holmes, A., Lawson, R. W., Factors involved in the calculation of the ages of radioactive minerals, *Am. J. Sci.*, **5**, (1925), 327-344. Cited on page: 394.
- [1926HOL] Holmes, A., Estimates of geological time, with special reference to thorium minerals and uranium haloes, *Philos. Mag.*, **1**, (1926), 1055-1074. Cited on page: 394.
- [1927PRE/HIN] Prescott Jr., C. H., Hincke, W. B., The high-temperature equilibrium between thorium oxide and carbon, *J. Am. Chem. Soc.*, **49**, (1927), 2744-2753. Cited on pages: 343, 408.
- [1928BEC] Beck, G., Thermodynamische Beziehungen zur Konstitution von Verbindungen drei- und mehrwertiger Elemente, *Z. Anorg. Allg. Chem.*, **174**, (1928), 31-41, in German. Cited on pages: 278, 409.
- [1929FRI2] Fricke, R., Zum thermodynamischen Verhalten konzentrierter Lösungen, *Z. Elektrochem. Angew. Phys. Chem.*, **35**, (1929), 631-640, in German. Cited on pages: 317, 409.
- [1930CHA/SOU] Chauvenet, E., Souteyrand-Franck, M., Sur le nitrate de thoryle, *Bull. Soc. Chim. Fr.*, **47**, (1930), 1128-1131. Cited on pages: 135, 409.
- [1932NEU/KRO] Neumann, B., Kröger, C., Haebler, H., Über die Bildungswärmen der Nitride: IV. Uran-, Thorium- und Lanthannitrid, *Z. Anorg. Allg. Chem.*, **207**, (1932), 145-149, in German. Cited on pages: 312, 410, 411.
- [1932ROT/BEC] Roth, W. A., Becker, G., Ordnungszahl und Bildungswärme, *Z. Phys. Chem., Abt. A*, **159**, (1932), 1-26, in German. Cited on pages: 115, 410, 411.
- [1933WEL] Wells, R.C., Thorium minerals as age indicators, *J. Wash. Acad. Sci.*, **23**, (1933), 541-544. Cited on page: 394.
- [1934JAE/VEE] Jaeger, F. M., Veenstra, W. A., The exact measurement of the specific heats of solid substances at high temperatures. XVI. The specific heats of metallic thorium and of thorium dioxide between 20° and 1400° C, *Proc. - Acad. Sci. Amsterdam*, **37**, (1934), 327-332. Cited on pages: 91, 115, 410.
- [1934NEU/KRO] Neumann, B., Kröger, C., Kunz, H., Die Bildungswärmen der nitride. V. Die Verbrennungswärmen einiger Metalle und Metallnitride, *Z. Anorg. Allg. Chem.*, **218**, (1934), 379-401, in German. Cited on pages: 312, 411.

- [1935GUG] Guggenheim, E. A., The specific thermodynamic properties of aqueous solutions of strong electrolytes, *Philos. Mag.*, **19**, (1935), 588-643. Cited on page: 707.
- [1936SCA] Scatchard, G., Concentrated solutions of strong electrolytes, *Chem. Rev.*, **19**, (1936), 309-327. Cited on page: 706.
- [1939FIS/GEW2] Fischer, W., Gewehr, R., Wingchen, H., Über thermische Eigenschaften von Halogeniden. 12. Über eine neue Anordnung zur Dampfdruckmessung und über die Schmelzpunkte und Sättigungsdrucke von Skandium-, Thorium- und Hafniumhalogeniden, *Z. Anorg. Allg. Chem.*, **242**, (1939), 161-187, in German. Cited on pages: 233, 234, 252, 253, 254, 261, 263, 264, 412, 545, 565.
- [1939SAT] Sato, S.-I., Specific heats of thorium nitride, lithium nitride and zinc nitride, *Sci. Pap. Inst. Phys. Chem. Res. (Jpn.)*, **35**, (1939), 182-190. Cited on pages: 312, 412, 413.
- [1941SOU] Southard, J. C., A modified calorimeter for high temperatures. The heat content of silica, wollastonite and thorium dioxide above 25°C, *J. Am. Chem. Soc.*, **63**, (1941), 3142-3146. Cited on pages: 115, 413.
- [1941STR/ZUM] Strotzer, E. F., Zumbusch, M., Beiträge zur systematischen Verwandtschaftslehre. 98. Thoriumsulfide, *Z. Anorg. Allg. Chem.*, **247**, (1941), 415-428, in German. Cited on pages: 269, 274, 413.
- [1944TOL] Tolmachev, Y. M., Absorption spectra of aqueous solutions of salts and complex compounds of thorium, *Izv. Akad. Nauk SSSR, Ser. Khim.*, (1944), 320-324. Cited on pages: 372, 413.
- [1947BLO] Bloom, H., Ph. D. Thesis, (1947), University of London. Cited on page: 274.
- [1947NAR] Naray-Szabo, I., The perovskite-structure family, *Muegy. Kozl., Budapest*, **1**, (1947), 30. Cited on pages: 385, 386, 661, 662.
- [1947ROB/LEV] Robinson, R. A., Levien, B. J., The vapor pressures of potassium ferricyanide and thorium nitrate solution at 25°C, *Trans. R. Soc. N.Z.*, **76**, (1947), 295-299. Cited on pages: 98, 104, 317, 413, 558.
- [1947SCH/FAU] Schaal, R., Faucherre, J., Sur les variations de pH en fonction de la dilution. Application à l'étude des sels basiques solubles, *Bull. Soc. Chim. Fr.*, **14**, (1947), 927-932. Cited on page: 135.

- [1947SPE] Spence, H. S., Uranium and thorium minerals – information for the use of prospectors, *Can. Mining J.*, **58**, (1947), 636-642. Cited on page: 394.
- [1948MOE/SCH] Moeller, T., Schweitzer, G. K., Chemistry of thorium. Quantitative estimation of thorium by precipitation with radioactive pyrophosphate, *Anal. Chem.*, **20**, (1948), 1201-1204. Cited on pages: 326, 327, 413.
- [1948SOU] Souchay, P., Contribution à l'étude des phénomènes de condensation en chimie minérale. II. Utilisation de la cryoscopie en milieu salin, *Bull. Soc. Chim. Fr.*, (1948), 143-156. Cited on pages: 135, 414.
- [1949AND/EYE] Anderson, J. S., D'Eye, R. W. M., The lower valency states of thorium, *J. Chem. Soc.*, (1949), S244-S248. Cited on page: 259.
- [1949DOD/ROL] Dodgen, H. W., Rollefson, G. K., The complex ions formed by iron and thorium with fluoride in acid solution, *J. Am. Chem. Soc.*, **71**, (1949), 2600-2607. Cited on pages: 207, 208, 209, 210, 212, 213, 214, 224, 225, 414, 424, 524, 606.
- [1949HAY/REH] Hayek, E., Rehner, T., Thoriumtrijodid, *Experientia*, **5**, (1949), 114. Cited on page: 259.
- [1949SIL/LUN] Sillén, L. G., Lundgren, G., Crystal structure of $\text{Th}(\text{OH})_2\text{CrO}_4 \cdot \text{H}_2\text{O}$, *Ark. Kemi*, **1**, (1949), 277-292. Cited on page: 447.
- [1949WES/ROB3] Westrum Jr., E. F., Robinson, H. P., *The effect of hydrochloric acid concentration on the heat of solution of thorium tetrachloride*, in: *The transuranium elements*, pp.887-888, McGraw-Hill, New York, (1949), Seaborg, G. T., Katz, J. J., Manning, W. M., editors. Cited on pages: 96, 266, 415, 423, 544.
- [1949ZAC] Zachariasen, W. H., Crystal chemical studies of the 5f-series of elements. X. Sulfides and oxy-sulfides, *Acta Crystallogr., Sect. B: Struct. Sci.*, **2**, (1949), 291-296. Cited on pages: 199, 205, 269, 275.
- [1949ZAC3] Zachariasen, W. H., Crystal chemical studies of the 5f-series of elements. IX. the crystal structure of Th_7S_{12} , *Acta Crystallogr., Sect. B: Struct. Sci.*, **2**, (1949), 288-291. Cited on page: 269.
- [1950DAY/STO] Day Jr., R. A., Stoughton, R. W., Chemistry of thorium in aqueous solutions. I. Organic and inorganic complexes, *J. Am. Chem. Soc.*, **72**, (1950), 5662-5667. Cited on pages: 207, 208, 209, 212, 213, 214, 239, 240, 243, 244, 246, 247, 256, 257, 258, 268, 317, 318, 319, 415, 416, 417, 419, 420, 421, 422, 423, 429, 441, 524, 699, 701.

- [1950EAS/BRE] Eastman, E. D., Brewer, L., Bromley, L. A., Gilles, P. W., Lofgren, N. L., Preparation and properties of the sulfides of thorium and uranium, *J. Am. Chem. Soc.*, **72**, (1950), 4019-4023. Cited on page: 269.
- [1950EYR/WES] Eyring, L., Westrum Jr., E. F., The heat of formation of thorium tetrachloride, *J. Am. Chem. Soc.*, **72**, (1950), 5555-5556. Cited on pages: 96, 231, 232, 266, 272, 415, 423, 441, 523, 544.
- [1950FRO/FLE] Frondel, J. W., Fleischer, M., A glossary of uranium- and thorium-bearing minerals, *Geol. Surv. Circ. (U. S.)*, **74**, (1950), 20. Cited on page: 394.
- [1950LUN] Lundgren, G., *Ark. Kemi*, **2**, (1950), 535-549. Cited on page: 447.
- [1950WAG/STO] Waggener, W. C., Stoughton, R. W., Oak Ridge, Report ORNL-795, (1950). Cited on pages: 373, 374, 375, 531.
- [1951ARC] D'Arcy, G., Mineralogy of uranium- and thorium-bearing minerals, U.S.A.E.C., Report RMO-563, (1951). Cited on page: 394.
- [1951FRO] Fronaeus, S., The use of cation exchangers for the quantitative investigation of complex systems, *Acta Chem. Scand.*, **5**, (1951), 859-887. Cited on page: 516.
- [1951HAY/REH] Hayek, E., Rehner, T., Frank, A., Halogenide des zwei- und dreiwertigen Thoriums, *Monatsh. Chem.*, **82**, (1951), 575-587. Cited on pages: 228, 249, 250, 259.
- [1951HUN/RUN] Hunt, E. B., Rundle, R. E., The structure of thorium dicarbide by X-ray and neutron diffraction, *J. Am. Chem. Soc.*, **73**, (1951), 4777-4781. Cited on page: 340.
- [1951MAL/CAM] Mallett, M. W., Campbell, I. E., The dissociation pressures of thorium from dihydride in the thorium-thorium dihydride system, *J. Am. Chem. Soc.*, **73**, (1951), 4850-4852. Cited on pages: 122, 124, 423.
- [1951PAB/HUT] Pabst, A., Hutton, C. O., Osborne C., Huttonite, a new monoclinic thorium silicate: its occurrence, analysis and properties, *Am. Mineral.*, **36**, (1951), 60-69. Cited on page: 377.
- [1951RAB/LEM] Rabideau, S. W., Lemons, J. F., The potential of the Pu(III)-Pu(IV) couple and the equilibrium constants for some complex ions of Pu(IV), *J. Am. Chem. Soc.*, **73**, (1951), 2895-2899. Cited on page: 104.

- [1951ZEB/ALT] Zebroski, E. L., Alter, H. W., Heumann, F. K., Thorium complexes with chloride, fluoride, nitrate, phosphate and sulfate, *J. Am. Chem. Soc.*, **73**, (1951), 5646-5650. Cited on pages: 207, 208, 209, 212, 213, 214, 243, 244, 245, 278, 279, 280, 281, 317, 319, 320, 326, 328, 329, 330, 423, 424, 425, 428, 455, 460, 461, 524, 536.
- [1952ASK/SEG] Asker, W. J., Segnit, E. R., Wylie, A. W., Potassium thorium fluorides, *J. Chem. Soc.*, (1952), 4470-4479. Cited on page: 225.
- [1952EYE/SEL] D'Eye, R. W. M., Sellman, P. G., Murray, J. R., The thorium-selenium system, *J. Chem. Soc.*, (1952), 2555-2562. Cited on pages: 302, 303, 304, 305, 425.
- [1952FRO/FLE] Frondel, J. W., Fleischer, M., A glossary of uranium- and thorium-bearing minerals. 2nd Edition, *Geol. Surv. Circ. (U. S.)*, **194**, (1952), 1-25. Cited on page: 394.
- [1952HUB/HOL] Huber Jr., E. J., Holley Jr., C. E., Meierkord, E. H., The heats of combustion of thorium and uranium, *J. Am. Chem. Soc.*, **74**, (1952), 3406-3408. Cited on pages: 114, 426.
- [1952LUN] Lundgren, G., The crystal structure of $U_6O_4(OH)_4(SO_4)_6$, *Ark. Kemi*, (1957), 349-363. Cited on page: 507.
- [1952MOE/QUI] Moeller, T., Quinty, G. H., Radiometric determination of the solubilities of thorium and certain rare earth metal hypophosphates, *J. Am. Chem. Soc.*, **74**, (1952), 6123. Cited on pages: 326, 426
- [1952NOT/WIL] Nottorf, R. W., Wilson, A. S., Rundle, R. E., Newton, A. S., Powell, J. E., A physical study of the thorium-hydrogen system, Iowa State Coll., Ames, U.S. Atomic Energy Comm, Report TID-5223, (1952). Cited on pages: 122, 124, 126, 426.
- [1952RUN/SHU] Rundle, R. E., Schull, C. G., Woolan, E. O., The crystal structure of thorium and zirconium dihydrides by X-ray and neutron diffraction, *Acta Crystallogr.*, **5**, (1952), 22-26. Cited on page: 123.
- [1952SHA] Shapiro, E., Vapor pressure of thorium oxide from 2050 to 2250 K, *J. Am. Chem. Soc.*, **74**, (1952), 5233-5235. Cited on pages: 119, 120, 427.
- [1952WAG/STO] Waggener, W. C., Stoughton, R. W., Chemistry of thorium in aqueous solutions: II. Chloride complexing as a function of ionic strength, *J. Phys. Chem.*, **56**, (1952), 1-5. Cited on pages: 102, 239, 240, 241, 242, 243, 244, 245, 417, 422, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441.

- [1953COO] Cooper, M., Bibliography and index of literature on uranium and thorium and radioactive occurrences in the United States. I. Arizona, Nevada, and New Mexico, *Geol. Soc. Am. Bull.*, **64**, (1953), 197-234. Cited on page: 394.
- [1953COO2] Cooper, M., Bibliography and index of literature on uranium and thorium and radioactive occurrences in the United States. II. California, Idaho, Montana, Oregon, Washington, and Wyoming, *Geol. Soc. Am. Bull.*, **64**, (1953), 1103-1172. Cited on page: 394.
- [1953EYE] D'Eye, R. W. M., The crystal structures of ThSe₂ and Th₇Se₁₂, *J. Chem. Soc.*, (1953), 1670-1672. Cited on page: 302.
- [1953EYR/WES] Eyring, L., Westrum Jr., E. F., The heat of formation of thorium sesquisulfide, *J. Am. Chem. Soc.*, **75**, (1953), 4802-4803. Cited on pages: 272, 273, 441, 442.
- [1953GRI/SKO] Griffel, M., Skochdopole, R. E., The heat capacity and entropy of thorium from 18 to 300 K, *J. Am. Chem. Soc.*, **75**, (1953), 5250-5251. Cited on pages: 84, 86, 87, 88, 89, 90, 91, 442, 468, 569.
- [1953LUN] Lundgren, G., The crystal structure of U₆O₄(OH)₄(SO₄)₆, *Ark. Kemi*, **34**, (1953), 349-363. Cited on page: 155.
- [1953MOE/QUI] Moeller, T., Quinty, G. H., The chemistry of thorium. IV. Some observations on thorium hypophosphates, *J. Am. Chem. Soc.*, **75**, (1953), 3752-3754. Cited on page: 326.
- [1953OSB/WES] Osborne, D. W., Westrum Jr., E. F., The heat capacity of thorium dioxide from 10 to 305 K. The heat capacity anomalies in uranium dioxide and neptunium dioxide, *J. Chem. Phys.*, **21**, (1953), 1884-1887. Cited on pages: 115, 116, 442, 472, 586.
- [1953ZAC] Zachariasen, W. H., Crystal chemical studies of the 5f-series of elements. XIX. The crystal structure of the higher thorium hydride, Th₄H₁₅, *Acta Crystallogr.*, **6**, (1953), 393-395. Cited on page: 427.
- [1954ALL/YOS] Allen, T. L., Yost, D. M., Equilibria in the formation of molybdenum and thorium iodides from the elements, *J. Chem. Phys.*, **22**, (1954), 855-858. Cited on pages: 265, 443.
- [1954CHI] Chiotti, P., High temperature crystal structure of thorium, *J. Electrochem. Soc.*, **101**, (1954), 567-570. Cited on page: 83.

- [1954COO] Cooper, M., Bibliography and index of literature on uranium and thorium and radioactive occurrences in the United States. III. Colorado and Utah, *Geol. Soc. Am. Bull.*, **65**, (1954), 467-598. Cited on page: 395.
- [1954EYE/SEL] D'Eye, R. W. M., Sellman, P. G., Thorium-tellurium system, *J. Chem. Soc.*, (1954), 3760-3766. Cited on pages: 302, 306, 307, 308, 443.
- [1954FAU] Faucherre, J., Sur la constitution des ions basiques métalliques, *Bull. Soc. Chim. Fr.*, **21**, (1954), 253-267, in French. Cited on pages: 135, 443.
- [1954FER/KAT] Ferraro, J. R., Katzin, L. I., Gibson, G., The system nitrate- water-nitric acid at 25°C and the hydrates of thorium nitrate, *J. Am. Chem. Soc.*, **76**, (1954), 909-911. Cited on pages: 315, 443.
- [1954GAY/LEI] Gayer, K. H., Leider, H., Solubility of thorium hydroxide in solutions of sodium hydroxide and perchloric acid at 25°, *J. Am. Chem. Soc.*, **76**, (1954), 5938-5940. Cited on pages: 155, 156, 172, 179, 180, 444, 445, 446, 571.
- [1954HIE] Hietanen, S., Studies on the hydrolysis of metal ions. IX. The hydrolysis of the thorium ion, Th⁴⁺, *Acta Chem. Scand.*, **8**, (1954), 1626-1642. Cited on pages: 135, 137, 140, 143, 156, 157, 160, 446, 448, 454, 504, 506, 512, 513, 514, 653.
- [1954HOC/JOH] Hoch, M., Johnston, H. L., The reaction occurring on thoriated cathodes, *J. Am. Chem. Soc.*, **76**, (1954), 4833-4835. Cited on pages: 113, 119, 120, 447, 470, 567, 568.
- [1954JAN/HOM] Jantsch, G., Homayr, J., Zemek, F., Über niederwertige Thoriumverbindungen, *Monatsh. Chem.*, **85**, (1954), 526-536, in German. Cited on page: 228.
- [1954KRA/HOL] Kraus, K. A., Holmberg, R. W., Hydrolytic behavior of metal ions. III. Hydrolysis of thorium(IV), *J. Phys. Chem.*, **58**, (1954), 325-330. Cited on pages: 135, 137, 140, 143, 156, 157, 158, 160, 448, 454, 489, 506, 512, 513, 514, 554, 555, 556, 589, 653.
- [1954LOH/OSB] Lohr, H. R., Osborne, D. W., Westrum Jr., E. F., Thermodynamic properties of thorium tetrafluoride from 5 to 300 K and the magnetic entropy of uranium tetrafluoride, *J. Am. Chem. Soc.*, **70**, (1954), 3837-3839. Cited on pages: 199, 200, 448.

- [1955COO] Cooper, M., Bibliography and index of literature on uranium and thorium and radioactive occurrences in the United States. IV. Arkansas, Iowa, Kansas, Louisiana, Minnesota, Missouri, Nebraska, North Dakota, Oklahoma, South Dakota, and Texas, *Geol. Soc. Am. Bull.*, **66**, (1955), 257-326. Cited on page: 395.
- [1955EYE/BOO] D'Eye, R. W. M., Booth, G. W., The hydrates of thorium tetrafluoride, *J. Inorg. Nucl. Chem.*, **1**, (1955), 326-333. Cited on page: 225.
- [1955FER/KAT] Ferraro, J. R., Katzin, L. I., Gibson, G., Reaction of thorium nitrate tetrahydrate with nitrogen oxides. Anhydrous thorium nitrate, *J. Am. Chem. Soc.*, **77**, (1955), 327-329. Cited on pages: 314, 451.
- [1955FER] Ferro, R., The crystal structure of thorium arsenides, *Acta Crystallogr.*, **8**, (1955), 360. Cited on page: 332.
- [1955FER2] Ferro, R., Monotellururo e monossimonotellururo di torio, *Atti Accad. Sci., Lett. Arti Palermo*, **18**, (1955), 641-644, in Italian. Cited on pages: 306, 308.
- [1955FRO/FLE] Frondel, J. W., Fleischer, M., A glossary of uranium- and thorium-bearing minerals. 3rd Edition, *Geol. Surv. Circ. (U. S.)*, **1009-F**, (1954), 169-209. Cited on page: 395.
- [1955PAN/HSE] Pan, K., Hseu, T. M., A physico-chemical study on the hydrolysis of thorium nitrate, *Bull. Chem. Soc. Jpn.*, **28**, (1955), 162-164. Cited on pages: 135, 136, 140, 156, 157, 158, 448, 449.
- [1955ROB/JEN] Robins, D. A., Jenkins, I., Heats of formation of some transition metal silicides, *Acta Metall.*, **3**, (1955), 598-604. Cited on pages: 376, 449.
- [1955ROB] Robinson, R. A., Osmotic and activity coefficients of aqueous solutions of thorium chloride at 25°, *J. Am. Chem. Soc.*, **77**, (1955), 6200. Cited on pages: 104, 108.
- [1955SMI/WOL] Smith, P. L., Wolcott, N. M., The specific heat of thorium and uranium, *Annexe Bull. Inst. Int. Froid*, (1955), 283-286. Cited on pages: 84, 86, 87, 89.
- [1956CHU/STE] Chukhlantsev, V. G., Stepanov, S. I., Solubility of uranyl and thorium phosphates, *Russ. J. Inorg. Chem.*, **1**, (1956), 135-141. Cited on pages: 327, 328, 449, 504, 628.

- [1956CHU] Chukhlantsev, V. G., The solubility products of some metal selenites, *Zh. Neorg. Khim.*, **1**, (1956), 2300-2305, in Russian, English translation in *Russ. J. Inorg. Chem.*, **1**, (1956), 132-138. Cited on page: 305.
- [1956CLE/VAU] Clearfield, A., Vaughan, P. A., The crystal structure of zirconyl chloride octahydrate and zirconyl bromide octahydrate, *Acta Crystallogr., Sect. B: Struct. Sci.*, **9**, (1956), 555-558. Cited on pages: 149, 150.
- [1956FER/KAT] Ferraro, J. R., Katzin, L. I., Gibson, G., Heats of solution of the thorium nitrate hydrates in water and in certain organic solvents, *J. Inorg. Nucl. Chem.*, **2**, (1956), 118-124. Cited on pages: 315, 316, 450.
- [1956FER] Ferro, R., The crystal structures of thorium antimonides, *Acta Crystallogr.*, **9**, (1956), 817-818. Cited on page: 332.
- [1956FOM/MAI] Fomin, V. V., Maiorova, E. P., Determination of stability constants for the $\text{Th}(\text{NO}_3)_x^{4-x}$ ions by means of tributyl phosphate extraction, *Russ. J. Inorg. Chem.*, **1**, (1956), VII-17. Cited on pages: 317, 319, 320, 451, 452, 453, 454.
- [1956FRO/RIS] Frondel, C., Riska, D., Frondel, J. W., X-ray powder data for uranium and thorium minerals, *U.S. Geol. Surv. Bull.*, **1036-G**, (1956), 91-153. Cited on page: 395.
- [1956JAM/STR] James, W. J., Straumanis, M. E., Lattice parameter and coefficient of thermal expansion of thorium, *Acta Crystallogr.*, **9**, (1956), 376-379. Cited on page: 83.
- [1956SHC/NOV] Shchukarev, S. A., Novikov, G. I., Suvorov, A. V., The reduction of thorium tetrabromide with hydrogen, *Zh. Neorg. Khim.*, **1**, (1956), 1948-1953. Cited on page: 250.
- [1956SIN/BRO] Singewald, Q. D., Brock, M. R., Thorium deposits in the Wet Mountains, Colorado, Proc. Inter. Conf. Peaceful Uses Atomic Atomic Energy, Geneva(1956), pp.578-581, (1956). Cited on page: 395.
- [1957CHU/BER] Chupka, W. A., Berkowitz, J., Inghram, M. G., Thermodynamics of the Zr-ZrO₂ system: The dissociation energies of ZrO and ZrO₂, *J. Chem. Phys.*, **26**, (1957), 1207-1210. Cited on page: 783.
- [1957EYE/BOO] D'Eye, R. W. M., Booth, G. W., Further remarks on the hydrates of thorium tetrafluoride, *J. Inorg. Nucl. Chem.*, **4**, (1957), 13-23. Cited on page: 225.

- [1957ING/CHU] Inghram, M. G., Chupka, W. A., Berkowitz, J., Dissociation energies from thermodynamic equilibria studied with a mass spectrometer, *Mém. Soc. R. Sci. Liège*, **18**, (1957), 513-535. Cited on page: 119.
- [1957LAN/MIE] Lange, E., Miederer, W., Heats of dilution of the hydrolyzing electrolytes AlCl_3 , $\text{Th}(\text{NO}_3)_4$, and $\text{UO}_2(\text{NO}_3)_2$ at 25° , *Z. Elektrochem. Angew. Phys. Chem.*, **61**, (1957), 407-409, in German. Cited on pages: 317, 453.
- [1957SAM/POP] Samsonov, G. V., Popova, N. M., Preparation and some of the properties of the thorium sulfides, *Zh. Obshch. Khim.*, **27**, (1957), 3-10. Cited on page: 270.
- [1958BEA/MCT] Bear, J., McTaggart, F. K., The sulphides, selenides, and tellurides of titanium, zirconium, hafnium, and thorium. II. Chemical properties, *Aust. J. Chem.*, **11**, (19), 458-470. Cited on pages: 272, 302, 303, 307, 453.
- [1958DAR/KEN] Darnell, A. J., Keneshea Jr., F. J., Vapor pressure of thorium tetrafluoride, *J. Phys. Chem.*, **62**, (1958), 1143-1145. Cited on pages: 200, 203, 453, 464, 569.
- [1958EYE] D'Eye, R. W. M., The thorium dioxide-thorium tetrafluoride system, *J. Chem. Soc.*, (1958), 196-199. Cited on pages: 200, 205.
- [1958FER] Ferro, R., The crystal structures of ThHg_3 , ThIn_3 , ThTl_3 , ThSn_3 , and ThPb_3 , *Acta Crystallogr.*, **11**, (1958), 737-738. Cited on pages: 381, 383.
- [1958KAT] Katzin, L. I., Concerning a lower oxide of thorium and related compounds of the last-row elements, *J. Am. Chem. Soc.*, **80**, (1958), 5908-5910. Cited on page: 111.
- [1958LEF] Lefèbvre, J., Hydrolyse de l'ion thorium, Th^{4+} , *J. Chim. Phys. Phys.-Chim. Biol.*, **55**, (1958), 227-233, in French. Cited on pages: 137, 454.
- [1958MAI/FOM] Maiorova, E. P., Fomin, V. V., Extraction of thorium with tributyl phosphate. III. Effect of sulfate ions on the distribution of thorium, *Russ. J. Inorg. Chem.*, **3**, (1958), 295-316. Cited on pages: 279, 280, 281, 454, 455, 461, 536.
- [1958VOL] Volborth, A., Identification tables for uranium and thorium minerals, *Econ. Geol. Bull. Soc. Econ. Geol.*, **53**, (1958), 300-308. Cited on page: 395.

- [1959GAG/MAS] Gagarinskii, Y. V., Mashirev, V. P., Crystalline hydrates of uranium tetrafluoride, *Russ. J. Inorg. Chem.*, **4**, (1959), 565-568. Cited on page: 456.
- [1959GAG/MAS2] Gagarinskii, Y. V., Mashirev, V. P., Crystalline hydrates of thorium tetrafluoride, *Russ. J. Inorg. Chem.*, **4**, (1959), 562-565. Cited on pages: 225, 455.
- [1959GRO/LEV] Gross, P., Levi, D. L., Lewin, R. H., Activities in uranium-bismuth alloys and the free energies of uranium-bismuth compounds, The physical chemistry of metallic solutions and intermetallic compounds, NPL Symposium No.9, pp.3G2-3G9, London, (1959). Cited on page: 519.
- [1959HIE/SIL2] Hietanen, S., Sillén, L. G., Studies on the hydrolysis of metal ions. 22. Equilibrium studies in self-medium; Applications to the hydrolysis of Th^{4+} , *Acta Chem. Scand.*, **13**, (1959), 533-550. Cited on pages: 136, 140, 146, 456.
- [1959HIG] Higashi, S., Determination of the solubility of thorium hydroxide, *Bull. Inst. Phys. Chem. Res. (Tokyo)*, **37**, (1959), 200-206. Cited on pages: 172, 178, 179, 180, 181, 182, 183, 456, 457, 458, 495.
- [1959KIN/WEL] King, E. G., Weller, W. W., Low-temperature heat capacities and entropies at 298.15 K of cerium monosulfide, cerium sesquisulfide and thorium disulfide, US Bureau of Mines, Report of Investigations, Report 5485, (1959). Cited on pages: 273, 457.
- [1959MAR/COR] Marcus, Y., Coryell, C. D., The anion exchange of metal complexes. Theory, *Bull. Res. Council. Isr.*, **1**, (1959), 1-16. Cited on page: 462.
- [1959MIT2] Mit'kina, E. A., Experimental determination of the true specific heats of uranium, thorium, and other metals, *Sov. J. At. Energy*, **7**, (1959), 669-670. Cited on pages: 90, 91, 458.
- [1959PET/WES] Peterson, D. T., Westlake, D. G., Solubility of thorium dihydride in thorium metal, *Trans. Am. Inst. Min. Metall. Pet. Eng.*, **215**, (1959), 444-447. Cited on pages: 122, 458.
- [1959PET/WES2] Peterson, D. T., Westlake, D. G., Rexer, J., The effect of thorium oxide on thorium-hydrogen equilibrium, *J. Am. Chem. Soc.*, **81**, (1959), 4443-4445. Cited on page: 122.
- [1959ROB/STO] Robinson, R. A., Stokes, R. H., *Electrolyte solutions*, 2nd. Edition, Butterworths, London, (1959, revised 1970), 571 pp.. Cited on page: 710.

- [1959RYA/GOL] Ryabchikov, D. I., Gol'braikh, E. K., Thorium and its compounds, *Sov. Progr. Chem.*, **28**, (1959), 404-435. Cited on page: 347.
- [1959SKI] Skinner, J. B., The thermal expansion of thoria, periclase and diamond, *Am. Mineral.*, **42**, (1959), 39-55. Cited on page: 114.
- [1959TAN/LU4] Tananaev, I. V., Lu, C.-D., Interaction in the $\text{Th}(\text{NO}_3)_4\text{-NaF-H}_2\text{O}$ system, *Russ. J. Inorg. Chem.*, **4**, (1959), 959-961. Cited on pages: 224, 459.
- [1959TAN/LU5] Tananaev, I. V., Lu, C.-D., The formation complex fluorides of thorium in solution, *Russ. J. Inorg. Chem.*, **4**, (1959), 961-965. Cited on pages: 207, 209, 210, 224, 459.
- [1959TAN/LU6] Tananaev, I. V., Lu, C.-D., Interaction in the $\text{Th}(\text{NO}_3)_4\text{-KF}(\text{NH}_4\text{F})\text{-H}_2\text{O}$ system, *Russ. J. Inorg. Chem.*, **4**, (1959), 1293-1296. Cited on pages: 224, 459.
- [1959ZAL] Zalubas, R., Preliminary list of levels and g-values for the first spectrum of Th (Th I), , *J. National Bureau of Standards 63A*, pp.275-278, NBS, Washington, D.C., (1959). Cited on page: 91.
- [1959ZIE] Zielen, A. J., Thermodynamics of the sulfate complexes of thorium, *J. Am. Chem. Soc.*, **81**, (1959), 5022-5028. Cited on pages: 279, 280, 284, 285, 287, 424, 455, 460, 461, 536.
- [1960BRO/NOR] Brown, A., Norreys, J. J., The system thorium-silicon, *J. Inst. Met.*, **89**, (1960-61), 238-240. Cited on pages: 375, 494.
- [1960DAN] Danon, J., Determination of the stability constants of thorium nitrate complexes with anion-exchange resins, *J. Inorg. Nucl. Chem.*, **13**, (1960), 112-118. Cited on pages: 317, 318, 462.
- [1960DAR/MCC] Darnell, A. J., McCollum, W. A., Milne, T. A., Vapor pressure of thorium, *J. Phys. Chem.*, **64**, (1960), 341-346. Cited on pages: 92, 464, 494.
- [1960DAR] Darnell, A. J., The free energy, heat, and entropy of formation of thorium tetrafluoride, Atomics International, Report NAA-SR-4924, (1960). Cited on pages: 200, 201, 463, 601.
- [1960DAR2] Darnell, A. J., The free energy, heat, and entropy of formation of thorium oxyfluoride, Atomics International, Report NAA-SR-5045, (1960). Cited on pages: 205, 463.

- [1960EAS/CAR] Eash, D. T., Carlson, O. N., The thorium-yttrium system, *Trans. Metall. Soc. AIME*, **52**, (1960), 1097-1112. Cited on page: 499.
- [1960FIL/TEK] Filinov, F. M., Tekster, E. N., Kolpakova, A. A., Panteleeva, E. P., Solubility of thorium pyrophosphate in acids and investigation of the equilibriums existing between the solid phase and solution in the systems $\text{ThP}_2\text{O}_7\text{-Na}_4\text{P}_2\text{O}_7\text{-H}_2\text{O}$ and $\text{ThP}_2\text{O}_7\text{-Th}(\text{NO}_3)_4\text{-H}_2\text{O}$, *Russ. J. Inorg. Chem.*, **5**, (1960), 552-556. Cited on pages: 330, 331, 464, 465.
- [1960GRA/MCT] Graham, J., McTaggart, F. K., Observations on the systems Th-S, Th-Se, and Th-Te, *Aust. J. Chem.*, **13**, (1960), 67-73. Cited on pages: 269, 274, 302, 306, 307, 308, 413.
- [1960GRE/NOR] Grenthe, I., Norén, B., On the stability of nitrate and chloride complexes of plutonium(IV), *Acta Chem. Scand.*, **14**, (1960), 2216-2229. Cited on pages: 486, 517.
- [1960HAS/MEL] Hasapis, A. A., Melveger, A. J., Parish, M. B., Reif, L., Rosen, C. L., US At. Energy Comm. Report., Report WADD-TR-60-463, part 2, (1960). Cited on page: 119.
- [1960LAN/DAR] Landis, A. L., Darnell, A. J., The thermostability of thorium tetraiodide, Atomics International, Report NAA-SR-5394, (1960). Cited on pages: 261, 263, 265, 266, 267, 465.
- [1960MAT/ABR] Matijević, E., Abramson, M. B., Schulz, K. F., Kerker, M., Detection of metal ion hydrolysis by coagulation. II. Thorium, *J. Phys. Chem.*, **64**, (1960), 1157-1161. Cited on pages: 135, 466.
- [1960MAY/OWE] Mayer, S. W., Owens, B. B., Rutherford, T. H., Serrins, R. B., High-temperature free energy, entropy, enthalpy and heat capacity of thorium sulfate, *J. Phys. Chem.*, **4**, (1960), 911-914. Cited on pages: 276, 277, 278, 467.
- [1960MUH/VAU] Muha, G. M., Vaughan, P. A., Structure of the complex ion in aqueous solutions of zirconyl and hafnyl oxyhalides, *J. Chem. Phys.*, **33**, (1960), 194-199. Cited on pages: 149, 467, 518.
- [1960SMI/WEL] Smith, A. J., Welch, A. J. E., Some mixed metal oxides of perovskite structure, *Acta Crystallogr.*, **13**, (1960), 653-655. Cited on pages: 386, 387, 662.
- [1960WAL] Wallace, D. C., Specific heat of thorium at high temperatures, *Phys. Rev.*, **120**, (1960), 84-88. Cited on pages: 90, 91, 468, 569.

- [1960YOS] Yosim, D. A., The thermostability of the lower iodides of thorium, U.S.A.E.C. Report. (Atomics International), Report NAA-SR-5350, p VII-35, (1960). Cited on pages: 260, 468.
- [1961BRO] Brown, A., The crystal structures of ThPb₃, UPb₃, ThPb and UPb, *Acta Crystallogr.*, **14**, (1961), 856-860. Cited on page: 383.
- [1961BUC/BER] Büchler, A., Berkowitz-Mattück, J. B., Dugre, D. H., Infrared spectra of some group IV halides, *J. Chem. Phys.*, **34**, (1961), 2202-2203. Cited on pages: 202, 233, 468.
- [1961CAT/RAU] Cater, E. D., Rauh, E. G., Thorn, R. J., Uranium monosulfide. II. Mass spectrometric study of its vaporization, *J. Chem. Phys.*, **35**, (1961), 619-624. Cited on pages: 271, 468.
- [1961CHE/GOL] Chernyaev, I. I., Golovnya, V. A., Shchelokov, R. N., Carbonato-oxalatoaquo complexes of uranyl dioxycarbonato-oxalato-diaquouranates, *Russ. J. Inorg. Chem.*, **6**, (1961), 280-283. Cited on pages: 347, 372.
- [1961CHE/GOL2] Chernyaev, I. I., Golovnya, V. A., Molodkin, A. K., Hexammonium pentacarbonato-thorate(trihydrate), *Russ. J. Inorg. Chem.*, **6**, (1961), 200-202. Cited on page: 469.
- [1961DAR/MCC] Darnell, A. J., McCollum, W. A., High temperature reactions of thorium and thoria and the vapor pressure of thoria, Atomics International, Report NAA-SR-6498, (1961). Cited on pages: 113, 120, 469.
- [1961HAR/MOO] Hartmann, H., Mootz, D., Nentwich, T., Bestimmung der Bildungswärmen der Di- und Oxysulfide von Uran und Thorium, *Angew. Chem.*, **73**, (1961), 172-173. Cited on pages: 274, 275, 469, 470.
- [1961HOC/JOH] Hoch, M., Johnston, H. L., The heat capacity of aluminum oxide from 1000 to 2000 and of thorium dioxide from 1000 to 2500°C, *J. Phys. Chem.*, **65**, (1961), 1184-1185. Cited on pages: 115, 117, 470, 637.
- [1961KOV/BAG2] Kovalenko, P. N., Bagdasarov, K. N., Use of the photocalorimeter for determination of the solubility product of thorium hydroxide, *J. Appl. Chem. USSR*, **34**, (1961), 759-763. Cited on pages: 172, 470, 471.

- [1961LEW/RAN] Lewis, G. N., Randall, M., *Thermodynamics, as revised by Pitzer, K. S. and Brewer, L.*, 2nd. Edition, McGraw-Hill, New York, (1961), 723 pp.. Cited on pages: 16, 706, 708, 710, 713, 779, 780.
- [1961LUZ/KOV] Luzhnaya, N. P., Kovaleva, I. S., Solubility in the system $\text{Na}_2\text{CO}_3\text{-Th}(\text{CO}_3)_2\text{-H}_2\text{O}$ at 25° , *Zh. Neorg. Khim.*, **6**, (1961), 1440-1442, in Russian, English translation in [1961LUZ/KOV2]. Cited on page: 542.
- [1961LUZ/KOV2] Luzhnaya, N. P., Kovaleva, I. S., Solubility in the system $\text{Na}_2\text{CO}_3\text{-Th}(\text{CO}_3)_2\text{-H}_2\text{O}$ system at 25° , *Russ. J. Inorg. Chem.*, **6**, (1961), 738-740. Cited on pages: 347, 362, 366, 369, 471, 472, 542, 596.
- [1961MUM/ROY] Mumpton, F. A., Roy, R., Hydrothermal stability studies of the zircon-thorite group, *Geochim. Cosmochim. Acta*, **21**, (1961), 217-238. Cited on page: 377.
- [1961ROS/ROS] Rossotti, F. J. C., Rossotti, H., *The determination of stability constants and other equilibrium constants in solution*, McGraw-Hill, New York, (1961). Cited on pages: 25, 128, 349, 751.
- [1961VIC/DOU2] Victor, A. C., Douglas, T. B., Thermodynamic properties of thorium dioxide from 298 to 1200 K, *J. Res. Natl. Bur. Stand.*, **65**, (1961), 105-111. Cited on pages: 115, 472.
- [1962BAE/MEY] Baes Jr., C. F., Meyer, N. J., Acidity measurements at elevated temperatures: I. Uranium(VI) hydrolysis at 25 and 94°C , *Inorg. Chem.*, **1**, (1962), 780-789. Cited on page: 490.
- [1962DAV] Davies, C. W., *Ion association*, Butterworths, London, (1962), 190 pp.. Cited on page: 706.
- [1962FAU/DER] Faucherre, J., Dervin, J., Etude potentiométrique des thoricarbonates complexes, *Compt. Rend.*, **255**, (1962), 2769-2771. Cited on pages: 372, 473, 540.
- [1962FAU/DER2] Faucherre, J., Dervin, J., Sur la constitution en solution des thoricarbonates complexes, *Compt. Rend.*, **255**, (1962), 2264-2266. Cited on pages: 372, 473, 540.
- [1962KAR/VOL] Karyakin, A. V., Volynets, M. P., Infrared spectra of the thorium carbonate complex, *Zh. Strukt. Khim.*, **3**, (1962), 714-716. Cited on pages: 372, 473, 554.

- [1962KAT/KAP] Katzin, L. I., Kaplan, L., Steitz, T., Hydridic nature of the "lower oxide of thorium", *Inorg. Chem.*, **1**, (1962), 963-964. Cited on pages: 95, 539.
- [1962KOR] Korst, W. L., The lattice constants of thorium dihydride, *Acta Crystallogr.*, **15**, (1962), 287-288. Cited on page: 122.
- [1962KRI] Krikorian, O. H., Estimation of high-temperature heat capacities of carbides, Lawrence Radiation Laboratory, Livermore, California, Report UCRL-6785, (1962). Cited on page: 340.
- [1962NIK/LUK] Nikolaev, N. S., Luk'yanychev, Y. A., The determination of the solubility product of thorium tetrafluoride, *Sov. J. At. Energy*, **13**, (1962), 356-358. Cited on pages: 224, 225, 473.
- [1962PEP/NAM] Peppard, D. F., Namboodiri, N. M., Mason, G. W., Extraction of Th(IV) as a mixed complex, nitrate or chloride, by 2-ethylhexyl hydrogen 2-ethylhexyl phosphonate, *J. Inorg. Nucl. Chem.*, **24**, (1962), 979-988. Cited on pages: 320, 474.
- [1962PET/REX] Peterson, D. T., Rexer, J., The composition of ThH₂ and diffusion of hydrogen in ThH₂, *J. Less-Common Met.*, **4**, (1962), 92-97. Cited on pages: 122, 124, 474.
- [1962PRA/DEY] Prasad, R., Dey, A. K., Electrometric studies of the precipitation of thorium hydroxide. I. Changes in pH of thorium chloride solution by the progressive addition of sodium hydroxide, *Kolloid-Z.*, **184**, (1962), 54-56. Cited on pages: 135, 474.
- [1962VAS] Vasil'ev, V. P., Influence of ionic strength on the instability constants of complexes, *Russ. J. Inorg. Chem.*, **7**, (1962), 924-927. Cited on page: 707.
- [1963ACK/RAU] Ackermann, R. J., Rauh, E. G., Thorn, R. J., Cannon, M. C., A thermodynamic study of the thorium-oxygen system at high temperatures, *J. Phys. Chem.*, **67**, (1963), 762-769. Cited on pages: 113, 120, 121, 475, 539, 566.
- [1963ALD/PRA] Aldred, A. T., Pratt, J. N., Vapor pressure of liquid bismuth, *J. Chem. Phys.*, **38**, (1963), 1085. Cited on page: 519.
- [1963ALL/MCD] Allen, K. A., McDowell, W. J., The thorium sulfate complexes from di-n-decylamine sulfate extraction equilibria, *J. Phys. Chem.*, **67**, (1963), 1138-1140. Cited on pages: 279, 281, 283, 284, 285, 286, 475, 476, 477, 588, 620, 772, 774.

- [1963BIL/FUR] Bilinski, H., Füredi, H., Branica, M., Tezak, B., Precipitation and hydrolysis of thorium(IV) in aqueous solution: thorium nitrate-potassium hydroxide. I. Determination of solubility constants of $\text{Th}(\text{OH})_4$, *Croat. Chem. Acta*, **35**, (1963), 19-30. Cited on pages: 140, 156, 158, 173, 178, 408, 477, 478, 495, 496, 503.
- [1963BUR/BOR] Burdese, A., Borlera, M. L., Sui sistemi tra anidride fosforica e biossidi di uranio e torio, *Ann. Chim. (Rome)*, **53**, (1963), 344-355, in Italian. Cited on pages: 323, 324, 325.
- [1963BUR/BOR2] Burdese, A., Borlera, M. L., Sul sistema tra i pirofosfati di uranio e torio, *Ann. Chim. (Rome)*, **53**, (1963), 333-343, in Italian. Cited on page: 324.
- [1963CLA/COR] Clark, R. J., Corbett, J. D., Preparation of metallic thorium diiodide, *Inorg. Chem.*, **2**, (1963), 460-463. Cited on page: 259.
- [1963GIN/EFI] Gingerich, K. A., Efimenko, J., Thermodynamic study of the thorium phosphides with a mass spectrometer, Thermodynamics of nuclear materials, Proc. Int. Symp., pp.477-486, International Atomic Energy Agency, Vienna, Austria, (1963). Cited on pages: 321, 322, 323, 478, 498.
- [1963IAE] The uranium-carbon and plutonium-carbon system: a thermochemical assessment, I.A.E.A, Technical Report Series, Report 14, (1963), 44 pp.. Cited on page: 3.
- [1963LIN] Linevsky, M.J., Spectroscopic studies of the vaporization of refractory materials, General Electric Rep, Report WADD-TR-60-646 Part IV; AD-611856, (1963). Cited on pages: 119, 478, 545.
- [1963LON/GRA] Lonsdale, H. K., Graves, J. N., Vaporization of the dicarbides of uranium, thorium, and protactinium, Thermodynamics of nuclear materials, Proc. Int. Symp., pp.601-623, International Atomic Energy Agency, Vienna, Austria, (1963). Cited on page: 343.
- [1963MAT/MIL] Matijević, E., Milić, I., Precipitation effects of aluminum, lanthanum, iron(III), and thorium phosphates, *Kolloid-Z.*, **188**, (1963), 129-136. Cited on page: 327.
- [1963RYA/VOL] Ryabchikov, D. I., Volynets, M. P., Zarinskii, V. A., Ivanov, V. I., High frequency titration. Communication 7. A study of the carbonate compounds of thorium, *J. Anal. Chem. USSR*, **18**, (1963), 307-313. Cited on pages: 347, 372, 479.

- [1963SHA] Shalek, P. D., Preparation and properties of uranium and thorium monosulfides, *J. Am. Ceram. Soc.*, **46**, (1963), 155-161. Cited on page: 270.
- [1963VOR/DAN] Voronov, N. M., Danilin, A. S., Kovalev, I. T., Determination of the rate of vaporization of metallic oxides on samples heated by electric current, Thermodynamics of nuclear materials, Proc. Int. Symp., held in Vienna, Austria, 21-25 May 1962, pp.789-800, International Atomic Energy Agency, Vienna, Austria, (1963). Cited on pages: 120, 479.
- [1963WES/GRO] Westrum Jr., E. F., Grønvold, F., Chemical thermodynamics of the actinide element chalcogenides, Thermodynamics of nuclear materials, Proc. Int. Symp., pp.3-37, International Atomic Energy Agency, Vienna, Austria, (1963). Cited on pages: 273, 303, 304, 306, 307, 308.
- [1963WIS/EGA] Wiswall Jr., R. H., Egan, J. J., Thermodynamic properties of solutions of the actinides and the principle fission products in bismuth, Thermodynamics of nuclear materials, Proc. Int. Symp., pp.345-363, International Atomic Energy Agency, Vienna, Austria, (1963). Cited on pages: 334, 335, 480.
- [1963YEN/LI] Yen, K-F., Li, S-C., Novikov, G. I., Thermodynamic investigation of thorium oxide chloride, *Russ. J. Inorg. Chem.*, **8**, (1963), 44-47. Cited on pages: 234, 236, 237, 238, 480.
- [1964ARO] Aronson, S., Thermodynamic properties of thorium carbides from measurements on solid emf cells, *IMD Spec. Rep. Ser.*, **10**, (1964), 247-254. Cited on pages: 343, 481.
- [1964CAT/THO] Cater, E. D., Thorn, R. J., Walters, R. R., Thermodynamic properties of uranium and thorium monosulfide, IMD Special Report Series, Report 10, (1964). Cited on pages: 271, 481.
- [1964CRI/COB2] Criss, C. M., Cobble, J. W., The thermodynamic properties of high temperature aqueous solutions. V. The calculation of ionic heat capacities up to 200°C. Entropies and heat capacities above 200°C, *J. Am. Chem. Soc.*, **86**, (1964), 5390-5393. Cited on page: 643.
- [1964DAC/ROY] Dachille, F., Roy, R., Effectiveness of shearing stresses in accelerating solid phase reactions at low temperatures and high pressures, *Geological notes*, (1964), 243-247. Cited on page: 377.
- [1964DAR] Dar, K. K., Some geological data on atomic energy minerals in India, *J. Geol. Soc. India*, **5**, (1964), 112-121. Cited on page: 395.

- [1964EGA] Egan, J. J., Standard molar free energy of formation of thorium carbide by electromotive force measurements, *J. Phys. Chem.*, **68**, (1964), 978-979. Cited on pages: 343, 481.
- [1964FIN/HAR] Finch, C. B., Harris, L. A., Clark, G. W., The thorite \rightarrow huttonite phase transformation as determined by growth of synthetic thorite and huttonite single crystals, *Am. Mineral.*, **49**, (1964), 782-785. Cited on page: 377.
- [1964HAR/MAT] Harness, J. B., Matthews, J. C., Morton, N., The specific heat of some uranium and thorium carbides between 1.8 and 4.2 K, *Br. J. Appl. Phys.*, **15**, (1964), 963-966. Cited on pages: 338, 549.
- [1964HIE/SIL] Hietanen, S., Sillén, L. G., Studies on the hydrolysis of metal ions. 53. Preliminary note on the hydrolysis of Th(IV), *Acta Chem. Scand.*, **18**, (1964), 1018-1019. Cited on pages: 129, 137, 447, 481, 504, 505, 515, 527, 589, 665.
- [1964HOL/GRE] Hollahan, J. R., Gregory, N. W., A torsion effusion study of the reaction of graphite with oxides of thorium and zirconium, *J. Phys. Chem.*, **68**, (1964), 2346-2351. Cited on pages: 343, 482.
- [1964JAC/BAR] Jackson, D. D., Barton Jr., G. W., Krikorian, O. H., Newbury, R. S., Vaporization of thorium dicarbide, *J. Phys. Chem.*, **68**, (1964), 1516-1523. Cited on pages: 343, 344, 345, 346, 482, 483, 547, 704.
- [1964LOF/KRI] Lofgren, N. L., Krikorian, O. H., The vapor pressure of Th(g) above ThC₂ as determined by emission spectroscopy, *Carbides in Nuclear Energy*, Vol. I, 315-329, Russell, L. E., Bradbury, B. T., Harrison, J. D. L., Hedger, H. J., Mardon, P. G. Eds, Macmillan, London (1964). Cited on pages: 342, 343.
- [1964NAB/KUD] Nabivanets, B. I., Kudritskaya, L. N., Hydroxy complexes of thorium(IV), *Ukr. Khim. Zh. (Russ. Ed.)*, **30**, (1964), 891-895. Cited on pages: 132, 138, 140, 151, 156, 157, 158, 159, 161, 162, 172, 174, 178, 179, 183, 191, 445, 483, 484, 485, 554, 555, 556, 601, 666, 682, 683.
- [1964NAB/KUD2] Nabivanets, B. I., Kudritskaya, L. N., Study of the state of thorium in solutions of perchloric, hydrochloric, and nitric acids with electrodiagnosis and ion-exchange chromatography, *Ukr. Khim. Zh. (Russ. Ed.)*, **30**, (1964), 1007-1016. Cited on pages: 240, 243, 245, 485, 486, 487.

- [1964SCA/WYL] Scaife, D. E., Wylie, A. W., New lower iodides of thorium, *J. Chem. Soc.*, (1964), 5450-5458. Cited on pages: 259, 260, 263, 468, 488, 564.
- [1964SIL/MAR] Sillén, L. G., Martell, A. E., *Stability constants of metal ion complexes, Special Publication*, No. 17, Chemical Society, London, (1964), 754 pp.. Cited on page: 17.
- [1964SRI/FLE] Srinivasan, R., Flengas, S., Electrode potential of thorium tetrachloride in alkali tetrachloride melts, *Can. J. Chem.*, **42**, (1964), 1315-1322. Cited on page: 228.
- [1964ZAL/FOR] Zalkin, A., Forrester, J. D., Templeton, D. H., The crystal structure of thorium tetraiodide, *Inorg. Chem.*, **3**, (1964), 639-644. Cited on page: 260.
- [1965ARO/SAD] Aronson, S., Sadofsky, J., Thermodynamic properties of non-stoichiometric thorium monocarbide, *J. Inorg. Nucl. Chem.*, **27**, (1965), 1769-1778. Cited on pages: 339, 342, 343, 488.
- [1965BAE/MEY] Baes Jr., C. F., Meyer, N. J., Roberts, C. E., The hydrolysis of thorium(IV) at 0 and 95°C, *Inorg. Chem.*, **4**, (1965), 518-527. Cited on pages: 129, 135, 137, 140, 141, 142, 143, 144, 148, 149, 152, 153, 156, 157, 158, 160, 161, 162, 163, 170, 172, 185, 186, 187, 448, 454, 489, 491, 505, 506, 512, 513, 514, 554, 555, 556, 557, 578, 589, 653, 665, 666.
- [1965DOC] Dock, C. H., Oxidation states of thorium in fused LiCl-KCl eutectic, U.S. Atomic Energy Comm., Report IS-T-11, (1965). Cited on page: 228.
- [1965FEB/HER] Feber, R. C., Herrick, C. C., Ideal gas thermodynamic functions of lanthanide and actinide elements, Los Alamos Scientific Laboratory, Report LA-3184, (1965), 37 pp.. Cited on page: 91.
- [1965GIN/WIL] Gingerich, K. A., Wilson, D. W., Preparation and properties of thorium monophosphide ThP_{1-x}, and phase studies of the partial system Th-ThP, *Inorg. Chem.*, **4**, (1965), 987-993. Cited on page: 321.
- [1965HEN/TYR] Hentz, F. C., Tyree Jr., S. Y., A light-scattering investigation of the hydrolytic behavior of thorium in aqueous perchlorate media, *Inorg. Chem.*, **4**, (1965), 873-877. Cited on pages: 135, 491, 498.
- [1965IAE] Thermodynamic and transport properties of uranium dioxide and related phases, I.A.E.A., Technical Report Series, Report 39, (1967). Cited on page: 3.

- [1965LIN2] Linke, W. F., *Solubilities, inorganic and metal-organic compounds, K - Z. A compilation of solubility data from the periodical literature*, 4th. Edition, American Chemical Society, Washington, D. C., Eds., II, (1965). Cited on pages: 289, 400, 492, 620, 777.
- [1965OLS/MUL] Olson, W. M., Mulford, R. N. R., The decomposition pressure and melting point of thorium mononitride, *J. Phys. Chem.*, **69**, (1965), 1223-1226. Cited on pages: 310, 311, 492, 501.
- [1965PAR] Parker, V. B., *Thermal properties of aqueous uni-univalent electrolytes, National Standard Reference Data Series*, National Bureau of Standards, Ed., No. Rep NSRDS-NBS-2, US Government printing office, Washington, D.C., (1965), 66 pp.. Cited on page: 236.
- [1965PRI/WAR] Price, C. E., Warren, I. H., Some X-ray and thermoelectric studies on cubic Th_3X_4 compounds, *J. Electrochem. Soc.*, **112**, (1965), 510-513. Cited on page: 322.
- [1965ROB/STO] Robinson, R. A., Stokes, R. H., *Electrolyte solutions*, Butterworth, (1965), 2nd edition. Cited on page: 104.
- [1965SCA/TUR] Scaife, D. E., Turnbull, A. G., Wylie, A. W., Thorium oxyiodide, *J. Am. Chem. Soc.*, (1965), 1432-1437. Cited on pages: 255, 260, 265, 266, 492.
- [1965SCH/KOE] Schmeisser, M., Koehler, G., Nitrylnitrato-Komplexe des Indiums und Thoriums, *Angew. Chem.*, **77**, (1965), 456. Cited on page: 314.
- [1965SHC/SEM] Shchukarev, S. A., Semenov, G. A., Mass-spectrometric study of the evaporation of dioxides of zirconium, hafnium, and thorium, *Issled. Obl. Khim. Silik. Okislov.*, (1965), 208-214, in Russian. Cited on pages: 113, 120, 492.
- [1965TAK/WES2] Takahashi, Y., Westrum Jr., E. F., Kent, R. A., Thorium dicarbide-low-temperature thermodynamic properties, *J. Chem. Eng. Data*, **10**, (1965), 128-129. Cited on pages: 340, 493.
- [1965WES/TAK2] Westrum Jr., E. F., Takahashi, Y., Stout, N. D., The heat capacity and thermodynamic properties of hypostoichiometric thorium dicarbide from 5 to 350 K, *J. Phys. Chem.*, **69**, (1965), 1520-1524. Cited on pages: 340, 493.

- [1966ALC/COR] Alcock, C. B., Cornish, J. B., Grievson, P., Knudsen effusion studies of compounds of uranium and thorium with elements of Groups IIIb and IVb, Thermodynamics, Proceedings of the Symposium on Thermodynamics with Emphasis on Nuclear Materials and Atomic Transport in Solids, vol. 1, pp.211-230, (1966). Cited on pages: 376, 380, 493.
- [1966ARO/AUS] Aronson, S., Auskern, A. B., Vapor pressure measurements on thorium nitrides, *J. Phys. Chem.*, **70**, (1966), 3937-3941. Cited on pages: 309, 310, 311, 494.
- [1966ARU/POR] Arutyunyan, E. G., Porai-Koshits, M. A., Molodkin, A. K., Structure of the $K_4[Th(SO_4)_4(H_2O)_2]$, *Zh. Strukt. Khim.*, **7**, (1966), 733-737. Cited on page: 289.
- [1966BEN/ZAC] Benz, R., Zachariasen, W. H., Th_3N_4 crystal structure and comparison with that of Th_2N_2O , *Acta Crystallogr.*, **21**, (1966), 838-840. Cited on pages: 309, 313.
- [1966BIL/BRA] Bilinski, H., Branica, M., Precipitation and hydrolysis of metallic ions in sea water. I. Ionic state of zirconium and thorium in sea water, *Croat. Chem. Acta*, **38**, (1966), 263-267. Cited on pages: 173, 177, 178, 495, 496.
- [1966CHI/GAR] Chiotti, P., Gartner, G. J., Stevens, E. R., Saito, Y., Heats of fusion and transformation for some metals and compounds., *J. Chem. Eng. Data*, **11**, (1966), 571-574. Cited on pages: 233, 496.
- [1966EVS/MOL] Evstaf'eva, O. N., Molodkin, A. K., Dvoryantseva, G. G., Ivanova, O. M., Struchkova, M. I., Infrared absorption spectra of thorium sulfates, *Zh. Neorg. Khim.*, **11**, (1966), 1306-1315. Cited on page: 289.
- [1966FLO/OSB] Flotow, H. E., Osborne, D. W., Heat capacity of α -uranium from 1.7 to 25 K, *Phys. Rev.*, **151**, (1966), 564-570. Cited on page: 86.
- [1966GAN/KNA] Gans, W., Knacke, O., Müller, F., Witte, H., Dampfdruckmessungen am System Blei-Thorium, *Z. Metallkd.*, **57**, (1966), 46-49, in German. Cited on pages: 383, 384, 497, 559.
- [1966GIN/ARO] Gingerich, K. A., Aronson, S., Gibbs free energies of formation of thorium phosphides from solid-state electromotive force measurements, *J. Phys. Chem.*, **70**, (1966), 2517-2523. Cited on pages: 321, 322, 323, 497.

- [1966GOR/MON] Gordon, J. E., Montgomery, H., Noer, R. J., Pickett, G. R., Tobón, T., Superconductivity of thorium and uranium, *Phys. Rev.*, **152**, (1966), 432-437. Cited on pages: 84, 86, 89.
- [1966GUG] Guggenheim, E. A., *Applications of Statistical Mechanics*, Clarendon Press, Oxford, (1966). Cited on pages: 706, 708.
- [1966HEN/JOH] Hentz, F. C., Johnson, J. S., Equilibrium ultracentrifugation of hydrolyzed thorium(IV) solutions, *Inorg. Chem.*, **5**, (1966), 1337-1344. Cited on pages: 135, 491, 498, 554.
- [1966HEU/EGA] Heus, R. J., Egan, J. J., Free energies of formation of some inorganic fluorides by solid state electromotive force measurements, *Z. Phys. Chem. (Leipzig)*, **49**, (1966), 38-43. Cited on pages: 201, 498.
- [1966HUL2] Hulliger, F., A C23-type modification of ThAs₂, *Nature (London)*, **209**, (1966), 499-500. Cited on pages: 331, 332.
- [1966LEV] Levinson, L. S., The heat content of crystal-bar thorium, *J. Nucl. Mater.*, **19**, (1966), 50-52. Cited on pages: 83, 88, 91, 498.
- [1966SCA] Scaife, D. E., Dimorphism in thorium tetrabromide, *Inorg. Chem.*, **5**, (1966), 162-163. Cited on pages: 250, 252.
- [1966SU/NOV] Su, M.-T., Novikov, G. I., Vapor pressure and composition in the system KCl-ThCl₄, *Zh. Neorg. Khim.*, **11**, (1966), 498-503. Cited on pages: 234, 499.
- [1966TAK/HON] Takeuchi, S., Honma, T., Satow, T., Hirai, T., Th-ThC phase diagram, *Trans. Jpn. Inst. Met.*, **7**, (1966), 59-67. Cited on pages: 83, 499.
- [1966TAY/MUE] Taylor, J. C., Mueller, M. H., Hitterman, R. L., Crystal structure of thorium nitrate pentahydrate by neutron diffraction, *Acta Crystallogr.*, **20**, (1966), 842-851. Cited on page: 315.
- [1966UEK/ZAL] Ueki, T., Zalkin, A., Templeton, D. H., The structure of thorium nitrate pentahydrate by X-ray diffraction, *Acta Crystallogr.*, **20**, (1966), 836-841. Cited on page: 315.
- [1967AHR] Ahrland, S., Enthalpy and entropy changes by formation of different types of complexes, *Helv. Chim. Acta*, **50**, (1967), 306-318. Cited on page: 599.

- [1967ARO] Aronson, S., Free energies of formation of thorium sulfides from solid-state emf. measurements, *J. Inorg. Nucl. Chem.*, **29**, (1967), 1611-1617. Cited on pages: 269, 273, 274, 499.
- [1967AUS/ARO] Auskern, A. B., Aronson, S., Electrical properties of thorium nitrides, *J. Phys. Chem. Solids*, **28**, (1967), 1069-1071. Cited on page: 309.
- [1967BEN/HOF] Benz, R., Hoffman, C. G., Rupert, G. N., Some phase equilibria in the thorium-nitrogen system, *J. Am. Chem. Soc.*, **89**, (1967), 191-197. Cited on pages: 309, 310, 311, 500.
- [1967BEN] Benz, R., Ranges of composition of the Th₂N₂O and ThO₂ phases equilibrated with different nitrogen (plus oxygen) atmospheres, *J. Am. Chem. Soc.*, **89**, (1967), 197-199. Cited on page: 313.
- [1967BER] Beran, M., Mononukleare Hydrolysekomplexe des Thoriums, *Collect. Czech. Chem. Commun.*, **32**, (1967), 1368-1373, in German. Cited on pages: 156, 157, 158, 159, 161, 501, 502, 593.
- [1967BIL/ING2] Bilinski, H., Ingri, N., Precipitation and hydrolysis of thorium(IV) in aqueous solution. V. Studies of the system: thorium nitrate-ammonium oxalate, *Croat. Chem. Acta*, **39**, (1967), 235-243. Cited on pages: 156, 502, 503.
- [1967CHI/DOO] Chiotti, P., Dooley, G. J., Effect of carbon on the electrical resistivity and allotropic transformation of thorium, *J. Nucl. Mater.*, **23**, (1967), 45-54. Cited on pages: 83, 503.
- [1967FRO/FLE] Frondel, J. W., Fleischer, M., Jones, R. S., Glossary of uranium- and thorium-bearing minerals, 4th Ed, *U.S. Geol. Surv. Bull.*, **1250**, (1967), 69. Cited on page: 395.
- [1967GAL] Gallagher, M. J., Phosphates and other minerals in pegmatites of Rhodesia and Uganda, *J. Min. Soc.*, **36**, (1967), 50-59. Cited on page: 395.
- [1967GER/KRU] Gerlach, J., Krumme, J. P., Pawlek, F., Probst, H., Dampfdruckmessungen an festem ZrI₄, HfI₄ und ThI₄, *Z. Phys. Chem. Neue Folge*, **53**, (1967), 135-142, in German. Cited on pages: 260, 263, 264, 488.
- [1967GOL/MOL2] Golovnya, V. A., Molodkin, A. K., Tverdokhlebov, V. N., Preparation of sulphito-compounds of thorium, *Russ. J. Inorg. Chem.*, **12**, (1967), 1092-1098. Cited on page: 275.

- [1967GOL/MOL3] Golovnya, V. A., Molodkin, A. K., Tverdokhlebov, V. N., Properties of thorium aquosulphito complexes, *Russ. J. Inorg. Chem.*, **12**, (1967), 1254-1259. Cited on page: 275.
- [1967IAE] The plutonium-oxygen and uranium-plutonium-oxygen systems: A thermochemical assessment, I.A.E.A., Technical Report Series, Report 79, (1967), 86 pp.. Cited on page: 3.
- [1967JAV/BEN] Javorsky, C. A., Benz, R., Phase equilibria in the thorium-thorium monophosphide system, *J. Nucl. Mater.*, **23**, (1967), 192-198. Cited on page: 321.
- [1967MAG/ROM] Maggio, F., Romano, V., Pellerito, L., Potentiometric study of the system Cu^{2+} - N_3^- , *Ann. Chim. (Rome)*, **57**, (1967), 191-202. Cited on pages: 314, 547.
- [1967MER/SKO] Merkusheva, S. A., Skorik, N. A., Kumok, V. N., Serebrennikov, V. V., Thorium and uranium(IV) pyrophosphates, *Sov. Radiochem.*, **9**, (1967), 683-685. Cited on pages: 331, 465, 503.
- [1967MOS/ESS] Moskvina, A. I., Essen, L. N., Bukhtiyarova, T. N., The formation of thorium(IV) and uranium(IV) complexes in phosphate solutions, *Russ. J. Inorg. Chem.*, **12**, (1967), 1794-1795. Cited on pages: 327, 328, 450, 504.
- [1967SAT2] Satow, T., Thermodynamic properties and nonstoichiometry of thorium monocarbide, *J. Nucl. Mater.*, **21**, (1967), 255-262. Cited on pages: 339, 342, 343.
- [1967SCH] Schindler, P. W., Heterogeneous equilibria involving oxides, hydroxides, carbonates, and hydroxide carbonates, Equilibrium concepts in natural water systems, vol. 67, *Adv. Chem. Ser.*, pp.196-221, Am. Chem. Soc., Washington, D.C., (1967). Cited on pages: 130, 131, 181, 189, 190, 669, 677.
- [1967VAS] Vasil'ev, V. P., Calculation of standard heats of reaction in solution, *Zh. Fiz. Khim.*, **41**, (1967), 121-125; English translation in *Russ. J. Phys. Chem.*, **41**, (1967), 61-64.
- [1967VOI/SHA] Voitovich, R. F., Shakhanova, N. P., Calculation of heat capacity of refractory compounds, *Poroshk. Metall. (Kiev)*, **7**, (1967), 75-79. Cited on page: 270.
- [1967WEE/MOR] Weed, H. C., Morrow, R. J., Thermal decomposition of thorium dicarbide, Lawrence Radiation Lab. Report, Report UCRL-70245, (1967). Cited on pages: 342, 343.

- [1967YOS/OYA] Yoshida, S., Oyamada, R., Kuroda, T., Fused thorium chloride-sodium chloride system studied by electromotive force measurements, *J. Electrochem. Soc. Jpn.*, **35**, (1967), 183-188. Cited on page: 228.
- [1968BAG/BRO] Bagnall, K. W., Brown, D., Easey, J. F., Preparation, crystallographic properties, and infrared spectra of quadrivalent oxyhalides of thorium, protactinium, uranium, and neptunium, *J. Chem. Soc. A*, (1968), 288-291. Cited on pages: 235, 254.
- [1968BEN] Benz, R., Thorium-thorium monoarsenide phase equilibria, *J. Nucl. Mater.*, **25**, (1968), 233-235. Cited on pages: 331, 332.
- [1968BOW/KRI] Bowman, A. L., Krikorian, O. H., Arnold, G. P., Wallace, T. C., Nereson, N. G., Crystal structures of thorium dicarbide, *Acta Crystallogr., Sect. B: Struct. Sci.*, **B24**, (1968), 1121-1123. Cited on pages: 339, 340.
- [1968BRO] Brown, D., *Halides of the lanthanides and actinides*, Wiley-Interscience, London, (1968). Cited on pages: 231, 250, 260, 547.
- [1968DAN/MAG] Danesi, P. R., Magini, M., Margherita, S., d'Alessandro, G., Hydrolytic behaviour of concentrated thorium nitrate and perchlorate solutions, *Energia Nucl.*, **15**, (1968), 335-341. Cited on pages: 135, 136, 137, 138, 140, 141, 142, 143, 144, 146, 148, 149, 150, 151, 504, 554, 587.
- [1968GER/PAW] Gerlach, J., Pawlek, F., Probst, H., Beitrag zur thermischen Dissoziation von Thoriumtetrajodid, *J. Less-Common Met.*, **14**, (1968), 355-366, in German. Cited on page: 265.
- [1968GIN] Gingerich, K. A., Gaseous metal nitrides. III. On the dissociation energy of thorium mononitride and predicted dissociation energies of diatomic group III-VI transition-metal nitrides, *J. Chem. Phys.*, **49**, (1968), 19-24. Cited on pages: 311, 322, 506.
- [1968GOL/KAL] Golub, A. M., Kalibabchuk, V. A., Boiko, K. M., Thorium nitrite complexes, *Zh. Neorg. Khim.*, **13**, (1968), 2111-2116, in Russian. Cited on pages: 321, 506.
- [1968GUG/JAC] Guggenberger, L. J., Jacobson, R. A., The crystal structure of thorium diiodide, *Inorg. Chem.*, **7**, (1968), 2257-2260. Cited on pages: 259, 488.

- [1968HIE/SIL] Hietanen, S., Sillén, L. G., Studies on the hydrolysis of metal ions. 60. The hydrolysis of the thorium(IV) ion in 3 M (Na)Cl medium, *Acta Chem. Scand.*, **22**, (1968), 265-280. Cited on pages: 135, 136, 137, 139, 140, 141, 142, 143, 144, 145, 146, 148, 149, 152, 153, 155, 156, 157, 160, 454, 481, 506, 512, 513, 514, 554, 555, 572, 574, 575, 576, 589.
- [1968HUB/HOL2] Huber Jr., E. J., Holley Jr., C. E., Enthalpies of formation of thorium mono- and dicarbides, *J. Chem. Eng. Data*, **13**, (1968), 253-256. Cited on pages: 338, 339, 341, 514.
- [1968JOH] Johansson, G., The structure of a dinuclear hydroxo complex of thorium, *Acta Chem. Scand.*, **22**, (1968), 389-398. Cited on pages: 99, 133, 144, 147, 318, 463, 507, 515, 554.
- [1968JOH2] Johansson, G., On the structure of the hydrolysis products of thorium, *Acta Chem. Scand.*, **22**, (1968), 399-409. Cited on pages: 99, 133, 144, 147, 150, 318, 463, 507, 515, 517, 554, 650, 674, 679.
- [1968JUZ/GER] Juza, R., Gerke, H., Zur Kenntnis der Thorium-Stickstoffverbindungen, *Z. Anorg. Allg. Chem.*, **363**, (1968), 245-257. Cited on pages: 312, 313, 516.
- [1968KUB] Kubaschewski, O., Review of alloy thermodynamics, Proc. Symp. on Thermodynamics on Nuclear Material held 1967 in Vienna, pp.685-698, Vienna, (1968). Cited on page: 334.
- [1968OHA/MOR] Ohashi, H., Morozumi, T., Stability constants of chloro- and nitrate-complexes of thorium, *Nihon Gen. Gak. (J. At. Energy Soc. Japan)*, **10**, (1968), 244-248, in Japanese. Cited on pages: 232, 243, 244, 406, 516.
- [1968ROB/WAL] Robie, R. A., Waldbaum, D. R., Thermodynamic properties of minerals and related substances at 298.15°K (25.0°C) and one atmosphere (1.013 bars) pressure and at higher temperatures, *U.S. Geol. Surv. Bull.*, **1259**, (1968), 256. Cited on page: 560.
- [1968TED/RUM] Tedesco, P. H., De Rumi, V. B., Gonzalez Quintana, J. A., Ion exchange studies on complexes formation. I. Thorium-nitrate system, *J. Inorg. Nucl. Chem.*, **30**, (1968), 987-994. Cited on pages: 317, 319, 516, 517.
- [1968ZAL] Zalubas, R., Present state of analysis of the first spectrum of thorium (Th I), *J. Opt. Soc. Am.*, **58**, (1968), 1195-1199, Nat. Bur. of Stand., Washington, DC, USA. Cited on page: 91.

- [1969AZI/LYL] Aziz, A., Lyle, S. J., Equilibrium constants for aqueous fluoro complexes of scandium, yttrium, americium(III) and curium(III) by extraction into di-2-ethylhexyl phosphoric acid, *J. Inorg. Nucl. Chem.*, **31**, (1969), 3471-3480. Cited on page: 599.
- [1969BAC/BRO] Bacon, W. E., Brown, G. H., X-ray diffraction studies of mono- and polynuclear thorium(IV) ions in aqueous perchlorate solutions, *J. Phys. Chem.*, **73**, (1969), 4163-4166. Cited on pages: 149, 517, 680.
- [1969BAS] Baskin, Y., Preparation and properties of ThP and ThP-UP solid solutions, *J. Am. Ceram. Soc.*, **52**, (1969), 54. Cited on pages: 321, 518.
- [1969BEN/STO] Benz, R., Stone, P. L., Thorium-carbon phase equilibria, *High Temp. Sci.*, **1**, (1969), 114-127. Cited on page: 340.
- [1969BEN] Benz, R., Thorium-thorium dioxide phase equilibria, *J. Nucl. Mater.*, **29**, (1969), 43-49. Cited on pages: 114, 469.
- [1969BEV] Bevington, P. R., *Data reduction and error analysis for the physical sciences*, McGraw-Hill, New York, (1969), 336 pp.. Cited on pages: 759, 765.
- [1969COM] Comité International des Poids et des Mesures, The International Practical Temperature Scale of 1968, *Metrologia*, **5**, (1969), 35-47. Cited on page: 34.
- [1969COR/GUI] Corbett, J. D., Guidotti, R. A., Adolphson, D. G., The red and white forms of thorium oxydiiodide and their transport reactions., *Inorg. Chem.*, **8**, (1969), 163-165. Cited on page: 265.
- [1969DAH/GAN] Dahlke, O., Gans, W., Knacke, O., Müller, F., Dissoziationsdruck des Wismuts im System Wismut-Thorium, *Z. Metallkd.*, **60**, (1969), 465-468, in German. Cited on pages: 333, 335, 518, 519, 520, 521.
- [1969EZH/AKI] Ezhov, Yu. S., Akishin, P. A., Rambidi, N. G., Electron-diffraction study of uranium and thorium tetrahalides in the gas phase. II. Uranium and thorium tetrachlorides and tetrabromides, *Zh. Strukt. Khim.*, **10**, (1969), 571, in Russian. Cited on page: 202.
- [1969GIN] Gingerich, K. A., Vaporization of uranium mononitride and heat of sublimation of uranium, *J. Chem. Phys.*, **51**, (1969), 4433-4439. Cited on page: 322.

- [1969GIN2] Gingerich, K. A., Gaseous metal borides. I. On the dissociation energy of the molecules ThB, ThP, and Th₂, and predicted dissociation energies of selected diatomic transition-metal borides, *High Temp. Sci.*, **1**, (1969), 258-267. Cited on pages: 93, 322, 521.
- [1969KHA/MOL2] Kharitonov, Y. Y., Molodkin, A. K., Balakaeva, T. A., Thorium carbonate complexes studied by infrared spectroscopy, *Zh. Neorg. Khim.*, **14**, (1969), 2761-2767, in Russian. Cited on pages: 372, 522.
- [1969MUC/SMI] Mucker, K., Smith, G. S., Johnson, O., Elson, R. E., Refinement of the crystal structure of thorium tetrachloride, *Acta Crystallogr., Sect. B: Struct. Sci.*, **25**, (1969), 2362-2365. Cited on page: 230.
- [1969NOR] Norén, B., A solvent extraction and potentiometric study of fluoride complexes of thorium(IV) and uranium(IV), *Acta Chem. Scand.*, **23**, (1969), 931-942. Cited on pages: 207, 208, 209, 212, 213, 214, 522, 529, 603.
- [1969ROS] Rossotti, H., *Chemical applications of potentiometry*, D. Van Nostrand, Princeton N. J., (1969), 229 pp.. Cited on page: 24.
- [1969RYA/PEN] Ryan, R. R., Penneman, R. A., Rosenzweig, A., The crystal structure of ammonium thorium octafluoride, (NH₄)₄ThF₈, *Acta Crystallogr.*, **B25**, (1969), 1958-1962. Cited on page: 223.
- [1969SEA/KEG] Sear, M. B., Kegley, T. M., Ferris, L. M., Leslie, B. C., Metallographic preparation of as-cast thorium carbides and correlation of their microstructures with composition, U.S. Atomic Energy Comm. Report, Report ORNL- 4354, (1969). Cited on page: 340.
- [1969SMI/THA] Smith, B. C., Thakur, L., Wassef, M. A., Thermochemical studies of thorium(IV) and uranium(IV) chlorides, *Indian J. Chem.*, **7**, (1969), 1154-1157. Cited on pages: 96, 231, 232, 266, 415, 423, 523, 544.
- [1969ZMB] Zmbov, K. F., Heats of formation of lower actinide fluorides from mass spectrometric studies, Proc. 1st International Conf. on Calorimetry and Thermodynamics, Polish Scientific Publisher, Warsaw, Poland, (1969). Cited on pages: 197, 198, 523, 527.
- [1970BAU] Baumann, E. W., Thermodynamic parameters of thorium-fluoride complexes from measurements with the fluoride-selective electrode at 5, 25, and 45°, *J. Inorg. Nucl. Chem.*, **32**, (1970), 3823-3830. Cited on pages: 207, 209, 210, 211, 222, 523, 524, 525, 526.

- [1970DEV/RUD] van Deventer, E. H., Rudzitis, E., Hubbard, W. N., The enthalpy of formation of thorium tetrafluoride by fluorine bomb calorimetry, *J. Inorg. Nucl. Chem.*, **32**, (1970), 3233-3236. Cited on pages: 200, 201, 527.
- [1970HAV/DAM] Havinga, E. E., Damsma, H., van Maaren, M. H., Oscillatory dependence of superconductive critical temperature on number of valency electrons in Cu₃Au alloys, *J. Phys. Chem. Solids*, **31**, (1970), 2653-2662. Cited on pages: 381, 383.
- [1970HOP/SEE] Hoppe, R., Seeger, K., Zur Kenntnis des Rb₂PbO₃ Typs: Über Rb₂ZrO₃, Rb₂SnO₃, Rb₂TbO₃, *Z. Anorg. Allg. Chem.*, **375**, (1970), 264-269. Cited on pages: 388, 693.
- [1970KRU] Krupka, M. C., High pressure synthesis of thorium sesquicarbide: a new actinide carbide, *J. Less-Common Met.*, **20**, (1970), 135-140. Cited on page: 337.
- [1970NOV/COS] De Novion, C.-H., Costa, P., Structure électronique des carbonitrides d'uranium UC_{1-x}N_x, *C. R. Séances Acad. Sci., Ser. B*, **270**, (1970), 1415-1418, in French. Cited on pages: 309, 527, 685.
- [1970SER/ALM] Sergeev, G. M., Almazova, V. D., Reaction of thorium(IV) with organic acids in aqueous solutions. I. Hydrolysis of thorium ions, *Tr. Khim. Khim. Tekhnol.*, **1**, (1970), 31-35. Cited on pages: 135, 527.
- [1970WIL] Willgallis, A., Microprobe analysis of uranium-thorium minerals in Malsburg granite, *Neues Jahrb. Mineral. Abh.*, **114**, (1970), 48-60. Cited on page: 395.
- [1970ZMB] Zmbov, K. F., Heats of formation of gaseous ThF₃ and ThF₂ from mass spectrometric studies, *J. Inorg. Nucl. Chem.*, **32**, (1970), 1378-1381. Cited on pages: 197, 198, 523, 527.
- [1971BEN/BAL] Benz, R., Balog, G., X-ray diffraction of elevated-temperature thorium-carbon-nitrogen alloys, *High Temp. Sci.*, **3**, (1971), 511-522. Cited on page: 340.
- [1971BOW/ARN] Bowman, A. L., Arnold, G. P., Crystal structure of thorium nitride [Th₃N₄], *Acta Crystallogr.*, **B27**, (1971), 242-243. Cited on page: 312.
- [1971BRE] Brewer, L., Energies of the electronic configurations of the lanthanide and actinide neutral atoms, *J. Opt. Soc. Am.*, **61**, (1971), 1101-1111. Cited on pages: 92, 527.

- [1971FLO/OSB] Flotow, H. E., Osborne, D. W., Walters, R. R., Thorium monosulfide: heat capacity and thermodynamic properties from 1-350 K. Re-evaluation of the magnetic entropy of uranium monosulfide, *J. Chem. Phys.*, **55**, (1971), 880-886. Cited on pages: 269, 270, 550.
- [1971HAN/KRU] Handwerk, J. H., Kruger, O. L., Phosphides, sulfides, and other actinide fuel compounds as possible ceramic fuel material, *Nucl. Eng. Des.*, **17**, (1971), 397-408. Cited on page: 306.
- [1971HEI/DJE] Heiss, A., Djemal, M., Contribution à l'étude de la réduction de la thorie par le carbone, *Rev. Int. Hautes Temp. Refract.*, **8**, (1971), 287-290. Cited on pages: 343, 528.
- [1971JEN] Jensen, K. A., *Nomenclature of inorganic chemistry, IUPAC Commission on Nomenclature of Inorganic Compounds*, Pergamon Press, Oxford, (1971), 110 pp.. Cited on page: 13.
- [1971KIC/STE] Kiciak, S., Stefanowicz, T., The formation constants of thorium hydroxycomplexes determined by the method of potentiometric titration, *Rocz. Chem.*, **45**, (1971), 1801-1806. Cited on pages: 135, 137, 140, 156, 157, 158, 159, 160, 161, 528, 529, 554, 555, 556.
- [1971KLO/MUK] Klotz, P., Mukherji, A., Feldberg, S., Newman, L., Thorium fluoride complexes. Determination of the stability constants using the fluoride ion activity electrode, *Inorg. Chem.*, **10**, (1971), 740-743. Cited on pages: 207, 208, 209, 210, 212, 213, 214, 224, 225, 529, 606.
- [1971KOR/DRO] Korshunov, B. G., Drobot, D. V., Equilibrium in the thorium chloride-oxygen system, *Russ. J. Inorg. Chem.*, **16**, (1971), 296-297. Cited on pages: 237, 238, 529.
- [1971KUS/IMO] Kusakabe, T., Imoto, S., Decomposition of Th_3N_4 and $\text{Th}_2\text{N}_2\text{O}$, *Nippon Kinzoku Gakkaishi*, **35**, (1971), 1115-1120, in Japanese. Cited on pages: 310, 311, 313, 530, 535.
- [1971LAU/FOU] Laubscher, A. E., Fouché, K. F., Investigation of Zr(IV), Hf(IV), and Th(IV) thiocyanate complexes by extraction with thenoyl-trifluoroacetone and dinonyl naphthalene sulphonic acid, *J. Inorg. Nucl. Chem.*, **33**, (1971), 3521-3535. Cited on pages: 373, 374, 375, 530, 531.
- [1971LOR/DIE] Lorenzelli, R., De Dieuleveult, I., Melamed, J., Chaleur de combustion des carbures d'actinides (ThC , PuC , Pu_2C_3), *J. Inorg. Nucl. Chem.*, **33**, (1971), 3297-3304, in French. Cited on pages: 338, 339, 341, 531.

- [1971MIL2] Milić, N. B., Studies of the hydrolysis of metal ions. 61. Hydrolysis of the thorium(IV) ion in lithium, potassium, and magnesium nitrate media, *Acta Chem. Scand.*, **25**, (1971), 2487-2498. Cited on pages: 136, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153, 532, 533, 554, 555, 556, 575.
- [1971PEN/RYA] Penneman, R. A., Ryan, R. R., Kresin, I. K., The crystal structure of ammonium heptafluorothorate, ammonium catena-di- μ -fluoropentafluorothorate(IV), *Acta Crystallogr.*, **B27**, (1971), 2279-2283. Cited on page: 223.
- [1971SAS/KUB] Sasaki, N., Kubo, K., Asano, M., Vaporization and surface ionization of LaC_2 , CeC_2 , PrC_2 , NdC_2 , ThC_2 and UC_2 , *J. Nucl. Sci. Technol.*, **8**, (1971), 614-621. Cited on pages: 344, 345, 533.
- [1971SIL/MAR] Sillén, L. G., Martell, A. E., *Stability constants of metal ion complexes, Suppl. No. 1, Special Publication*, No. 25, Chemical Society, London, (1971), 865 pp.. Cited on page: 17.
- [1971TAN/YAM] Tanaka, H., Yamaguchi, A., Moriyama, J., Standard free energies for the formation of fluorides in several metals by electro-motive force measurements, *Nippon Kinzoku Gakkaishi*, **35**, (1971), 1161-1164, in Japanese. Cited on pages: 201, 533.
- [1971USH/SKO] Usherenko, L. N., Skorik, N. A., Stability of acetate complexes of scandium and thorium in water and aqueous ethanol mixtures, *Sov. Radiochem.*, **13**, (1971), 646-648. Cited on pages: 156, 534.
- [1972ACK/RAU] Ackermann, R. J., Rauh, E. G., The thermodynamics and vaporization of thorium, hafnium and zirconium, *J. Chem. Thermodyn.*, **4**, (1972), 521-532. Cited on pages: 92, 93, 464, 534.
- [1972BEN] Benz, R., Thorium-nitrogen-oxygen phase diagram, *J. Nucl. Mater.*, **43**, (1972), 1-7. Cited on pages: 311, 313.
- [1972BUR] Bur'yanova, E. Z., *Classification Manual of Uranium and Thorium Minerals. 2nd ed. (Opredelitel Mineralov Urana i Toriya)*, Nedra, Moscow, USSR, (1972). Cited on page: 395.
- [1972DAN/NOV] Danan, J., de Novion, C.-H., Dallaporta, H., Chaleur spécifique du mononitride de thorium de 7 à 300 K, *Solid State Commun.*, **10**, (1972), 775-778, in French. Cited on pages: 309, 534, 544.
- [1972KNA/MUL] Knacke, O., Müller, F., van Rensen, E., Thermische Dissoziation von ThOCl_2 sowie UOCl_2 und UO_2Cl_2 , *Z. Phys. Chem. Neue Folge*, **80**, (1972), 91-100, in German. Cited on pages: 237, 238, 535.

- [1972KNA/MUL2] Knacke, O., Müller, F., van Rensen, E., Sublimationsdruck des Thoriumtetrachlorids, *Z. Phys. Chem. Neue Folge*, **80**, (1972), 82-90. Cited on pages: 234, 535.
- [1972KUS/IMO] Kusakabe, T., Imoto, S., Thermal decomposition of thorium nitride and dithorium dinitrogen oxide, Technology Reports of Osaka University, Report 22, (1972). Cited on pages: 310, 313, 535.
- [1972LUE/COT] Luengo, C. A., Cotignola, J. M., Sereni, J. G., Sweedler, A. R., Maple, M. B., Huber, J. G., Low temperature specific heat of ThU, *Solid State Commun.*, **10**, (1972), 459-463. Cited on pages: 84, 86.
- [1972MAS/GRE] Masse, R., Grenier, J.-C., Etude cristallographique de quelques phosphates de métaux tétravalents du type $M^{IV}(PO_3)_4$ avec $M^{IV} = Ce, U$, et Th, *Bull. Soc. Fr. Minéral. Cristallogr.*, **95**, (1972), 136-142. Cited on pages: 324, 325.
- [1972PAT/RAM] Patil, S. K., Ramakrishna, V. V., Study of the sulphate complexing of Th(IV) by solvent extraction with dinonyl naphthalene sulphonic acid, *Radiochim. Acta*, **18**, (1972), 190-192. Cited on pages: 279, 280, 284, 286, 287, 300, 455, 461, 535, 536, 537.
- [1972PER] Pershin, A. S., Hydrolysis of thorium nitrate, *Sov. Radiochem.*, **14**, (1972), 84-89. Cited on pages: 135, 536.
- [1972SAT] Satyavati, A. V., Study of ionic hydratation and its variation with temperature, *Curr. Sci.*, **41**, (1972), 733. Cited on pages: 100, 537.
- [1972USH/SKO] Usherenko, L. N., Skorik, N. A., Hydrolysis of rare earth metal, yttrium, scandium, and thorium ions in water and in aqueous-ethanol mixtures, *Russ. J. Inorg. Chem.*, **17**, (1972), 1533-1535. Cited on pages: 135, 137, 140, 156, 157, 158, 534, 537, 538.
- [1973ACK/RAU2] Ackermann, R. J., Rauh, E. G., High temperature properties of the thorium-oxygen system: a revision of the thermodynamic properties of ThO(g) and ThO₂(g), *High Temp. Sci.*, **5**, (1973), 463-473. Cited on pages: 113, 120, 475, 538.
- [1973ACK/RAU3] Ackermann, R. J., Rauh, E. G., Preparation and characterization of the metastable monoxides of thorium and uranium, *J. Inorg. Nucl. Chem.*, **35**, (1973), 3787-3794. Cited on pages: 95, 111, 539.
- [1973ANO] Anon, Fluorescence of uranium and thorium minerals, *J. Fluoresc. Miner. Soc.*, **2**, (1973), 1-9. Cited on page: 395.

- [1973APE/AZO] Apelblat, A., Azoulay, D., Sahar, A., Properties of aqueous thorium nitrate solutions. 1. Densities, viscosities, conductivities, pH, solubility, and activities at freezing point, *J. Chem. Soc. Faraday Trans. 1*, **69**, (1973), 1618-1623. Cited on pages: 98, 317, 558.
- [1973APE/AZO2] Apelblat, A., Azoulay, D., Sahar, A., Properties of aqueous thorium nitrate solutions. 2. Water activities and osmotic and activity coefficients of thorium nitrate at 25, 35, and 45°C, *J. Chem. Soc. Faraday Trans. 1*, **69**, (1973), 1624-1627. Cited on pages: 98, 317.
- [1973BAT] Bates, R. G., *Determination of pH, theory and practice*, John Wiley & Sons, New York, (1973), 479 pp.. Cited on page: 24.
- [1973CHI/FUL] Chiotti, P., Fuller, J. E., Dock, C. H., Jha, M. C., The binary systems ThCl₄-Th and ThCl₄-ThOCl₂, *J. Less-Common Met.*, **31**, (1973), 365-376. Cited on page: 228.
- [1973DAN] Danan, J., Etude par calorimétrie des propriétés électroniques et magnétiques de quelques composés d'actinides, Commissariat à l'Energie Atomique, Report CEA-R-4453, (1973). Cited on pages: 269, 270.
- [1973DEL] Dell, R. M., Compounds with group Vb and VIb elements, *Comprehensive inorganic chemistry*, Bailar Jr., J. C., Emeleus, H. J., Nyholm, S. R., Trotman-Dickenson, A. F., Eds., pp.319-355, (1973). Cited on pages: 309, 312, 544.
- [1973DER/FAU] Dervin, J., Faucherre, J., Herpin, P., Voliotis, S., Etude des carbonates complexes de thorium et de cérium: I. Domaines d'existence, préparation et données cristallographiques des composés solides, *Bull. Soc. Chim. Fr.*, (1973), 2634-2637, in French. Cited on pages: 347, 540, 541.
- [1973DER/FAU2] Dervin, J., Faucherre, J., Etude des carbonates complexes de thorium et de cérium: II. Contribution des complexes en solution, *Bull. Soc. Chim. Fr.*, (1973), 2926-2929, in French. Cited on pages: 372, 540.
- [1973DER/FAU3] Dervin, J., Faucherre, J., Etude des carbonates complexes de thorium et de cérium: III. Solubilité et nature des ions complexes en solution, *Bull. Soc. Chim. Fr.*, (1973), 2930-2933, in French. Cited on pages: 347, 362, 366, 367, 368, 369, 370, 371, 472, 541, 542, 543, 596.

- [1973FUG/BRO] Fuger, J., Brown, D., Thermodynamics of the actinide elements: Part IV. Heats and free energies of formation of the tetrachlorides, tetrabromides, and tetraiodides of thorium, uranium and neptunium, *J. Chem. Soc., Dalton Trans.*, (1973), 428-434. Cited on pages: 96, 231, 232, 250, 260, 266, 415, 423, 523, 543.
- [1973HUL/DES] Hultgren, R., Desai, P. D., Hawkins, D. T., Gleiser, M., Kelley, K. K., Wagman, D. D., *Selected values of the thermodynamic properties of the elements*, American Society for Metals, Metals Park, Ohio, USA, (1973), 636 pp.. Cited on page: 660.
- [1973JON] Jones, K., *Comprehensive Inorganic Chemistry*, Baylar, J. C., Ed., vol. 1, Pergamon Press, (1973). Cited on page: 646.
- [1973KRA/MOR] Krasnov, K. S., Morozov, E. V., Filippenko, N. V., Giricheva, N. I., Thermodynamic characteristics of hafnium and thorium halides, *Izv. Vyss. Uchebn. Zaved. Pish. Tekhnol.*, **16**, (1973), 1500-1503, in Russian. Cited on pages: 197, 229, 248, 262.
- [1973MIL] Milić, N. B., Effect of the ionic medium on the hydrolysis of metal ions: an empirical relation, *J. Chem. Soc., Dalton Trans.*, (1973), 229-232. Cited on pages: 562, 563.
- [1973NUG/BAY] Nugent, L. J., Baybarz, R. D., Burnett, J. L., Ryan, J. L., Electron-transfer and f-d absorption bands of some lanthanide and actinide complexes and the standard (II-III) oxidation potential for each member of the lanthanide and actinide series, *J. Phys. Chem.*, **77**, (1973), 1528-1539. Cited on page: 646.
- [1973ONO/KAN] Ono, F., Kanno, M., Mukaibo, T., Heat capacity of thorium nitrides from 450 to 850 K, *J. Nucl. Sci. Technol.*, **10**, (1973), 391-395. Cited on pages: 309, 312, 544, 685.
- [1973PAL] Palenzona, A., Dynamic differential calorimetry of intermetallic compounds. I. Heat of formation, and heat and entropy of fusion of rare earth-tin compounds, *Thermochim. Acta*, **5**, (1973), 473-480. Cited on page: 550.
- [1973PIT/MAY] Pitzer, K. S., Mayorga, G., Thermodynamics of electrolytes. II. Activity and osmotic coefficients for strong electrolytes with one or both ions univalent, *J. Phys. Chem.*, **77**, (1973), 2300-2308. Cited on pages: 104, 108, 109, 609, 709.
- [1973PIT] Pitzer, K. S., Thermodynamics of electrolytes: I. Theoretical basis and general equations, *J. Phys. Chem.*, **77**, (1973), 268-277. Cited on pages: 705, 709.

- [1973REE/SIN] Reese, R. A., Sinha, S. H., Peterson, D. T., Phonon spectrum of thorium, *Phys. Rev. B*, **8**, (1973), 1332-1337. Cited on page: 86.
- [1973SAT/KOT] Sato, T., Kotani, S., Good, M. L., Extraction of certain anionic actinide complexes from aqueous solutions by long chain alkyl ammonium compounds - II: Thorium(IV)-thiocyanate system, *J. Inorg. Nucl. Chem.*, **35**, (1973), 2547-2554. Cited on pages: 373, 374, 544, 565.
- [1973SAT/KUM] Satoh, T., Kumagai, K., The specific heat and superconductivity of Th-Y and Th-La alloys, *J. Phys. Soc. Jpn.*, **34**, (1973), 391-395. Cited on pages: 84, 86.
- [1973SKE/PAT] Skelton, W. H., Patterson, J. W., Free energy determinations by solid galvanic cell measurements for selected metal, metal-fluoride reactions, *J. Less-Common Met.*, **31**, (1973), 47-60. Cited on pages: 201, 545.
- [1973TRE/DEP] Trevisan, G., Depaus, R., Non-congruent vaporization of some rare earth oxides, *Z. Naturforsch.*, **28a**, (1973), 37-47. Cited on page: 568.
- [1974ACK/RAU] Ackermann, R. J., Rauh, E. G., Thermodynamic properties of zirconium oxide (g) and hafnium oxide (g). Critical examination of isomolecular oxygen-exchange reactions, *J. Chem. Phys.*, **60**, (1974), 2266-2271. Cited on pages: 113, 783.
- [1974BIN/SCH2] Binnewies, M., Schäfer, H., Das Gleichgewicht $\text{PbCl}_{2,g} + \text{ThCl}_4 = \text{PbThCl}_{6,g}$ und die Sättigungsdrucke von PbCl_2 und ThCl_4 , *Z. Anorg. Allg. Chem.*, **410**, (1974), 149-155, in German. Cited on pages: 234, 545.
- [1974CAP/FER] Capelli, R., Ferro, R., Borsese, A., A direct isoperibol calorimeter, *Thermochim. Acta*, **10**, (1974), A-21. Cited on page: 586.
- [1974DJE/DOD] Djemal, M., Dodé, M., Sur la réduction de la thorie par le carbone, *Rev. Int. Hautes Temp. Refract.*, **11**, (1974), 29-33. Cited on page: 343.
- [1974GAB/REE] Gabelnick, S. D., Reedy, G. T., Chasanov, M. G., Infrared spectra and structure of some matrix-isolated lanthanide and actinide oxides, *J. Chem. Phys.*, **60**, (1974), 1167-1171. Cited on pages: 119, 545, 649.

- [1974HEL/KIR] Helgeson, H. C., Kirkham, D. H., Theoretical prediction of the thermodynamic behavior of aqueous electrolytes at high pressures and temperatures: I. Summary of the thermodynamic/electrostatic properties of the solvent, *Am. J. Sci.*, **274**, (1974), 1089-1198. Cited on page: 713.
- [1974HIL/MUR] Hildenbrand, D. L., Murad, E., Mass spectrometric studies of gaseous ThO and ThO₂, *J. Chem. Phys.*, **61**, (1974), 1232-1237. Cited on pages: 113, 120, 121, 546.
- [1974KAD/POY] Kadochnikov, V. A., Poyarkov, A. M., Lebedev, V. A., Nichkov, I. F., Raspopin, S. P., Thermodynamic properties of thorium-antimony alloys, *At. Énerg.*, **37**, (1974), 418, in Russian. Cited on page: 333.
- [1974KOH/STE] Kohl, F. J., Stearns, C. A., Vaporization and dissociation energies of the molecular carbides of titanium, zirconium, hafnium, and thorium, *High Temp. Sci.*, **6**, (1974), 284-302. Cited on pages: 344, 345, 346, 546, 547, 568, 569, 704.
- [1974LEV/SKO] Levitskii, V. A., Skolis, Yu. Ya., Thermodynamics of double oxides. I. Galvanic cell study of strontium tungstates and aluminates, *J. Chem. Thermodyn.*, **6**, (1974), 1181-1190. Cited on page: 662.
- [1974MAG/ROM] Maggio, F., Romano, V., Pellerito, L., Gianguzza, A., Potentiometric determination of stability constants: the system Th⁴⁺ - N₃⁻, *Atti Accad. Sci., Lett. Arti Palermo, Parte I: Scienze*, **33**, (1974), 203-209. Cited on pages: 313, 314, 547.
- [1974MAS/JHA] Mason, J. T., Jha, M. C., Chiotti, P., Crystal structures of thorium tetrachloride polymorphs, *J. Less-Common Met.*, **34**, (1974), 143-151. Cited on pages: 230, 547.
- [1974MAS/JHA2] Mason, J. T., Jha, M. C., Bailey, D. M., Chiotti, P., Crystal structures of thorium tetrabromide polymorphs, *J. Less-Common Met.*, **35**, (1974), 331-338. Cited on pages: 250, 252, 547.
- [1974MIL] Mills, K. C., *Thermodynamic data for inorganic sulphides, selenides and tellurides*, Butterworths, London, (1974), 845 pp.. Cited on pages: 270, 303, 304, 306, 307.
- [1974NAK] Nakamura, T., Crystal systems and lattice constants of perovskite-type compounds barium thorium oxide (BaThO₃) and barium uranium oxide (Ba₂(BaU)O₆), *Chem. Lett.*, **5**, (1974), 429-434. Cited on page: 386.

- [1974NEU/ZMB] Neubert, A., Zmbov, K. F., Mass spectrometric determination of the dissociation energy of the ThO molecule, *High Temp. Sci.*, **6**, (1974), 303-308. Cited on pages: 113, 548.
- [1974PAR] Parsons, R., Manual of Symbols and Terminology for Physicochemical Quantities and Units. Appendix III. Electrochemical nomenclature, *Pure Appl. Chem.*, **37**, (1974), 503-516. Cited on page: 23.
- [1974PIT/KIM] Pitzer, K. S., Kim, J. J., Thermodynamics of electrolytes. IV. Activity and osmotic coefficients for mixed electrolytes, *J. Am. Chem. Soc.*, **96**, (1974), 5701-5707. Cited on page: 709.
- [1974PIT/MAY] Pitzer, K. S., Mayorga, G., Thermodynamics of electrolytes. III. Activity and osmotic coefficients for 2-2 electrolytes, *J. Solution Chem.*, **3**, (1974), 539-546. Cited on page: 709.
- [1974POY/LEB] Poyarkov, A. M., Lebedev, V. A., Nichkov, I. F., Raspopin, S. P., Thermodynamic properties of thorium-bismuth melts, *Russ. Metall.*, (1974), 96-99. Cited on pages: 335, 336, 520, 548.
- [1975APE/SAH] Apelblat, A., Sahar, A., Properties of aqueous thorium nitrate solutions. 3. Partial molal heat capacities and heats of dilution at 30°C, *J. Chem. Soc. Faraday Trans.*, **71**, (1975), 1667-1671. Cited on pages: 98, 99, 643.
- [1975BIE] Biedermann, G., Ionic media, Dahlem workshop on the nature of seawater, pp.339-362, Dahlem Konferenzen, Berlin, (1975). Cited on page: 706.
- [1975CHI/DOC] Chiotti, P., Dock, C. H., On lower valent thorium chlorides in fused chloride salts, *J. Less-Common Met.*, **41**, (1975), 225-239. Cited on page: 228.
- [1975DAN] Danan, J., Chaleur spécifique de 2 a 300 K du monocarbure de thorium, *J. Nucl. Mater.*, **57**, (1975), 280-285, in French. Cited on pages: 338, 549.
- [1975FER] Ferro, R., Crystal structure and density data for thorium and thorium compounds. 1. Alloys and compounds other than halides and chalcogenides, *At. Energy Rev., Spec. Issue*, **5**, (1975), 143-238. Cited on pages: 334, 380.
- [1975GAR2] Garzon Ruiperez, L., Contents of uranium-233 in thorium minerals, *An. Fis.*, **71**, (1975), 244-248. Cited on page: 395.

- [1975KHO] Khodakovsky, I. L., Thermodynamics of aqueous solutions at high temperatures and pressures, *Physico-chemical problems in hydrothermal and magma processes*, Tugarinov, A. I., Ed., pp.124-150, Nauka, (1975). Cited on page: 97.
- [1975OHA/ADE] O'Hare, P. A. G., Ader, M., Hubbard, W. N., Johnson, G. K., Settle, J. L., Calorimetric studies on actinide compounds and materials of interest in reactor technology, Thermodynamics of nuclear materials 1974, Proc. Symp. held 21-25 October, in Vienna, pp.439-453, International Atomic Energy Agency, Vienna, (1975). Cited on pages: 270, 549.
- [1975PAL/CIR] Palenzona, A., Cirafici, S., Thermodynamic properties of Y, Th and U, MX₃ compounds with IIIA and IVA elements, *Thermochim. Acta*, **13**, (1975), 357-360. Cited on pages: 382, 383, 550.
- [1975PAT/RAM] Patil, S. K., Ramakrishna, V. V., Complexing of Th(IV) and Np(IV) with chloride and fluoride ions, *Inorg. Nucl. Chem. Lett.*, **11**, (1975), 421-428. Cited on pages: 207, 208, 212, 213, 243, 244, 551.
- [1975PIT] Pitzer, K. S., Thermodynamics of electrolytes. V. Effects of higher-order electrostatic terms, *J. Solution Chem.*, **4**, (1975), 249-265. Cited on page: 709.
- [1975RAG/RAM] Raghavan, R., Ramakrishna, V. V., Patil, S. K., Complexing of tetravalent actinides with bromide ions, *J. Inorg. Nucl. Chem.*, **37**, (1975), 1540-1541. Cited on pages: 255, 551, 553.
- [1975RAN] Rand, M. H., Thermochemical properties. Thorium: Physico-chemical properties of its compounds and alloys, *At. Energy Rev., Spec. Issue*, **5**, (1975). Cited on pages: 83, 91, 92, 96, 97, 115, 119, 200, 202, 228, 232, 251, 255, 261, 270, 271, 272, 273, 274, 311, 321, 322, 337, 410, 412, 478, 481, 594.
- [1975ROS/EBB] Rosengren, A., Ebbsjö, I., Johansson, B., Calculation of the phonon spectrum in thorium, *J. Chem. Phys.*, **62**, (1975), 1337-1342. Cited on page: 86.
- [1975SCH/WOL] Schmidt, H.-G., Wolf, G., The heat capacity of Th and Th₄H₁₅ in the temperature range above 2 K, *Solid State Commun.*, **16**, (1975), 1085-1087. Cited on pages: 84, 86, 88, 125.
- [1975VOL/RIM2] Voliotis, S., Rimsky, A., Etude structurale des carbonates complexes de cérium et thorium: II. Structure cristalline et moléculaire du pentacarbonatothorate de guanidine tétrahydraté, [C(NH₂)₃]₆[Th(CO₃)₅] · 4H₂O, *Acta Crystallogr., Sect. B: Struct. Sci.*, **B31**, (1975), 2611-2615. Cited on pages: 347, 372, 473, 553.

- [1975VOL/RIM3] Voliotis, S., Rimsky, A., Etude structurale des carbonates complexes de cérium et thorium: III. Structure cristalline et moléculaire du pentacarbonatothorate de sodium dodécahydraté, $\text{Na}_6[\text{Th}(\text{CO}_3)_5] \cdot 12\text{H}_2\text{O}$, *Acta Crystallogr., Sect. B: Struct. Sci.*, **B31**, (1975), 2615-2620. Cited on pages: 347, 372, 473, 479, 553.
- [1975VOL/RIM4] Voliotis, S., Rimsky, A., Etude structurale des carbonates complexes de cérium et thorium: IV. Structure cristalline et moléculaire du pentacarbonatocérate de sodium dodécahydraté, $\text{Na}_6[\text{Ce}(\text{CO}_3)_5] \cdot 12\text{H}_2\text{O}$, *Acta Crystallogr., Sect. B: Struct. Sci.*, **B31**, (1975), 2620-2622. Cited on page: 479.
- [1975WAG] Wagman, D. D., (1975), private communication, in [1976MOR/MCC]. Cited on page: 98.
- [1976BAE/MES] Baes Jr., C. F., Mesmer, R. E., *The hydrolysis of cations*, Wiley & Sons, New York, (1976), 489 pp.. Cited on pages: 28, 134, 135, 136, 137, 139, 140, 147, 148, 149, 152, 153, 155, 157, 158, 159, 160, 161, 443, 528, 532, 554, 555, 556, 557, 572, 578, 589, 597, 598, 629, 666, 684, 708.
- [1976BRO/WHI] Brown, D., Whittaker, B., De Paoli, G., The thermal stability and other physical properties of protactinium penta- and tetra-iodide, U. K. Atomic Energy Authority, Report AERE-R 8367, (1976), 12 pp.. Cited on page: 260.
- [1976CHE/WES] Cheda, J. A. R., Westrum Jr., E. F., Morss, L. R., Heat capacity of $\text{Th}(\text{NO}_3)_4 \cdot 5\text{H}_2\text{O}$ from 5 to 350K, *J. Chem. Thermodyn.*, **8**, (1976), 25-29. Cited on pages: 98, 316, 557, 558.
- [1976CHO/UNR] Choppin, G. R., Unrein, P. J., Thermodynamic study of actinide fluoride complexation, Transplutonium 1975: Proc. Symp. Baden Baden, Germany, Sept. 13-17, 1975, 4th Int. Transplutonium Symp., pp.97-107, North-Holland Publ., Amsterdam, Holland, (1976). Cited on pages: 207, 208, 209, 212, 213, 222, 557, 558, 599, 603.
- [1976FUG/OET] Fuger, J., Oetting, F. L., *The chemical thermodynamics of actinide elements and compounds: Part 2. The actinide aqueous ions*, International Atomic Energy Agency, Vienna, (1976), 65 pp.. Cited on pages: 96, 97, 609, 659.
- [1976HAE/NOV] Haessler, M., De Novion, C.-H., Damien, D., Electronic structure of mixed uranium-thorium monochalcogenides, Plutonium 1975 and other actinides, Proc. Symp. Baden Baden, Germany, Sept. 10-13, 1975, pp.649-657, (1976). Cited on page: 306.

- [1976KEL] Keller, C., Ternary and polynary oxides of thorium, *Gmelin handbook of inorganic chemistry*, vol. C2, p. 145, Springer-Verlag, Berlin, (1976). Cited on pages: 386, 662.
- [1976MIL/CAT] Miller, J. F., Caton, R. H., Satterthwaite, C. B., Low-temperature heat capacity of normal and superconducting thorium hydride and thorium deuteride, *Phys. Rev. B*, **14**, (1976), 2795-2800. Cited on pages: 123, 125.
- [1976MOR/MCC] Morss, L. R., McCue, M. C., Partial molal entropy and heat capacity of the aqueous thorium(IV) ion. Thermochemistry of thorium nitrate pentahydrate, *J. Chem. Eng. Data*, **21**, (1976), 337-341. Cited on pages: 98, 99, 316, 317, 558, 643.
- [1976OET/RAN] Oetting, F. L., Rand, M. H., Ackermann, R. J., *The chemical thermodynamics of actinide elements and compounds: Part 1. The actinide elements*, International Atomic Energy Agency, Vienna, (1976), 111 pp.. Cited on page: 91.
- [1976PIA/ZAU] Pialoux, A., Zaug, J., Etude de la carboréduction de la thorine à l'aide de la diffractométrie de rayons X à haute température sous pression contrôlée, puis sous vide, *J. Nucl. Mater.*, **61**, (1976), 131-148. Cited on pages: 340, 343, 559.
- [1976PIT/SIL] Pitzer, K. S., Silvester, L. F., Thermodynamics of electrolytes. VI. Weak electrolytes including H_3PO_4 , *J. Solution Chem.*, **5**, (1976), 269-278. Cited on page: 709.
- [1976POY/LEB] Poyarkov, A. M., Lebedev, V. A., Nichkov, I. F., Raspopin, S. P., Thermodynamic properties of liquid thorium-lead alloys, *Russ. Metall.*, (1976), 51-52. Cited on pages: 383, 559.
- [1976SCA] Scatchard, G., *Equilibrium in solutions: Surface and colloid chemistry*, Harvard University Press, Cambridge, Massachusetts, (1976), 306 pp.. Cited on page: 707.
- [1976SCH/VER] Schuiling, R. D., Vergouwen, L., van der Rijst, H., Gibbs energies of formation of zircon($ZrSiO_4$), thorite($ThSiO_4$), and phenacite(Be_2SiO_4), *Am. Mineral.*, **61**, (1976), 166-168. Cited on pages: 378, 560, 561.
- [1976SHA] Shannon, R. D., Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides, *Acta Crystallogr., Sect. B: Struct. Sci.*, **A32**, (1976), 751-767. Cited on pages: 190, 255.

- [1976SOU/SHA] Souka, N., Shabana, R., Farah, K., Adsorption behaviour of some actinides on zirconium phosphate stability constant determinations, *J. Radioanal. Chem.*, **33**, (1976), 215-222. Cited on pages: 240, 243, 317, 319, 561.
- [1976WAG] Wagman, D. D., (1976), private communication from US National Bureau of Standards to [1976FUG/OET]. Cited on page: 97.
- [1977BAR/KNA] Barin, I., Knacke, O., Kubaschewski, O., *Thermochemical properties of inorganic substances (supplement)*, Springer Verlag, Berlin, (1977), 861 pp.. Cited on page: 594.
- [1977BRU/HOP] Brunn, H., Hoppe, R., Neue kubische Formen von NaMO_2 (M = Sc, Y, Dy, Tm, Yb, Lu), K_2MO_3 , Rb_2MO_3 (M = Ce, Pr, Th) und Cs_2ThO_3 , *Z. Anorg. Allg. Chem.*, **430**, (1977), 144-154. Cited on pages: 388, 389.
- [1977CAT/SAT] Caton, R. H., Satterthwaite, C. B., Preparation and characterization of massive thorium hydride (Th_4H_{15}) and thorium deuteride (Th_4D_{15}), *J. Less-Common Met.*, **52**, (1977), 307-321. Cited on pages: 122, 123, 126, 561.
- [1977FER] Fernelius, W. C., *How to name an inorganic substance, IUPAC Commission on Nomenclature of Inorganic Compounds*, Pergamon Press, Oxford, (1977), 36 pp.. Cited on page: 13.
- [1977KAD/LEB] Kadochnikov, V. A., Lebedev, V. A., Nichkov, I. F., Poyarkov, A. M., Raspopin, S. P., Thermodynamic properties of thorium-tin molten alloys, *Izv. Vyss. Uchebn. Zaved., Tsvetn. Metall.*, **2**, (1977), 146-148, in Russian. Cited on pages: 381, 382, 562.
- [1977MIE/BOE] Miedema, A. R., de Boer, F. R., Boom, R., Model predictions for the enthalpy of formation of transition metal alloys, *CALPHAD: Comput. Coupling Phase Diagrams Thermochem.*, **1**, (1977), 341-349. Cited on page: 334.
- [1977MIL2] Milić, N. B., The influence of the medium on the hydrolysis and polymerization of actinides, I.A.E.A., Technical Report Series, Report IAEA-R-1522-F, (1977), 6 pp.. Cited on pages: 135, 562.
- [1977MUE/BEY] Mueller, M. H., Beyerlein, R. A., Jorgensen, J. D., Brun, T. O., Satterthwaite, C. B., Caton, R. H., Structure of thorium deuteride (Th_4D_{15}) from measurements at the Argonne ZING-P pulsed neutron source, *J. Appl. Crystallogr.*, **10**, (1977), 79-83. Cited on page: 123.

- [1977WAG/SCH] Wagman, D. D., Schumm, R. H., Parker, V. B., A computer-assisted evaluation of the thermochemical data of the compounds of thorium, US National Bureau of Standards, Report NBSIR77-1300, (1977). Cited on pages: 97, 197, 200, 202, 229, 232, 248, 251, 262.
- [1978FLO/OSB] Flotow, H. E., Osborne, D. W., Heat capacities and thermodynamic properties of ThH_2 and $\text{ThH}_{3.75}$ to 1000 K, *J. Chem. Thermodyn.*, **10**, (1978), 537-551. Cited on pages: 122, 123, 125, 126, 563, 570.
- [1978GIN] Gingerich, K. A., The atomization energy of gaseous thorium carbide (ThC_3) and predicted stability of gaseous transition metal tricarbonides, *Chem. Phys. Lett.*, **59**, (1978), 136-139. Cited on pages: 344, 345, 563.
- [1978KNA/MUN] Knacke, O., Münstermann, E., Probst, H., A mass-spectrometric study of the thermal dissociation of thorium iodides, *Ber. Bunsen-Ges.*, **82**, (1978), 154-159. Cited on pages: 259, 260, 263, 563, 564.
- [1978MAN/DEV] Manouvrier, E., Devaure, J., Etude par spectroscopie Raman de l'influence de la pression sur l'association de l'ion thiocyanate avec divers cations métalliques en solution aqueuse, *J. Raman Spectrosc.*, **7**, (1978), 81-87, in French. Cited on pages: 373, 374, 375, 531, 564.
- [1978PIT/PET] Pitzer, K. S., Peterson, J. R., Silvester, L. F., Thermodynamics of electrolytes: IX. Rare earth chlorides, nitrates, and perchlorates, *J. Solution Chem.*, **7**, (1978), 45-56. Cited on page: 709.
- [1978STR/COR] Struss, A. W., Corbett, J. D., Reaction of hydrogen with metallic and reduced halides. The requirement of delocalized electrons for reaction, *Inorg. Chem.*, **17**, (1978), 965-969. Cited on page: 259.
- [1978TAY/EWI] Taylor, M., Ewing, R. C., The crystal structures of the ThSiO_4 polymorphs: huttonite and thorite, *Acta Crystallogr.*, **B34**, (1978), 1074-1079. Cited on page: 377.
- [1979AMO/GIO] Amoretti, G., Giori, D. C., Spirlet, J. C., Rebizant, J., EPR of gadolinium ion in single crystal of thorium oxysulfide, *Phys. Rev. B*, **20**, (1979), 3573-3577. Cited on page: 275.
- [1979BEL/SEM] Belov, A. N., Semenov, G. A., Mass-spectrometric determination of the temperature dependence of the pressure of gaseous oxides over thorium and zirconium dioxides, *Russ. J. Inorg. Chem.*, **53**, (1979), 1752-1755. Cited on pages: 120, 565.

- [1979BRA/PIT] Bradley, D. J., Pitzer, K. S., Thermodynamics of electrolytes. 12. Dielectric properties of water and Debye-Hückel parameters to 350°C and 1 kbar, *J. Phys. Chem.*, **83**, (1979), 1599-1603. Cited on page: 713.
- [1979HUB/HER] Huber, K. P., Herzberg, G., *Molecular spectra and molecular structure IV, constants of diatomic molecules*, pp.562-563, Van Nostrand Reinhold Co., New York, (1979). Cited on page: 127.
- [1979JOH/PYT] Johnson, K. S., Pytkowicz, R. M., Ion association and activity coefficients in multicomponent solutions, *Activity coefficients in electrolyte solutions*, Pytkowicz, R. M., Ed., II, pp.1-62, CRC Press, Boca Raton, Florida, (1979). Cited on page: 706.
- [1979MAU/BOU] Maurice, V., Boutard, J. L., Abbé, D., Low temperature specific heat of rocksalt thorium compounds, *J. Phys. Colloq.*, **4**, (1979), 140-141. Cited on pages: 321, 338, 549, 565.
- [1979MIL] Millero, F. J., Effects of pressure and temperature on activity coefficients, *Activity coefficients in electrolyte solutions*, Pytkowicz, R. M., Ed., II, pp.63-151, CRC Press, Boca Raton, Florida, (1979). Cited on pages: 706, 713.
- [1979PIT] Pitzer, K. S., Theory: Ion Interaction Approach, *Activity coefficients in electrolyte solutions*, Pytkowicz, R. M., Ed., vol. 1, pp.157-208, CRC Press, Boca Raton, Florida, (1979). Cited on pages: 706, 709.
- [1979PYT] Pytkowicz, R. M., Activity coefficients, ionic media, and equilibria in solutions, *Activity coefficients in electrolyte solutions*, Pytkowicz, R. M., Ed., II, pp.301-305, CRC Press, Boca Raton, Florida, (1979). Cited on page: 706.
- [1979SIN/PRA] Singh, Z., Prasad, R., Venugopal, V., Roy, K. N., Sood, D. D., Thermodynamics of the vaporisation of thorium tetrachloride, *J. Chem. Thermodyn.*, **11**, (1979), 31-36. Cited on pages: 233, 234, 565, 570.
- [1979SIN/PRA2] Singh, Z., Prasad, R., Venugopal, V., and Sood, D. D., Vapour pressure of thorium tetraiodide, Bhabha Atomic Research Centre, Report B.A.R.C.-1005, (1979). Cited on pages: 263, 264, 566, 570.
- [1979WHI] Whitfield, M., Activity coefficients in natural waters, *Activity coefficients in electrolyte solutions*, Pytkowicz, R. M., Ed., II, pp.153-299, CRC Press, Boca Raton, Florida, (1979). Cited on pages: 11, 12.

- [1979WHI2] Whiffen, D. H., *Manual of symbols and terminology for physico-chemical quantities and units, IUPAC Commission on Physicochemical Symbols, Terminology and Units*, Pergamon Press, Oxford, (1979), 41 pp.. Cited on page: 706.
- [1980ACK/TET] Ackermann, R. J., Tetenbaum, M., High-temperature thermodynamic properties of the thorium-oxygen system, *High Temp. Sci.*, **13**, (1980), 91-105. Cited on pages: 113, 114, 120, 121, 566.
- [1980BLA/LAG] Blaise, A., Lagnier, R., Troç, R., Henkie, Z., Markowski, P. J., The heat capacities of U_3As_4 and Th_3As_4 , *J. Low Temp. Phys.*, **39**, (1980), 315-328. Cited on pages: 332, 567.
- [1980BLA/TRO] Blaise, A., Troç, R., Lagnier, R., Mortimer, M. J., The heat capacity of uranium monoarsenide, *J. Low Temp. Phys.*, **38**, (1980), 79-92. Cited on pages: 332, 567.
- [1980BOR/BOR] Borsese, A., Borzone, G., Ferro, R., Thermochemistry of binary alloys of rare earths: a comparison between experimental and calculated heats of formation, *J. Less-Common Met.*, **70**, (1980), 213-216. Cited on page: 334.
- [1980CAE/CAS] Caers, J., Casteels, F. G., Brabers, M. J., Influence of tungsten and tantalum on the vaporisation of rare-earth oxides, *High Temp. High Pressures*, **12**, (1980), 411-418. Cited on pages: 113, 120, 568.
- [1980CIA] Ciavatta, L., The specific interaction theory in evaluating ionic equilibria, *Ann. Chim. (Rome)*, **70**, (1980), 551-567. Cited on pages: 102, 104, 106, 108, 109, 299, 419, 697, 707, 708, 718, 719, 720, 721, 725, 726, 729, 730, 735, 737, 738, 741, 743, 744, 745, 746, 747, 748.
- [1980GRE] Green, D. W., Tables of thermodynamic functions for gaseous thorium, uranium, and plutonium oxides, *J. Nucl. Mater.*, **88**, (1980), 51-63. Cited on page: 119.
- [1980GUP/GIN] Gupta, S. K., Gingerich, K. A., A thermodynamic study of the gaseous thorium carbides, ThC , ThC_2 , ThC_3 , ThC_4 , ThC_5 and ThC_6 , *J. Chem. Phys.*, **72**, (1980), 2795-2800. Cited on pages: 344, 345, 346, 547, 568.
- [1980HAA/EWI] Haaker, R. F., Ewing, R. C., Uranium and thorium minerals: natural analogs for radioactive waste forms, *Sci. Basis Nucl. Waste Manage.*, **2**, (1980), 281-288. Cited on page: 396.

- [1980NAG/BHU2] Nagarajan, K., Bhupathy, M., Prasad, R., Singh, Z., Venugopal, V., Sood, D. D., Vaporization behaviour of thorium tetrafluoride, *Thermochim. Acta*, **36**, (1980), 85-89. Cited on pages: 200, 203, 569, 570.
- [1980NAK/TAK] Nakamura, J., Takahashi, Y., Izumi, S., Kanno, M., Heat capacity of metallic uranium and thorium from 80 to 1000 K., *J. Nucl. Mater.*, **88**, (1980), 64-72. Cited on pages: 84, 87, 88, 89, 90, 91, 569, 594, 597.
- [1980NOE] Noël, H., Thorium and uranium chalcogenides: crystallographic and magnetic study of diuranium trisulfide-type compounds-existence of a thorium triselenide ThSe₃, *J. Inorg. Nucl. Chem.*, **42**, (1980), 1715-1717. Cited on pages: 302, 303.
- [1980PIC/KLE] Picard, C., Kleppa, O. J., A thermodynamic study of the thorium-hydrogen system at 700 K, *High Temp. Sci.*, **12**, (1980), 89-98. Cited on pages: 124, 125, 570.
- [1980PRA/NAG] Prasad, R., Nagarajan, K., Singh, Z., Bhupathy, M., Venugopal, V., Sood, D. D., Thermodynamics of the vaporization of thorium and uranium halides, *Thermodyn. Nucl. Mater., Proc. Int. Symp.*, pp.45-60, IAEA, Vienna, (1980). Cited on pages: 263, 264, 566, 570.
- [1980SIN/PRA] Singh, Z., Prasad, R., Venugopal, V., Sood, D. D., Vaporisation thermodynamics of thorium tetrabromide, *Thermochim. Acta*, **38**, (1980), 235-239. Cited on pages: 252, 253, 254, 570.
- [1980ZHI/KOL] Zhidikova, A. P., Kolesov, G. M., Khodakovsky, I. L., Solubility of thorianite (thorium dioxide) in aqueous solutions, *Geokhimiya*, **6**, (1980), 821-826. Cited on page: 571.
- [1981BES/LIN] Besmann, T. M., Lindemer, T. B., High-temperature equilibrium between thorium dioxide, thorium dicarbide, and carbon, *J. Inorg. Nucl. Chem.*, **43**, (1981), 981-985. Cited on pages: 342, 343.
- [1981BUR/KIJ2] Burgess, J., Kijowski, J., Enthalpies of solution of chlorides and iodides of gallium(III), indium(III), thorium(IV) and uranium(IV), *J. Inorg. Nucl. Chem.*, **43**, (1981), 2649-2652. Cited on pages: 95, 96, 260, 571.
- [1981CHI/AKH] Chiotti, P., Akhachinskij, V. V., Ansara, I., Rand, M. H., *The chemical thermodynamics of actinide elements and compounds: Part 5. The actinide binary alloys*, International Atomic Energy Agency, Vienna, (1981), 275 pp.. Cited on pages: 333, 335, 375, 376, 380, 383, 497, 549.

- [1981CIA/FER] Ciavatta, L., Ferri, D., Grenthe, I., Salvatore, F., Spahiu, K., Studies on metal carbonate equilibria: 3. The lanthanum(III) carbonate complexes in aqueous perchlorate media, *Acta Chem. Scand.*, **A35**, (1981), 403-413. Cited on page: 349.
- [1981DYK/JOS] Dyke, J. M., Josland, G. D., Morris, A., Tucker, P. M., Tyler, J. W., Study of the valence-electronic structure of uranium and thorium tetrafluorides and tetrachlorides in the gas phase and in the solid state, *J. Chem. Soc. Faraday Trans. 2*, **8**, (1981), 1273-1280. Cited on page: 202.
- [1981FIS/FIN] Fischer, D. F., Fink, J. K., Leibowitz, L., Enthalpy of thorium dioxide to 3400 K., *J. Nucl. Mater.*, **102**, (1981), 220-222. Cited on pages: 114, 115, 116, 117, 572, 586, 636, 637.
- [1981GLU/GUR] Glushko, V. P., Gurvich, L. V., Bergman, G. A., Veits, I. V., Medvedev, V. A., Khachkuruzov, G. A., Yungman, V. S., *Thermodynamic properties of individual substances*, vol. 3, Hemisphere Publ., New York, (1981). Cited on pages: 197, 205, 229, 248.
- [1981HAR] Harvie, C. E., Theoretical investigations in geochemistry and atom surface scattering, Ph. D. Thesis, University of California, San Diego, CA, (1981). Cited on page: 769.
- [1981HEL/KIR] Helgeson, H. C., Kirkham, D. H., Flowers, G. C., Theoretical prediction of the thermodynamic behavior of aqueous electrolytes at high pressures and temperatures: IV. Calculation of activity coefficients, osmotic coefficients, and apparent molal and standard and relative partial molal properties to 600°C and 5 kb, *Am. J. Sci.*, **281**, (1981), 1249-1516. Cited on pages: 713.
- [1981MIL2] Milić, N. B., Linear free-energy relationships in the hydrolysis of metal ions: the effect of the ionic medium, *J. Chem. Soc., Dalton Trans.*, (1981), 1445-1448. Cited on pages: 136, 139, 140, 142, 143, 144, 145, 146, 166, 167, 562, 563, 572, 573, 574, 575, 576, 577, 585, 588.
- [1981SMI/MES] Smith, F. J., Mesmer, R. E., McTaggart, D. R., The solubility of thorium fluoride in nitric acid-hydrofluoric acid solution between 25 and 100° C, *J. Inorg. Nucl. Chem.*, **43**, (1981), 541-547. Cited on pages: 207, 209, 210, 211, 212, 214, 215, 216, 218, 222, 224, 225, 226, 578, 579, 580, 581, 582, 583, 584, 585.

- [1981STU/MOR] Stumm, W., Morgan, J. J., *Aquatic Chemistry. An introduction emphasizing chemical equilibria in natural waters*, 2nd. Edition, John Wiley and Sons, New York, (1981), 780 pp.. Cited on page: 23.
- [1981SUR/MIL] Šuranji, T. M., Milić, N. B., Hydrolysis of thorium(IV) ions in lithium and potassium chloride media, *Glas. Hem. Drus. Beograd*, **46**, (1981), 657-661. Cited on pages: 136, 139, 140, 142, 143, 144, 145, 146, 572, 573, 574, 575, 576, 585, 588.
- [1982BEC/STR] Beck, H. P., Strobel, C., ThI₃, ein Janus unter den Verbindungen mit Metall-Metall-Wechselwirkungen, *Angew. Chem.*, **94**, (1982), 558-559, in German. Cited on page: 259.
- [1982BOR/BOR2] Borzone, G., Borsese, A., Ferro, R., Thorium bismuthides: crystal structures and thermochemistry, *J. Less-Common Met.*, **84**, (1980), 165-172. Cited on pages: 333, 334, 335, 548, 585.
- [1982DRE] Drever, J. I., *The geochemistry of natural waters*, Prentice-Hall, Englewood Cliffs, N. J., (1982), 388 pp.. Cited on page: 23.
- [1982FIN] Fink, J. K., Enthalpy and heat capacity of the actinide oxides, *Int. J. Thermophys.*, **3**, (1982), 165-200. Cited on pages: 116, 572, 586.
- [1982GLU/GUR] Glushko, V. P., Gurvich, L. V., Bergman, G. A., Veits, I. V., Medvedev, V. A., Khachkuruzov, G. A., Yungman, V. S., *Thermodynamic properties of individual substances*, Glushko, V. P., Ed., Vol. IV, Nauka, Moscow, USSR, (1982), 623 pp.. Cited on pages: 83, 88, 91, 92, 111, 116, 117, 119, 204, 389, 390, 594, 637, 650, 651, 693, 783, 784.
- [1982HAM] Hamann, S. D., The influence of pressure on ionization equilibria in aqueous solutions, *J. Solution Chem.*, **11**, (1982), 63-68. Cited on page: 36.
- [1982JOL/THO] Jolivet, J. P., Thomas, Y., Tavel, B., Lorenzelli, V., Busca, G., Infrared determination of the coordination state of carbonate ions in cerium and thorium tetracarbonato complexes, *J. Mol. Struct.*, **79**, (1982), 403-408. Cited on pages: 372, 586.
- [1982LAF] Laffitte, M., A report of IUPAC commission I.2 on thermodynamics: Notation for states and processes, significance of the word "standard" in chemical thermodynamics, and remarks on commonly tabulated forms of thermodynamic functions, *J. Chem. Thermodyn.*, **14**, (1982), 805-815. Cited on pages: 14, 15, 30, 31, 34, 705.

- [1982MAR/SMI] Martell, A. E., Smith, R. M., *Critical stability constants, Vol. 5: First supplement*, Plenum Press, New York, (1982), 604 pp.. Cited on page: 599.
- [1982MIL/SUR2] Milić, N. B., Šuranji, T. M., Hydrolysis of the thorium(IV) ion in sodium nitrate medium, *Can. J. Chem.*, **50**, (1982), 1298-1303. Cited on pages: 136, 138, 140, 141, 142, 143, 144, 146, 147, 152, 153, 155, 505, 586, 587, 589.
- [1982NOE/POT] Noël, H., Potel, M., Structure of thorium sulfide Th_2S_5 , *Acta Crystallogr., Sect. B: Struct. Sci.*, **38**, (1982), 2444-2445. Cited on page: 269.
- [1982SUR/MIL] Šuranji, T. M., Milić, N. B., Hydrolysis of the thorium(IV) ion in magnesium, calcium, strontium and barium chloride media, *Croat. Chem. Acta*, **55**, (1982), 295-304. Cited on pages: 136, 139, 140, 142, 143, 145, 572, 573, 574, 576, 585, 588.
- [1982TAY] Taylor, J. R., *An introduction to error analysis: The study of uncertainties in physical measurements*, University Science Books, Mill Valley, CA, USA, (1982), 270 pp.. Cited on page: 754.
- [1982WAG/EVA] Wagman, D. D., Evans, W. H., Parker, V. B., Schumm, R. H., Halow, I., Bailey, S. M., Churney, K. L., Nuttall, R. L., The NBS tables of chemical thermodynamic properties: Selected values for inorganic and C_1 and C_2 organic substances in SI units, *J. Phys. Chem. Ref. Data*, **11**, Suppl. 2, (1982), 1-392. Cited on pages: 26, 31, 32, 97, 209, 210, 211, 215, 226, 232, 281, 406, 409, 449, 551, 588, 620, 624, 625, 644, 659.
- [1983BRO/ELL] Brown, P. L., Ellis, A. J., Sylva, R. N., The hydrolysis of metal ions: Part 5. Thorium(IV), *J. Chem. Soc., Dalton Trans.*, (1983), 31-34. Cited on pages: 136, 137, 138, 140, 150, 151, 152, 153, 156, 157, 160, 505, 529, 556, 589, 666.
- [1983CIR/PAL] Cirafici, S., Palenzona, A., Manfrinetti, P., The Th-Sn phase diagram, *J. Less-Common Met.*, **90**, (1983), 49-56. Cited on pages: 381, 382.
- [1983FER/GRE] Ferri, D., Grenthe, I., Salvatore, F., Studies on metal carbonate equilibria. 7. Reduction of the tris(carbonato)dioxouranate(VI) ion, $\text{UO}_2(\text{CO}_3)_3^{4-}$, in carbonate solutions, *Inorg. Chem.*, **22**, (1983), 3162-3165. Cited on page: 718.

- [1983FUG/PAR] Fuger, J., Parker, V. B., Hubbard, W. N., Oetting, F. L., *The chemical thermodynamics of actinide elements and compounds: Part 8. The actinide halides*, International Atomic Energy Agency, Vienna, (1983), 267 pp.. Cited on pages: 200, 230, 232, 251, 255.
- [1983HAB/SMI] Habash, J., Smith, A. J., Structure of thorium sulfate octahydrate, $\text{Th}(\text{SO}_4)_2 \cdot 8\text{H}_2\text{O}$, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.*, **39**, (1983), 413-415. Cited on page: 289.
- [1983KUD/SMI] Kudyakov, V. Ya., Smirnov, M. V., Borodin, L. V., Magnetic susceptibility of molten salts in equilibrium with metals, *Proc. Int. Symp. Molten Salt Chem. Technol.*, Kyoto, pp.453-456, (1983). Cited on page: 228.
- [1983NAS/CLE] Nash, K. L., Cleveland, J. M., Stability constants, enthalpies and entropies of Pu(III) and Pu(IV) sulfate complexes, *Plutonium chemistry*, vol. 216, *ACS Symposium Series*, pp.251-262, American Chemical Society, (1983). Cited on page: 278.
- [1983SMI/KUD] Smirnov, M. V., Kudyakov, V. Ya., Thorium valency in molten alkali [metal] halides in equilibrium with metallic thorium, *Electrochim. Acta*, **28**, (1983), 1339-1348. Cited on page: 228.
- [1983SPA] Spahiu, K., Carbonate complex formation in lanthanoid and actinoid systems, Ph. D. Thesis, The Royal Institute of Technology, (1983), Stockholm, Sweden. Cited on pages: 718, 722, 726, 727, 731, 734, 735.
- [1983WED] Wedemeyer, H., Thorium, system no 44, compounds with Si, P, As, Sb, Bi, and Ge, *Gmelin Handbook of inorganic and organometallic chemistry*, Suppl. C8, pp.59-105, Springer-Verlag, Berlin, (1983). Cited on page: 322.
- [1983WIL/MOR] Williams, C. W., Morss, L. R., Choi, I. K., Stability of tetravalent actinides in perovskites, *ACS Symp. Ser.*, **246**, (1983), 323-334. Cited on page: 388.
- [1984ADA/AKY] Adams, F. C., Akyuz, S., Akyuz, T., De Waele, J. K., Laser microprobe mass (LAMMA) and infrared spectral analyses of the thorium-rare earths mineral from the deposits of eastern Turkey, *Hacettepe Bull. Nat. Sci. Eng.*, **13**, (1984), 19-27. Cited on page: 396.

- [1984AMO/BLA2] Amoretti, G., Blaise, A., Collard, J. M., Hall, R. O. A., Mortimer, M. J., Troç, R., Heat capacity and crystal field model for the uranium and thorium oxychalcogenides AnOY (An = Th, U; Y = S, Se), *J. Magn. Magn. Mater.*, **46**, (1984), 57-67. Cited on pages: 275, 305, 470, 589.
- [1984ANA/ATK] Ananthaswamy, J., Atkinson, G., Thermodynamics of concentrated electrolyte mixtures. 4. Pitzer-Debye-Hückel limiting slopes for water from 0 to 100°C and from 1 atm to 1 kbar, *J. Chem. Eng. Data*, **29**, (1984), 81-87. Cited on page: 713.
- [1984EDV/LAG] Edvinsson, G., Lagerqvist, A., Rotational analysis of yellow and near infrared bands in ThO, *Phys. Scr.*, **30**, (1984), 309-320. Cited on pages: 112, 590.
- [1984FLO/HAS] Flotow, H. E., Haschke, J. M., Yamauchi, S., *The chemical thermodynamics of actinide elements and compounds: Part 9. The actinide hydrides*, vol. 9, International Atomic Energy Agency, Vienna, (1984), 115 pp.. Cited on pages: 122, 123, 124, 125, 126, 127, 423, 474.
- [1984FRE] Freeman, R. D., Conversion of standard (1 atm) thermodynamic data to the new standard state pressure, 1 bar (10^5 Pa), *J. Chem. Eng. Data*, **29**, (1984), 105-111. Cited on page: 32.
- [1984FRE/LAN] *Handbook on the physics and chemistry of the actinides*, Freeman, A. J., Lander, G. H., Eds., vol. 1, North-Holland, Amsterdam, (1984), 515 pp.. Cited on page: 5.
- [1984GRE/LIE] Greiling, H.-D., Lieser, K. H., Properties of ThO₂, UO₂ and PuO₂ as function of pretreatment and their dissolution in HNO₃, *Radiochim. Acta*, **35**, (1984), 79-89. Cited on pages: 173, 184, 663.
- [1984GRO/DRO] Grønvold, F., Drowart, J., Westrum Jr., E. F., *The chemical thermodynamics of actinide elements and compounds: Part 4, The actinide chalcogenides (excluding oxides)*, International Atomic Energy Agency, Vienna, (1984), 265 pp.. Cited on pages: 269, 270, 271, 272, 274, 303, 304, 306, 307, 308, 481.
- [1984HAR/MOL] Harvie, C. E., Møller, N., Weare, J. H., The prediction of mineral solubilities in natural waters: The Na-K-Mg-Ca-H-Cl-SO₄-OH-HCO₃-CO₃-CO₂-H₂O system to high ionic strengths at 25°C, *Geochem. Cosmochim. Acta*, **48**, (1984), 723-751. Cited on page: 400.

- [1984HOL/RAN] Holley Jr., C. E., Rand, M. H., Storms, E. K., *The chemical thermodynamics of actinide elements and compounds: Part 6. The actinide carbides*, International Atomic Energy Agency, Vienna, (1984), 101 pp.. Cited on pages: 337, 338, 339, 340, 341, 344, 409.
- [1984HOS] Hostettler, J. D., Electrode electrons, aqueous electrons, and redox potentials in natural waters, *Am. J. Sci.*, **284**, (1984), 734-759. Cited on page: 23.
- [1984KUM/TUC] Kumar, N., Tuck, G., The direct electrochemical synthesis of some thorium(IV) nitrate complexes, *Can. J. Chem.*, **62**, (1984), 1701-1704. Cited on page: 314.
- [1984MAR/MES] Marshall, W. L., Mesmer, R. E., Pressure-density relationships and ionization equilibria in aqueous solutions, *J. Solution Chem.*, **13**, (1984), 383-391. Cited on page: 37.
- [1984NAK/ZIM] Nakashima, T., Zimmer, E., Hydrolysis of $\text{Th}(\text{NO}_3)_4$ and its extractability by TBP, *Radiochim. Acta*, **37**, (1984), 165-167. Cited on pages: 130, 156, 157, 160, 590, 666.
- [1985BAR/PAR] Bard, A. J., Parsons, R., Jordan, J., *Standard Potentials in Aqueous Solution*, Bard, A. J., Parsons, R., Jordan, J., Eds., International Union of Pure and Applied Chemistry. Marcel Dekker, Inc., New York, (1985), 834 pp.. Cited on page: 23.
- [1985CHA/DAV] Chase, Jr., M. W., Davies, C. A., Downey, Jr., J. R., Frurip, D. J., McDonald, R. A., Syverud, A. N., JANAF thermochemical tables, *J. Phys. Chem. Ref. Data*, **14**, Suppl. 1, (1985). Cited on pages: 783, 784.
- [1985DZI/WIS] Dzimitrowicz, D. J., Wiseman, P. J., Cherns, D., An electron microscope study of hydrous thorium dioxide $\text{ThO}_2 \cdot n\text{H}_2\text{O}$, *J. Colloid Interface Sci.*, **103**, (1985), 170-177. Cited on pages: 173, 191, 192.
- [1985EDV/LAG] Edvinsson, G., Lagerqvist, A., Rotational analysis of two red band systems in the ThO spectrum, *Phys. Scr.*, **32**, (1985), 602-610. Cited on pages: 112, 590.
- [1985EDV/LAG2] Edvinsson, G., Lagerqvist, A., A low-lying $\Omega = 2$ state in the ThO molecule, *J. Mol. Spectrosc.*, **113**, (1985), 93-104. Cited on pages: 112, 546, 590.

- [1985FER/GRE] Ferri, D., Grenthe, I., Hietanen, S., Néher-Neumann, E., Salvatore, F., Studies on metal carbonate equilibria: 12. Zinc(II) carbonate complexes in acid solution, *Acta Chem. Scand.*, **A39**, (1985), 347-353. Cited on pages: 720, 726.
- [1985FRE/KEL] *Handbook on the physics and chemistry of the actinides*, Freeman, A. J., Keller, C., Eds., vol. 3, North-Holland, Amsterdam, (1985), 520 pp.. Cited on page: 5.
- [1985FRE/LAN] *Handbook on the physics and chemistry of the actinides*, Freeman, A. J., Lander, G. H., Eds., vol. 2, North-Holland, Amsterdam, (1985), 503 pp.. Cited on page: 5.
- [1985GRE/WEA] Greenberg, J. P., Weare, J. H., Harvie, C. E., An equilibrium computation algorithm for complex highly nonideal systems: Applications to silicate phase equilibria, *High Temp. Sci.*, **20**, (1985), 141-162. Cited on page: 769.
- [1985HEL/MUH] Helvacı, C., Occurrence of rare borate minerals: veatchite-A, tunelilite, teruggite and cahnite in the Emet borate deposits, Turkey, *Miner. Deposita*, **19**, (1985), 217-226. Cited on page: 396.
- [1985HIL/GUR] Hildenbrand, D. L., Gurvich, L. V., Yungman, V. S., *The chemical thermodynamics of actinide elements and compounds: Part 13. The gaseous actinide ions*, International Atomic Energy Agency, Vienna, (1985), 187 pp.. Cited on page: 262.
- [1985LIV/MUS] Livet, J., Musikas, C., Raman spectroscopic investigations of aqueous thorium(IV) thiocyanate complexes, CEA, Report, Report CEA-CONF-7813, (1985). Cited on pages: 373, 374, 591.
- [1985MUL] Muller, A. B., (1985), Private communication, OECD Nuclear Energy Agency, Paris. Cited on page: 4.
- [1985PAR/POH] Parks, G. A., Pohl, D. C., Hydrothermal solubility of uraninite, Stanford University, Report DOE/ER 12016-1, (1985), 43 pp.. Cited on pages: 188, 191.
- [1985SOH/NOV] Söhnel, O., Novotný, P., *Densities of aqueous solutions of inorganic substances*, Elsevier, Amsterdam, (1985), 335 pp.. Cited on pages: 28, 29.
- [1985SPA] Spahiu, K., Studies on metal carbonate equilibria: 11. Yttrium(III) carbonate complex formation in aqueous perchlorate media of various ionic strengths, *Acta Chem. Scand.*, **A39**, (1985), 33-45. Cited on page: 349.

- [1986BRA/LAG] Bratsch, S. G., Lagowski, J. J., Actinide thermodynamic predictions: 3. Thermodynamics of compounds and aquo ions of the 2+, 3+ and 4+ oxidation states and standard electrode potentials at 298.15 K, *J. Phys. Chem.*, **90**, (1986), 307-312. Cited on pages: 644, 646.
- [1986BRU] Bruno, J., Stoichiometric and structural studies on the Be²⁺-H₂O-CO₂(g) system, Ph. D. Thesis, The Royal Institute of Technology, (1986), Stockholm, Sweden. Cited on page: 734.
- [1986COD] CODATA, The 1986 adjustment of the fundamental physical constants. A report of the CODATA Task Group on Fundamental Constants, prepared by Cohen, E. R. and Taylor, B. N., Pergamon Journals, Oxford, CODATA Bulletin, Report 63, (1986), 36 pp.. Cited on pages: 34, 35
- [1986COR/SMI] Corbett, J. D., Smith, J. D., Garcia, E., The selective removal of oxygen from rare earth and thorium metals through oxyhalide formation, *J. Less-Common Met.*, **115**, (1986), 343-355. Cited on page: 238.
- [1986DAV/TOR2] Davidov, Yu. P., Toropov, I. G., The hydrolysis of Th⁴⁺ cations to give mononuclear hydroxo-complexes in solution, *Russ. J. Inorg. Chem.*, **31**, (1986), 198-201. Cited on pages: 156, 157, 502, 592, 593.
- [1986FLE/KNA] Flesch, R. M., Knacke, O., Münstermann, E., Sublimation and dissociation of ThI₄ and ThOI₂ from Knudsen cells, *Z. Anorg. Allg. Chem.*, **535**, (1986), 123-134. Cited on pages: 261, 263, 264, 266, 267, 564, 593.
- [1986FRE/KEL] *Handbook on the physics and chemistry of the actinides*, Freeman, A. J., Keller, C., Eds., vol. 4, North-Holland, Amsterdam, (1986), 567 pp.. Cited on page: 5.
- [1986HOV/TRE] Hovey, J. K., Tremaine, P. R., Thermodynamics of aqueous aluminium: Standard partial molar heat capacities of aluminium(+3) from 10 to 55°C, *Geochim. Cosmochim. Acta*, **50**, (1986), 453-459. Cited on page: 643
- [1986KAT/SEA] *The chemistry of the actinide elements*, 2nd. Edition, Katz, J. J., Seaborg, G. T., Morss, L. R., Eds., Chapman and Hall, London, (1986), 1674 pp., 2 volumes. Cited on page: 5.

- [1986LIE/KIM] Lierse, C., Kim, J. I., Chemisches Verhalten von Plutonium in natürlichen aquatischen Systemen: Hydrolyse, Carbonatkomplexierung und Redoxreaktionen, Inst. für Radiochemie, Technische Universität München, Report RCM-02286, (1986), 234 pp.. Cited on page: 601.
- [1986MAR4] Martinot, L., Electrochemical behavior of tetravalent thorium in molten lithium chloride- potassium chloride eutectic, *J. Radioanal. Nucl. Chem.*, **103**, (1986), 357-364. Cited on page: 228.
- [1986NOR/MUN] Nordstrom, D. K., Munoz, J. L., *Geochemical Thermodynamics*, Blackwell Sci. Publ., Palo Alto, (1986), 477 p.. Cited on page: 23.
- [1986WAR/KLE] Ward, J. W., Kleinschmidt, P. D., Peterson, D. E., Thermochemical properties of the actinide elements and selected actinide-noble metal intermetallics, *Handbook on the physics and chemistry of the actinides*, Freeman, A. J., Keller, C., Eds., vol. 4, pp.309-412, North-Holland, Amsterdam, (1986). Cited on pages: 88, 89, 91, 92, 594.
- [1987BRO] Brown, D., Thorium nitrates, *Gmelin Handbook of Inorganic Chemistry*, Suppl. C3, pp.39-107, Springer-Verlag, Berlin, (1987). Cited on page: 315.
- [1987BRU/CAS2] Bruno, J., Casas, I., Grenthe, I., Lagerman, B., Studies on metal carbonate complexes: 19. Complex formation in the Th(IV)-H₂O-CO₂(g) system, *Inorg. Chim. Acta*, **140**, (1987), 299-301. Cited on pages: 371, 594.
- [1987CHA/CHE] Charpin, P., Chevrier, G., Lance, M., Nierlich, M., Vigner, D., Livet, J., Musikas, C., Structure of thorium(IV) nitrate tetrahydrate, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.*, **C43**, (1987), 1239-1241. Cited on page: 315.
- [1987CIA/IUL] Ciavatta, L., Iuliano, M., Porto, R., The hydrolysis of the La(III) ion in aqueous perchlorate solution at 60°C, *Polyhedron*, **6**, (1987), 1283-1290. Cited on page: 39.
- [1987EDV/LAG] Edvinsson, G., Lagerqvist, A., Rotational analysis of some violet and green bands in the ThO spectrum, *J. Mol. Spectrosc.*, **122**, (1987), 428-439. Cited on pages: 112, 594.
- [1987FRE/LAN] *Handbook on the physics and chemistry of the actinides*, Freeman, A. J., Lander, G. H., Eds., vol. 5, North-Holland, Amsterdam, (1987), 375 pp.. Cited on page: 5.

- [1987GAR/PAR] Garvin, D., Parker, V. B., White, Jr., H. J., *CODATA thermodynamic tables: Selection of some compounds of calcium and related mixtures: A prototype set of tables*, Springer-Verlag, Berlin, (1987), 356 pp.. Cited on page: 27.
- [1987HAR/GRE] Harvie, C. E., Greenberg, J. P., Weare, J. H., A chemical equilibrium algorithm for highly non-ideal multiphase systems: Free energy minimization, *Geochim. Cosmochim. Acta*, **51**, (1987), 1045-1057. Cited on page: 769.
- [1987JOA/BIG2] João, A., Bigot, S., Fromage, F., Etude des carbonates complexes des éléments IVB. I. Détermination de la constante d'équilibre de stabilité du pentacarbonatothorate(IV), *Bull. Soc. Chim. Fr.*, (1987), 42-44, in French. Cited on pages: 361, 362, 364, 595, 596, 628, 633, 634.
- [1987LEV/TAY] Levy, J. H., Taylor, J. C., Waugh, A. B., Crystal structure of uranium(IV) tetraiodide by X-ray and neutron diffraction, *Inorg. Chem.*, **19**, (1987), 672-674. Cited on page: 260.
- [1987MAR] Marcus, Y., Thermodynamics of the ion hydration and its interpretation in terms of a common model, *Pure Appl. Chem.*, **59**, (1987), 1093-1101. Cited on page: 617.
- [1987MAR2] Marcus, Y., The thermodynamics of solvation of ions. Part 2. The enthalpy of hydration at 298.15 K, *J. Chem. Soc. Faraday Trans. 1*, **83**, (1987), 339-349. Cited on page: 97.
- [1987OET/PET] Oetting, F. L., Peterson, D. T., Heat capacity of well-characterized thorium metal from 298 to 700 K, *J. Less-Common Met.*, **128**, (1987), 231-239. Cited on pages: 90, 91, 597.
- [1987RAI/SWA] Rai, D., Swanson, J. L., Ryan, J. L., Solubility of $\text{NpO}_2 \cdot x\text{H}_2\text{O}(\text{am})$ in the presence of Cu(I)/Cu(II) redox buffer, *Radiochim. Acta*, **42**, (1987), 35-41. Cited on page: 666.
- [1987RIG/VIT] Riglet, C., Vitorge, P., Grenthe, I., Standard potentials of the $(\text{MO}_2^+/\text{MO}_2^+)$ systems for uranium and other actinides, *Inorg. Chim. Acta*, **133**, (1987), 323-329. Cited on page: 723.
- [1987RYA/RAI] Ryan, J. L., Rai, D., Thorium(IV) hydrous oxide solubility, *Inorg. Chem.*, **26**, (1987), 4140-4142. Cited on pages: 138, 151, 155, 162, 172, 174, 178, 179, 180, 183, 445, 446, 484, 597, 598, 609, 610, 611, 620, 657, 666, 670, 682, 683.

- [1988CIA] Ciavatta, L., (1988), Università di Napoli, Naples, Italy, Private communication, (from the citation in [1992GRE/FUG]). Cited on pages: 720, 721, 737, 738, 741, 745, 748.
- [1988EDV/LAG] Edvinsson, G., Lagerqvist, A., Two band systems of ThO in the near ultraviolet, *J. Mol. Spectrosc.*, **128**, (1988), 117-125. Cited on pages: 112, 599.
- [1988HED] Hedlund, T., Studies of complexation and precipitation equilibria in some aqueous aluminium(III) systems, Ph. D. Thesis, University of Umeå, (1988), Sweden. Cited on pages: 725, 734, 736.
- [1988HOV/HEP] Hovey, J. K., Hepler, L. G., Tremaine, P. R., Thermodynamics of aqueous aluminate ion: standard partial molar heat capacities and volumes of $\text{Al}(\text{OH})_4^-(\text{aq})$ from 10 to 55°C, *J. Phys. Chem.*, **92**, (1988), 1323-1332. Cited on page: 643.
- [1988HOV/HEP3] Hovey, J. K., Hepler, L. G., Tremaine, P. R., Apparent molar heat capacities and volumes of aqueous HClO_4 , HNO_3 , $(\text{CH}_3)_4\text{NOH}$, and K_2SO_4 at 298.15 K, *Thermochim. Acta*, **126**, (1988), 245-253. Cited on page: 99.
- [1988SHO/HEL] Shock, E. L., Helgeson, H. C., Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Correlation algorithms for ionic species and equation of state predictions to 5 kb and 1000°C, *Geochim. Cosmochim. Acta*, **52**, (1988), 2009-2036. Cited on pages: 37, 713.
- [1988TAN/HEL] Tanger, IV, J. C., Helgeson, H. C., Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Revised equations of state for the standard partial molal properties of ions and electrolytes, *Am. J. Sci.*, **288**, (1988), 19-98. Cited on pages: 37, 713.
- [1988WAN] Wanner, H., The NEA Thermochemical Data Base Project, *Radiochim. Acta*, **44/45**, (1988), 325-329. Cited on page: 4.
- [1989BRU] Bruno, J., A reinterpretation of the solubility product of solid uranium(IV) dioxide, *Acta Chem. Scand.*, **43**, (1989), 100-101. Cited on page: 131.
- [1989BRU/GRE] Bruno, J., Grenthe, I., Robouch, P., Studies of metal carbonate equilibria: 20. Formation of tetra(carbonato)uranium(IV) ion, $\text{U}(\text{CO}_3)_4^{4-}$, in hydrogen carbonate solutions, *Inorg. Chim. Acta*, **158**, (1989), 221-226. Cited on page: 595.

- [1989COX/WAG] Cox, J. D., Wagman, D. D., Medvedev, V. A., *CODATA Key Values for Thermodynamics*, Hemisphere Publ. Corp., New York, (1989), 271 pp.. Cited on pages: v, 6, 31, 36, 38, 57, 58, 59, 88, 93, 95, 114, 115, 201, 236, 265, 322, 383, 426, 497, 588, 594.
- [1989FEL/RAI] Felmy, A. R., Rai, D., Schramke, J. A., Ryan, J. L., The solubility of plutonium hydroxide in dilute solution and in high-ionic-strength chloride brines, *Radiochim. Acta*, **48**, (1989), 29-35. Cited on page: 645.
- [1989GRA/KIN] Grant, P. M., Kinard, W. F., Baisden, P. A., Measurement of the enthalpies of complexation of thorium with multiple fluoride ligands, *J. Solution Chem.*, **18**, (1989), 211-216. Cited on pages: 222, 599.
- [1989GRE/MOL] Greenberg, J. P., Møller, N., The prediction of mineral solubilities in natural waters: A chemical equilibrium model for the Na-K-Ca-Cl-SO₄-H₂O system to high concentration from 0 to 250°C, *Geochim. Cosmochim. Acta*, **53**, (1989), 2503-2518. Cited on page: 300.
- [1989GUR/VEY] Gurvich, L. V., Veyts, I. V., Alcock, C. B., *Thermodynamic properties of individual substances*, vol. 1, Hemisphere, New York, N. Y., (1989). Cited on pages: 274, 409, 467, 478.
- [1989HIL/LAU] Hildenbrand, D. L., Lau, K. H., Dissociation energy of the molecule AlBr from equilibrium measurements, *J. Chem. Phys.*, **91**, (1989), 4909-4911. Cited on page: 248.
- [1989HOV/HEP] Hovey, J. K., Hepler, L. G., Apparent and partial molar heat capacities and volumes of aqueous HClO₄ and HNO₃ from 10 to 55°C, *Can. J. Chem.*, **67**, (1989), 1489-1495. Cited on pages: 99, 643.
- [1989KLE/TOP] Kleppa, O. J., Topor, L., A new calorimeter for temperature above 1400 K, *Thermochim. Acta*, **139**, (1989), 291-297. Cited on page: 660.
- [1989LAU/BRI] Lau, K. H., Brittain, R. D., Hildenbrand, D. L., High temperature thermodynamic studies of some gaseous thorium fluorides, *J. Chem. Phys.*, **90**, (1989), 1158-1164. Cited on pages: 197, 198, 199, 203, 204, 205, 569, 600, 601.
- [1989LAU/HIL] Lau, K. H., Hildenbrand, D. L., Decomposition pressure and thermodynamic stability of thorium oxyfluoride, *J. Phys. Chem.*, **93**, (1989), 3768-3770. Cited on pages: 205, 464, 565, 600.

- [1989MOO] Moon, H., Equilibrium ultrafiltration of hydrolyzed thorium(IV) solutions, *Bull. Korean Chem. Soc.*, **10**, (1989), 270-272. Cited on pages: 132, 140, 151, 155, 156, 157, 158, 159, 161, 162, 172, 174, 175, 176, 177, 178, 179, 180, 183, 184, 188, 191, 192, 445, 446, 484, 601, 603, 620, 666, 670, 678, 682, 683.
- [1989RIG/ROB] Riglet, C., Robouch, P., Vitorge, P., Standard potentials of the ($\text{MO}_2^+/\text{MO}_2^+$) and ($\text{M}^{4+}/\text{M}^{3+}$) redox systems for neptunium and plutonium, *Radiochim. Acta*, **46**, (1989), 85-94. Cited on pages: 723, 724, 735.
- [1989ROB] Robouch, P., Contribution à la prévision du comportement de l'américium, du plutonium et du neptunium dans la géosphère; données chimiques, Commissariat à l'Energie Atomique, Report CEA-R-5473, (1989). Cited on pages: 723, 735.
- [1989SHO/HEL] Shock, E. L., Helgeson, H. C., Corrections to Shock and Helgeson *Geochimica et Cosmochimica Acta*, **52**, (1988) 2009-2036, *Geochim. Cosmochim. Acta*, **53**, (1989), 215. Cited on pages: 37, 713.
- [1989SHO/HEL2] Shock, E. L., Helgeson, H. C., Sverjensky, D. A., Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Standard partial molal properties of inorganic neutral species, *Geochim. Cosmochim. Acta*, **53**, (1989), 2157-2183. Cited on pages: 37, 713.
- [1989SMI/MAR] Smith, R. M., Martell, A. E., *Critical stability constants, Vol. 6: Second supplement*, Plenum Press, New York, (1989), 643 pp.. Cited on pages: 595, 596, 633.
- [1989YAM/KOY] Yamawaki, M., Koyama, T., Takahashi, Y., Thermodynamics of the vaporization of nonstoichiometric thorium monocarbide $\text{ThC}_{1\pm x}$, *J. Nucl. Mater.*, **167**, (1989), 113-121. Cited on page: 339.
- [1990AHR/HEF] Ahrland, S., Hefter, G. T., Norén, B., A calorimetric study of the mononuclear fluoride complexes of zirconium(IV), hafnium(IV), thorium(IV) and uranium(IV), *Acta Chem. Scand.*, **44**, (1990), 1-7. Cited on pages: 222, 223, 599, 603.
- [1990ARC/WAN] Archer, D. G., Wang, P., The dielectric constant of water and Debye-Hückel limiting law slopes, *J. Phys. Chem. Ref. Data*, **19**, (1990), 371-411. Cited on page: 713.
- [1990BAZ/EZH] Bazhanov, V. I., Ezhov, Yu. S., Komarov, S. A., Sevast'yanov, V. G., The molecular structure of thorium tetrachloride, *Zh. Strukt. Khim.*, **31**, (1990), 153-155, in Russian. Cited on pages: 233, 604.

- [1990BEC/NAG] Beck, M. T., Nagypál, I., *Chemistry of complex equilibria, 2nd. Edition*, Horwood Limited Publishers, New York, (1990), 402 pp.. Cited on page: 25.
- [1990BEN/MUL] Benner, G., Müller, B. G., Zur Kenntnis binärer Fluoride des ZrF₄-Typs: HfF₄ und ThF₄, *Z. Anorg. Allg. Chem.*, **588**, (1990), 33-42, in German. Cited on pages: 199, 226.
- [1990COR/KON2] Cordfunke, E. H. P., Konings, R. J. M., Ouweltjes, W., The standard enthalpies of formation of MO(s), MCl₂(s), and M²⁺(aq, ∞), (M = Ba, Sr), *J. Chem. Thermodyn.*, **22**, (1990), 991-996. Cited on page: 5.
- [1990DIT/BAR] Ditz, R., Sarbas, B., Schubert, P., Natural Occurrence Minerals (excluding silicates), *Gmelin handbook of inorganic and organometallic chemistry, Thorium*, Supplement A1a, p. 391, Springer-Verlag, Berlin, (1990). Cited on pages: 390, 396.
- [1990EDV/LAG] Edvinsson, G., Lagerqvist, A., Two new band systems in ThO, *Phys. Scr.*, **41**, (1990), 316-321. Cited on page: 112.
- [1990ELY/BRI] Elyahyaoui, A., Brillard, L., Boulhassa, S., Hussonnois, M., Guillaumont, R., Complexes of thorium with phosphoric acid, *Radiochim. Acta*, **49**, (1990), 39-44. Cited on pages: 326, 327, 330, 604.
- [1990FEL] Felmy, A. R., GMIN: A computerized chemical equilibrium model using a constrained minimization of the Gibbs free energy, Pacific Northwest National Laboratory, Report PNL-7281, (1990). Cited on page: 769.
- [1990HAB/SMI] Habash, J., Smith, A. J., Structure of disodium triaquatri-μ-sulfatothorate(IV), *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.*, **46**, (1990), 957-960. Cited on page: 289.
- [1990HIL/LAU] Hildenbrand, D. L., Lau, K. H., Thermochemistry of the gaseous thorium bromides, *J. Chem. Phys.*, **93**, (1990), 5983-5989. Cited on pages: 248, 249, 253, 254, 605.
- [1990KNA/WOL] Knauss, K. G., Wolery, T. J., Jackson, K. J., A new approach to measuring pH in brines and other concentrated electrolytes, *Geochim. Cosmochim. Acta*, **54**, (1990), 1519-1523. Cited on page: 25.
- [1990LAU/HIL] Lau, K. H., Hildenbrand, D. L., High-temperature equilibrium studies of the gaseous thorium chlorides, *J. Chem. Phys.*, **92**, (1990), 6124-6130. Cited on pages: 229, 230, 234, 605.

- [1990LEI] Leigh, G. J., *Nomenclature of inorganic chemistry, recommendations 1990, issued by the Commission on Nomenclature of Inorganic Chemistry*, IUPAC, Ed., Blackwell Sci. Publ., Oxford, (1990), 289 pp.. Cited on page: 13.
- [1990MON] Monnin, C., The influence of pressure on the activity coefficients of the solutes and on the solubility of minerals in the system Na-Ca-Cl-SO₄-H₂O to 200°C and 1 kbar, and to high NaCl concentration, *Geochim. Cosmochim. Acta*, **54**, (1990), 3265-3282. Cited on page: 37.
- [1990OEL/HEL] Oelkers, E. H., Helgeson, H. C., Triple-ion anions and polynuclear complexing in supercritical electrolyte solutions, *Geochim. Cosmochim. Acta*, **54**, (1990), 727-738. Cited on pages: 713.
- [1990RIG] Riglet, C., Chimie du neptunium et autres actinides en milieu carbonate, Commissariat à l'Energie Atomique, Report CEA-R-5535, (1990), 267 pp.. Cited on pages: 723, 735.
- [1990SAW/CHA2] Sawant, R. M., Chaudhuri, N. K., Patil, S. K., Potentiometric studies on aqueous fluoride complexes of actinides: stability constants of Th(IV)-, U(IV)-, and Pu(IV)-fluorides, *J. Radioanal. Nucl. Chem.*, **143**, (1990), 295-306. Cited on pages: 207, 209, 210, 211, 212, 214, 524, 606, 607, 608.
- [1990WEL] Wells, A. F., *Structural inorganic chemistry*, Oxford University Press, (1990). Cited on page: 155.
- [1991AND/CAS] Anderson, G. M., Castet, S., Schott, J., Mesmer, R. E., The density model for estimation of thermodynamic parameters of reactions at high temperatures and pressures, *Geochim. Cosmochim. Acta*, **55**, (1991), 1769-1779. Cited on page: 37.
- [1991BAR/DAH] Bartel, F. H., Dahlkamp, F. J., Ditz, R., Sarbas, B., Schubert, P., Topper, W., Minerals (silicates). Deposits. Mineral Index, *Gmelin handbook of inorganic and organometallic chemistry, Thorium*, Supplement A1b, p. 440, Springer-Verlag, Berlin, (1991). Cited on pages: 390, 396.
- [1991DIN] Dinsdale, A. T., SGTE data for pure elements, *CALPHAD: Comput. Coupling Phase Diagrams Thermochem.*, **15**, (1991), 317-425. Cited on page: 31.

- [1991FEL/RAI] Felmy, A. R., Rai, D., Mason, M. J., The solubility of hydrous thorium(IV) oxide in chloride media: Development of an aqueous ion-interaction model, *Radiochim. Acta*, **55**, (1991), 177-185. Cited on pages: 104, 109, 151, 155, 162, 172, 174, 178, 179, 180, 182, 183, 191, 445, 446, 484, 601, 609, 610, 611, 614, 620, 644, 648, 657, 666, 670, 682, 683.
- [1991FRE/KEL] *Handbook on the physics and chemistry of the actinides*, Freeman, A. J., Keller, C., Eds., vol. 6, North-Holland, Amsterdam, (1991), 742 pp.. Cited on page: 5.
- [1991GRE/LAG2] Grenthe, I., Lagerman, B., Studies on metal carbonate equilibria: 23. Complex formation in the Th(IV)-H₂O-CO₂(g) system, *Acta Chem. Scand.*, **45**, (1991), 231-238. Cited on pages: 135, 137, 138, 140, 141, 142, 143, 144, 145, 146, 148, 149, 150, 151, 152, 153, 155, 156, 157, 159, 160, 161, 371, 372, 505, 594, 614, 616, 629, 666.
- [1991HAB/BED] Habash, J., Beddoes, R. L., Smith, A. J., Structure of the aquabis(sulfato)tetrakis(urea)thorium(IV) dihydrate, *Acta Crystallogr., Sect. C: Cryst. Struct. Commun.*, **47**, (1991), 1595-1597. Cited on page: 289.
- [1991JOH/MAG] Johansson, G., Magini, M., Ohtaki, H., Coordination around thorium(IV) in aqueous perchlorate, chloride and nitrate solutions, *J. Solution Chem.*, **20**, (1991), 775-792. Cited on pages: 99, 245, 318, 463, 486, 507, 616, 668.
- [1991MAR2] Marcus, Y., Thermodynamics of solvation of ions. 5. Gibbs free energy of hydration at 298.15 K, *J. Chem. Soc. Faraday Trans.*, **87**, (1991), 2995-2999. Cited on pages: 100, 617, 618.
- [1991PIT] Pitzer, K. S., Ion interaction approach: theory and data correlation, *Activity coefficients in electrolyte solutions*, Pitzer, K. S., Ed., pp.75-153, CRC Press, Boca Raton, Florida, (1991). Cited on pages: 104, 108, 165, 400, 638, 710, 711.
- [1991WAN] Wanner, H., On the problem of consistency of chemical thermodynamic data bases, Scientific basis for nuclear waste management XIV, vol. 212, pp.815-822, Materials Research Society, (1991). Cited on page: 4.
- [1992BAN/BLI] Bányai, I., Blixt, J., Glaser, J., Tóth, I., On the dissociation of hydrogen cyanide in aqueous solutions containing different ionic media. A combined potentiometric and carbon-13 NMR study, *Acta Chem. Scand.*, **46**, (1992), 138-141. Cited on page: 738.

- [1992BIS/KRA] Bischoff, H., Kramer-Schnabel, U., Esser, V., Xi, R. H., Heppner, P. M., Marx, G., Determination of formation constants, solubilities, and ionic speciation of uranium, plutonium and thorium in aqueous and saturated salt solutions for modelling safety aspects of ILW repositories, *Sci. Basis Nucl. Waste Management XV*, vol. 257, pp.331-336, (1992). Cited on pages: 172, 618.
- [1992BLA/WYA] Blaise, J., Wyart, J. F., *Selected constants: Energy levels and atomic spectra of actinides*, Delplanque, M., Dayet, J., Gasgnier, N., Pépin, I., Eds., *International Tables of Selected Constants*, No. 20, Tables Internationales des Constantes, Paris, (1992). Cited on pages: 92, 527, 618.
- [1992CAP] Capdevila, H., Données thermodynamiques sur l'oxydoréduction du plutonium en milieux acide et carbonate. Stabilité de Pu(V), Ph. D. Thesis, Université de Paris-Sud, Orsay, France, (1992), in French. Also published as Report CEA-R-5643 Commissariat à l'Energie Atomique, France, (1993). Cited on pages: 723, 735.
- [1992DAV/TOR] Davydov, Yu. P., Toropov, I. G., Hydrolysis of thorium(4+) cations with formation of polynuclear hydroxo complexes in solutions, *Dokl. Akad. Nauk Belarusi*, **36**, (1992), 229-233, in Russian. Cited on page: 593.
- [1992ENG/ALB] Engkvist, I., Albinsson, Y., Hydrolysis studies of thorium using solvent extraction technique, *Radiochim. Acta*, **58/59**, (1992), 109-112. Cited on pages: 130, 156, 157, 158, 159, 161, 162, 618, 651, 652, 653.
- [1992EWA/SMI] Ewart, F. T., Smith-Briggs, J. L., Thomason, H. P., Williams, S. J., The solubility of actinides in a cementitious near-field environment, *Waste Manage. (Oxford)*, **12**, (1992), 241-252. Cited on pages: 172, 179, 620.
- [1992FEL/RAI] Felmy, A. R., Rai, D., An aqueous thermodynamic model for a high valence 4:2 electrolyte $\text{Th}^{4+}\text{-SO}_4^{2-}$ in the system $\text{Na}^+\text{-K}^+\text{-Li}^+\text{NH}_4^+\text{-Th}^{4+}\text{-SO}_4^{2-}\text{-HSO}_4^-\text{-H}_2\text{O}$ to high concentration, *J. Solution Chem.*, **21**, (1992), 407-423. Cited on pages: 281, 283, 289, 290, 293, 300, 492, 588, 620, 621, 622, 623, 648.
- [1992FUG/KHO] Fuger, J., Khodakovsky, I. L., Sergeyeva, E. I., Medvedev, V. A., Navratil, J. D., *The chemical thermodynamics of actinide elements and compounds, Part 12. The actinide aqueous inorganic complexes*, International Atomic Energy Agency, Vienna, (1992), 224 pp.. Cited on pages: 4, 5, 134, 623.

- [1992GRE/FUG] Grenthe, I., Fuger, J., Konings, R. J. M., Lemire, R. J., Muller, A. B., Nguyen-Trung, C., Wanner, H., *Chemical Thermodynamics of Uranium*, Wanner, H., Forest, I., Nuclear Energy Agency, Organisation for Economic Co-operation and Development, Eds., vol. 1, *Chemical Thermodynamics*, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (1992), 715 pp.. Cited on pages: 4, 5, 27, 28, 38, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 79, 80, 102, 103, 104, 108, 109, 168, 169, 215, 238, 240, 318, 319, 419, 425, 517, 522, 628, 643, 698, 699, 706, 715, 718, 719, 723, 724, 725, 727, 728, 729, 731, 732, 733, 734, 735, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 751, 762, 763.
- [1992HAB/SMI] Habash, J., Smith, A. J., Crystal structure of dicesium thorium trisulfate dihydrate, $\text{Cs}_2\text{Th}(\text{SO}_4)_3(\text{H}_2\text{O})_2$, *J. Crystallogr. Spectrosc. Res.*, **22**, (1992), 21-24. Cited on pages: 276, 289.
- [1992KLE] Kleykamp, H., Thorium Carbides, *Gmelin Handbook of Inorganic Chemistry*, Suppl. C6, p. System n° 44, Springer-Verlag, Berlin, (1987). Cited on pages: 338, 340.
- [1992ROY/VOG] Roy, R. N., Vogel, K. M., Good, C. E., Davis, W. B., Roy, L. N., Johnson, D. A., Felmy, A. R., Pitzer, K. S., Activity coefficients in electrolyte mixtures: $\text{HCl} + \text{ThCl}_4 + \text{H}_2\text{O}$ for 5-55° C, *J. Phys. Chem.*, **96**, (1992), 11065-11072. Cited on pages: 104, 108, 109, 609.
- [1992SHO/OEL] Shock, E. L., Oelkers, E. H., Johnson, J. W., Sverjensky, D. A., Helgeson, H. C., Calculation of the thermodynamic properties of aqueous species at high pressures and temperatures. Effective electrostatic radii, dissociation constants and standard partial molal properties to 1000°C and 5 kbar, *J. Chem. Soc. Faraday Trans.*, **88**, (1992), 803-826. Cited on page: 713.
- [1993ABE/GLA] Åberg, M., Glaser, J., ^{17}O and ^1H NMR study of the tetranuclear hydroxo zirconium complex in aqueous solution, *Inorg. Chem.*, **206**, (1993), 53-61. Cited on pages: 150, 624.
- [1993BIC] Bickel, M., Compounds of thorium with phosphorus and oxygen, *Gmelin Handbook of Inorganic Chemistry*, Suppl. C8, pp.106-158, Springer-Verlag, Berlin, (1993). Cited on pages: 323, 326.
- [1993FEL/RAI] Felmy, A. R., Rai, D., Mason, M. J., Solid phase precipitates and anionic aqueous thorium fluoride complexes in the Na-NH₄-Th-F-H₂O system to high concentration, *Radiochim. Acta*, **28**, (1993), 133-139. Cited on pages: 207, 208, 211, 212, 214, 215, 217, 218, 219, 220, 223, 224, 225, 226, 227, 580, 624, 625, 626, 627, 648.

- [1993FUG/HAI] Fuger, J., Haire, R. G., Peterson, J. R., Molar enthalpies of formation of BaCmO₃ and BaCfO₃, *J. Alloys Compd.*, **200**, (1993), 181-185. Cited on pages: 386, 388, 662.
- [1993GIF/VIT2] Giffaut, E., Vitorge, P., Capdevila, H., Corrections de température sur les coefficients d'activité calculés selon la TIS, Commissariat à l'Energie Atomique, Report CEA-N-2737, (1993), 29 pp.. Cited on page: 713.
- [1993MIL/CVI] Mills, I., Cvitaš, T., Homann, K., Kallay, N., Kuchitsu, K., *Quantities, units and symbols in physical chemistry. (The green book)*, IUPAC, Blackwell Scientific Publications, Oxford, (1993), 176 pp.. Cited on pages: 11, 21, 25.
- [1994BAG/FOU] Baglan, N., Fourest, B., Guillaumont, R., Blain, G., Le Du, J.-F., Genet, M., Solubility of thorium orthophosphate, *New J. Chem.*, **18**, (1994), 809-816. Cited on pages: 327, 328, 450, 627, 628.
- [1994CAP/VIT] Capdevila, H., Vitorge, P., Potentiels redox des couples PuO₂²⁺/PuO₂⁺ et Pu⁴⁺/Pu³⁺ à force ionique et température variables. Entropie et capacité calorifique, Commissariat à l'Energie Atomique, Report CEA-N-2762, (1994), 73 pp.. Cited on pages: 723, 735.
- [1994CHO/RIZ] Choppin, G. R., Rizkalla, E. N., 128: Solution chemistry of actinides and lanthanides, *Handbook on the physics and chemistry of rare earths*, Gschneidner Jr., K. A., Eyring, L., Choppin, G. R., Lander, G. H., Eds., vol. 18, pp.559-590, Elsevier Science B.V. Amsterdam, (1994). Cited on pages: 104, 105.
- [1994GIF] Giffaut, E., Influence des ions chlorure sur la chimie des actinides, Ph. D. Thesis, Université de Paris-Sud, Orsay, France, (1994), 259 pp., in French. Cited on page: 723.
- [1994GUR/VEY] Gurvich, L. V., Veyts, I. V., Alcock, C. B., *Thermodynamic properties of individual substances, 4th Ed.*, vol. 3, CRC Press Inc., Boca Raton, USA, (1994). Cited on pages: 387, 647, 649, 662.
- [1994LAN] Landolt-Bornstein Tables, *Thermodynamic properties of inorganic materials compiled by SGTE*, vol. 19, *Group IV: Physical chemistry*, No. Subvolume A, Part 2, Springer Verlag, (1994). Cited on pages: 335, 519, 520.

- [1994OST/BRU] Östhols, E., Bruno, J., Grenthe, I., On the influence of carbonate on mineral dissolution: III. The solubility of microcrystalline ThO₂ in CO₂-H₂O media, *Geochim. Cosmochim. Acta*, **58**, (1994), 613-623. Cited on pages: 172, 173, 174, 175, 176, 177, 178, 180, 181, 183, 191, 350, 351, 352, 353, 354, 355, 356, 357, 361, 362, 364, 366, 371, 596, 616, 628, 629, 630, 631, 632, 634, 639, 647, 655, 670, 671, 686, 687, 690.
- [1994PEN/GRI] Peng, S., Grimvall, G., Heat capacity of actinide dioxides, *J. Nucl. Mater.*, **210**, (1994), 115-122. Cited on page: 116.
- [1995CAP/VIT] Capdevila, H., Vitorge, P., Redox potentials of PuO₂²⁺ / PuO₂⁺ and Pu⁴⁺ / Pu³⁺ at different ionic strengths and temperatures. Entropy and heat capacity, *Radiochim. Acta*, **68**, (1995), 51-62. Cited on pages: 723, 735.
- [1995FEL] Felmy, A. R., A Computerized chemical equilibrium program using a constrained minimization of the Gibbs free energy: Summary report, *Chemical equilibrium and Reaction Models*, pp.377-407, SSSA Special Publication. Soil Science Society of America, American Society of Agronomy, (1995). Cited on pages: 279, 645, 769.
- [1995GRE/PUJ] Grenthe, I., Puigdomènech, I., Rand, M. H., Sandino, M. C. A., *Corrections to the Uranium NEA-TDB review, Appendix D, in: Chemical Thermodynamics of Americium (authored by Silva, R. J., Bidoglio, G., Rand, M. H. and Robouch, P. B., Wanner, H., Puigdomènech, I.)*, Nuclear Energy Agency, Organisation for Economic Co-operation and Development, Ed., pp.347-374, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (1995). Cited on pages: 738, 741, 743, 745, 746, 747.
- [1995JOA/BUR] João, A., Burrows, H. D., Zikovskiy, L., Lipponen, M., Study of thorium and cerium carbonate complexes. Determination of the stability constants of pentacarbonatothorate(IV) and dicarbonatocerate(IV) ions, at pH 8.8, *Radiochim. Acta*, **68**, (1995), 177-183. Cited on pages: 361, 362, 364, 633, 634.
- [1995NEC/FAN] Neck, V., Fanghänel, T., Rudolph, G., Kim, J. I., Thermodynamics of neptunium(V) in concentrated salt solutions: Chloride complexation and ion interaction (Pitzer) parameters for the NpO₂⁺ ion, *Radiochim. Acta*, **69**, (1995), 39-47. Cited on page: 104.
- [1995OST] Östhols, E., The solubility of microcrystalline ThO₂ in phosphate media, *Radiochim. Acta*, **68**, (1995), 185-190. Cited on pages: 327, 329, 634.

- [1995RAI/FEL] Rai, D., Felmy, A. R., Moore, D. A., Mason, M. J., The solubility of Th(IV) and U(IV) hydrous oxides in concentrated NaHCO₃ and Na₂CO₃ aqueous solutions, Scientific Basis for Nuclear Waste management XVIII, held 1994, in Kyoto, vol. 353, pp.1143-1150, (1995). Cited on pages: 350, 351, 354, 358, 359, 361, 366, 369, 596, 635, 638, 639, 641, 642, 686, 687, 690.
- [1995ROB/HEM] Robie, R. A., Hemingway, B. S., Thermodynamic properties of minerals and related substances at 298.15 K and 1 bar (10⁵ Pascals) pressure and at higher temperatures, *U.S. Geol. Surv. Bull.*, **2131**, (1995). Cited on pages: 379, 560.
- [1995ROS/BAL] Roszak, S., Balasubramanian, K., Theoretical study of structure and thermodynamic properties of YC₂, *Chem. Phys. Lett.*, **246**, (1995), 20-25. Cited on pages: 345, 704.
- [1995SIL/BID] Silva, R. J., Bidoglio, G., Rand, M. H., Robouch, P., Wanner, H., Puigdomènech, I., *Chemical Thermodynamics of Americium*, Nuclear Energy Agency, Organisation for Economic Co-operation and Development, Ed., vol. 2, *Chemical Thermodynamics*, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (1995), 374 pp.. Cited on pages: 4, 5, 58, 59, 71, 722, 727, 731, 739, 751.
- [1995YAJ/KAW] Yajima, T., Kawamura, Y., Ueta, S., Uranium(IV) solubility and hydrolysis constants under reduced conditions, Scientific basis for nuclear waste management XVIII, held in Kyoto, 1994, vol. 353, pp.1137-1142, (1995). Cited on page: 188.
- [1996BEN/BRA] Bénard, P., Brandel, V., Dacheux, N., Jaulmes, S., Launay, S., Lindecker, C., Genet, M., Louer, D., Quarton, M., Th₄(PO₄)₄P₂O₇, a new thorium phosphate: Synthesis, characterization, and structure determination, *Chem. Mater.*, **8**, (1996), 181-188. Cited on pages: 324, 325, 327, 635.
- [1996BOI/COL] Boivineau, M., Colin, H., Vermeulen, J. M., Thévenin, T., Thermo-physical properties of solid and liquid thorium, *Int. J. Thermophys.*, **17**, (1996), 1001-1010. Cited on pages: 83, 636.
- [1996KON] Konings, R. J. M., On the ν_4 bending frequency of gaseous ThF₄, *J. Chem. Phys.*, **105**, (1996), 9379-9380. Cited on pages: 202, 636.
- [1996RON/HIE] Ronchi, C., Hiernaut, J. P., Experimental measurement of pre-melting and melting of thorium dioxide, *J. Alloys Compd.*, **240**, (1996), 179-185. Cited on pages: 114, 115, 116, 117, 586, 636, 637.

- [1996ROS/BAL] Roszak, S., Balasubramanian, K., Electronic structure and thermodynamic properties of LaC_2 , *J. Chem. Phys.*, **100**, (1996), 11255-11259. Cited on pages: 345, 704.
- [1997ALL/BAN] Allard, B., Banwart, S. A., Bruno, J., Ephraim, J. H., Grauer, R., Grenthe, I., Hadermann, J., Hummel, W., Jakob, A., Karapiperis, T., Plyasunov, A. V., Puigdomènech, I., Rard, J. A., Saxena, S., Spahiu, K., *Modelling in Aquatic Chemistry*, Grenthe, I., Puigdomènech, I., Eds., Nuclear Energy Agency, Organisation for Economic Co-operation and Development, Paris, France, (1997), 724 pp.. Cited on pages: 5, 25, 187, 659.
- [1997BAK/COR] Bakker, K., Cordfunke, E. H. P., Konings, R. J. M., Schram, R. P. C., Critical evaluation of the thermal properties of ThO_2 and $\text{Th}_{1-y}\text{U}_y\text{O}_2$ and a survey of the literature data on $\text{Th}_{1-y}\text{Pu}_y\text{O}_2$, *J. Nucl. Mater.*, **250**, (1997), 1-12. Cited on pages: 116, 667.
- [1997FEL/RAI] Felmy, A. R., Rai, D., Sterner, S. M., Mason, M. J., Hess, N. J., Conradson, S. D., Thermodynamic models for highly charged aqueous species: solubility of Th(IV) hydrous oxide in concentrated NaHCO_3 and Na_2CO_3 solutions, *J. Solution Chem.*, **26**, (1997), 233-248. Cited on pages: 349, 350, 351, 352, 353, 354, 358, 359, 361, 363, 364, 366, 372, 596, 631, 634, 635, 638, 639, 640, 641, 642, 648, 655, 686, 687, 696.
- [1997GRE/PLY] Grenthe, I., Plyasunov, A. V., On the use of semiempirical electrolyte theories for the modeling of solution chemical data, *Pure Appl. Chem.*, **69**, (1997), 951-958. Cited on page: 713.
- [1997GRE/PLY2] Grenthe, I., Plyasunov, A. V., Spahiu, K., Estimations of medium effects on thermodynamic data, *Modelling in Aquatic Chemistry*, Grenthe, I., Puigdomènech, I., Eds., pp.325-426, Nuclear Energy Agency, Organisation for Economic Co-operation and Development, Paris, France, (1997). Cited on pages: 97, 165, 166, 187, 577, 657.
- [1997HES/FEL] Hess, N. J., Felmy, A. R., Rai, D., Conradson, S. D., Characterization of Th carbonate solutions using XAS and implications for thermodynamic modeling, *Mater. Res. Soc. Symp. Proc.*, **465**, (1997), 729-734. Cited on pages: 363, 640, 642.
- [1997HOV] Hovey, J. K., Thermodynamics of hydration of a 4+ aqueous ion: partial molar heat capacities and volumes of aqueous thorium(IV) from 10 to 55°C, *J. Phys. Chem. B*, **101**, (1997), 4321-4334. Cited on pages: 98, 99, 559, 643.

- [1997KLA/SCH] Klapötke, T. M., Schulz, A., The first observation of Th³⁺ ion in aqueous solution, *Polyhedron*, **16**, (1997), 989-991. Cited on pages: 95, 644, 646.
- [1997KON/FAN] Könnecke, T., Fanghänel, T., Kim, J. I., Thermodynamics of trivalent actinides in concentrated electrolyte solutions. Modelling the chloride complexation of Cm(III), *Radiochim. Acta*, **76**, (1997), 131-135. Cited on page: 731.
- [1997PUI/RAR] Puigdomènech, I., Rard, J. A., Plyasunov, A. V., Grenthe, I., Temperature corrections to thermodynamic data and enthalpy calculations, *Modelling in Aquatic Chemistry*, Grenthe, I., Puigdomènech, I., Eds., pp.427-493, Nuclear Energy Agency, Organisation for Economic Co-operation and Development, Paris, France, (1997). Cited on pages: 38, 39.
- [1997RAI/FEL] Rai, D., Felmy, A. R., Sterner, S. M., Moore, D. A., Mason, M. J., The solubility of Th(IV) and U(IV) hydrous oxides in concentrated NaCl and MgCl₂ solutions, *Radiochim. Acta*, **79**, (1997), 239-247. Cited on pages: 104, 108, 109, 151, 172, 178, 182, 183, 191, 609, 610, 611, 614, 644, 656, 657.
- [1997ROS/BAL] Roszak, S., Balasubramanian, K., Theoretical investigation of structural and thermodynamic properties of lanthanum carbides LaC_n (n= 2-6), *J. Chem. Phys.*, **106**, (1997), 158-164. Cited on page: 346.
- [1997SEY/MON] Seydoux, A.-M., Montel, J.-M., Experimental determination of the thorite-huttonite phase transition, *Terra Nova*, **9**, (1997), 421, Abstract supplement. Cited on page: 377.
- [1997SOU/KUS] Souter, P. F., Kushto, G. P., Andrews, L., Neurock, M., Experimental and theoretical evidence for the isolation of thorium hydride molecules in argon matrixes, *J. Phys. Chem. A*, **101**, (1997), 1287-1291. Cited on pages: 127, 128, 644, 645.
- [1997STE/FEL] Sterner, S. M., Felmy, A. R., Rustad, J. R., Pitzer, K. S., Thermodynamic analysis of aqueous solutions using INSIGHT, Pacific Northwest National Laboratory, Report PNWD-SA-4436, (1997). Cited on pages: 279, 645, 769.
- [1998ALM/NOV] Al Mahamid, I., Novak, C. F., Becraft, K. A., Carpenter, S. A., Hakem, N., Solubility of Np(V) in K-Cl-CO₃ and Na-K-Cl-CO₃ solutions to high concentrations: measurements and thermodynamic model predictions, *Radiochim. Acta*, **81**, (1998), 93-101. Cited on page: 746.

- [1998BRA/DAC] Brandel, V., Dacheux, N., Pichot, E., Genet, M., Emery, J., Buzaré, J.-Y., Podor, R., Chemical conditions of synthesis of $\text{Th}_4(\text{PO}_4)_4\text{P}_2\text{O}_7$. Preparation of thorium phosphate-hydrogenphosphate as precursor, *Chem. Mater.*, **10**, (1998), 345-350. Cited on pages: 325, 327, 646.
- [1998CAP/VIT] Capdevila, H., Vitorge, P., Solubility product of $\text{Pu}(\text{OH})_4(\text{am})$, *Radiochim. Acta*, **82**, (1998), XI-16. Cited on page: 104.
- [1998CHA] Chase, Jr., M. W., Monograph No. 9. NIST-JANAF Thermochemical Tables, *J. Phys. Chem. Ref. Data*, (1998). Cited on pages: 267, 411.
- [1998CLA/CON] Clark, D. L., Conradson, S. D., Keogh, D. W., Palmer, P. D., Scott, B. L., Tait, C. D., Identification of the limiting species in the plutonium(IV) carbonate system. Solid state and solution molecular structure of the $[\text{Pu}(\text{CO}_3)_5]^{6-}$ ion, *Inorg. Chem.*, **37**, (1998), 2893-2899. Cited on page: 372.
- [1998FAN/KIM] Fanghänel, T., Kim, J. I., Spectroscopic evaluation of thermodynamics of trivalent actinides in brines, *J. Alloys Compd.*, **271-273**, (1998), 782-785. Cited on page: 104.
- [1998ION/MAD] Ionova, G., Madic, C., Guillaumont, R., About the existence of Th(III) in aqueous solution, *Polyhedron*, **17**, (1998), 1991-1995. Cited on pages: 95, 644, 646.
- [1998KON/HIL] Konings, R. J. M., Hildenbrand, D. L., The vibrational frequencies, molecular geometry and thermodynamic properties of the actinide tetrahalides, *J. Alloys Compd.*, **271-273**, (1998), 583-586. Cited on pages: 202, 233, 252, 262, 263, 646.
- [1998NEC/FAN] Neck, V., Fanghänel, T., Kim, J. I., Aquatic chemistry and thermodynamic modeling of trivalent actinides, *Wiss. Ber. - Forschungszent. Karlsruhe*, (1998), 1-108, in German. Cited on page: 104.
- [1998RAI/FEL] Rai, D., Felmy, A. R., Hess, N. J., Moore, D. A., Yui, M., A thermodynamic model for the solubility of $\text{UO}_2(\text{am})$ in the aqueous $\text{K}^+\text{-Na}^+\text{-HCO}_3^-\text{-CO}_3^{2-}\text{-OH}^-\text{-H}_2\text{O}$ system, *Radiochim. Acta*, **82**, (1998), 17-25. Cited on pages: 358, 360, 361, 363, 368, 372, 635, 738, 747.
- [1998TOU/POT] Tougait, O., Potel, M., Noël, H., Characterization of the binary uranium and thorium tellurides, *Inorg. Chem.*, **37**, (1998), 5088-5091. Cited on pages: 306, 308.

- [1998WIE/HEL] Wierczynski, B., Helfer, S., Ochs, M., Skarnemark, G., Solubility measurements and sorption studies of thorium in cement pore water, *J. Alloys Compd.*, **271-273**, (1998), 272-276. Cited on pages: 172, 188, 647, 678.
- [1999BHA/MIS] Bharadwaj, S. R., Mishra, R., Ali (Basu), M., Das, D., Kerkar, A. S., Dharwadkar, S. R., Gibbs energy of formation of barium thorate (BaThO_3) by reactive carrier gas technique, *J. Nucl. Mater.*, **275**, (1999), 201-205. Cited on pages: 387, 388, 647, 648.
- [1999FEL/RAI] Felmy, A. R., Rai, D., Application of Pitzer's Equation for modeling the aqueous thermodynamics of actinide species in natural waters: A review, *J. Solution Chem.*, **28**, (1999), 533-553. Cited on pages: 104, 350, 351, 353, 354, 358, 361, 638, 639, 641, 648, 686, 687.
- [1999FOU/LAG] Fourest, B., Lagarde, G., Perrone, J., Brandel, V., Dacheux, N., Genet, M., Solubility of thorium phosphate-diphosphate, *New J. Chem.*, **23**, (1999), 645-649. Cited on pages: 327, 329, 648.
- [1999KNO/NEC] Knopp, R., Neck, V., Kim, J. I., Solubility, hydrolysis and colloid formation of plutonium(IV), *Radiochim. Acta*, **86**, (1999), 101-108. Cited on page: 665.
- [1999KOH/BEC] Kohlmann, H., Beck, H. P., Pseudo-symmetry in the crystal structure of An_2X_5 compounds (An = Th, U, Np; X = S, Se), *Z. Kristallogr.*, **214**, (1999), 341-345. Cited on pages: 269, 275, 302, 303.
- [1999KUS/AND] Kushto, G. P., Andrews, L., Infrared spectroscopic and density functional theoretical investigation of the reaction products of laser-ablated Zr, Hf, and Th atoms with nitric oxide, *J. Phys. Chem. A*, **103**, (1999), 4836-4844. Cited on pages: 119, 649.
- [1999MIS/ALI] Mishra, R., Ali (Basu), M., Bharadwaj, S. R., Kerkar, A. S., Das, D., Dharwadkar, S. R., Thermodynamic stability of barium thorate, BaThO_3 , from a Knudsen effusion study, *J. Alloys Compd.*, **290**, (1999), 97-102. Cited on pages: 387, 388, 648, 649.
- [1999MOL/DEN] Moll, H., Denecke, M. A., Jalilehvand, F., Sandström, M., Grenthe, I., Structure of the aqua ions and fluoride complexes of uranium(IV) and thorium(IV) in aqueous solution an EXAFS study, *Inorg. Chem.*, **38**, (1999), 1795-1799. Cited on pages: 99, 100, 650, 668, 672, 673, 679.

- [1999NES/GLY] Nesterenko, V. P., Glybin, V. P., Crystalline thorium selenite monohydrate: Synthesis and thermodynamic research of dehydration process, *Czech. J. Phys.*, **49**, (1999), Suppl. S1, 903-908. Cited on page: 305.
- [1999RAI/HES] Rai, D., Hess, N. J., Felmy, A. R., Moore, D. A., Yui, M., A thermodynamic model for the solubility of $\text{NpO}_2(\text{am})$ in the aqueous $\text{K}^+\text{-HCO}_3^-\text{-CO}_3^{2-}\text{-OH}^-\text{-H}_2\text{O}$ system, *Radiochim. Acta*, **84**, (1999), 159-169. Cited on pages: 358, 360, 372.
- [1999RAI/HES2] Rai, D., Hess, N. J., Felmy, A. R., Moore, D. A., Yui, M., Vitorge, P., A thermodynamic model for the solubility of $\text{PuO}_2(\text{am})$ in the aqueous $\text{K}^+\text{-HCO}_3^-\text{-CO}_3^{2-}\text{-OH}^-\text{-H}_2\text{O}$ system, *Radiochim. Acta*, **86**, (1999), 89-99. Cited on pages: 358, 360, 363, 368, 372.
- [1999RAR/RAN] Rard, J. A., Rand, M. H., Anderegg, G., Wanner, H., *Chemical Thermodynamics of Technetium*, Sandino, M. C. A., Östhols, E., Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Eds., vol. 3, *Chemical Thermodynamics*, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (1999). Cited on pages: 4, 38, 57, 58, 70, 751.
- [1999WAN] Wanner, H., TDB-6: Guidelines for the independent peer review of TDB reports, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Report , (1999), 8 pp.. Cited on pages: 7, 8.
- [1999WAN/OST] Wanner, H., Östhols, E., TDB-3: Guidelines for the assignment of uncertainties, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Report , (1999), 17 pp.. Cited on page: 7, 751.
- [2000ALI/MIS] Ali (Basu), M., Mishra, R., Kaimal, K. N. G., Bharadwaj, S. R., Kerkar, A. S., Das, D., Dharwadkar, S. R., Vaporization behavior and Gibbs energy of formation of Cs_2ThO_3 , *J. Nucl. Mater.*, **282**, (2000), 261-264. Cited on pages: 390, 650.
- [2000BUN/KNO] Bundschuh, T., Knopp, R., Müller, R., Kim, J. I., Neck, V., Fanghänel, T., Application of LIBD to the determination of the solubility product of thorium(IV)-colloids, *Radiochim. Acta*, **88**, (2000), 625-629. Cited on pages: 173, 185, 186, 187, 190, 191, 651, 665, 671, 676, 677, 678.

- [2000EKB/ALB] Ekberg, C., Albinsson, Y., Comarmond, M. J., Brown, P. L., Study on the complexation behaviour of thorium(IV).1. Hydrolysis equilibria, *J. Solution Chem.*, **29**, (2000), 63-86. Cited on pages: 129, 130, 136, 137, 138, 140, 148, 149, 152, 153, 156, 157, 158, 159, 160, 161, 162, 163, 170, 578, 589, 651, 652, 653, 654, 666, 688.
- [2000FAR/GRE] Farkas, I., Grenthe, I., Bányai, I., The rates and mechanisms of water exchange of actinide aqua ions: a variable temperature ^{17}O NMR study of $\text{U}(\text{H}_2\text{O})_{10}^{4+}$, $\text{UF}(\text{H}_2\text{O})_9^{3+}$ and $\text{Th}(\text{H}_2\text{O})_{10}^{4+}$, *J. Phys. Chem. A*, **104**, (2000), 1201-1206. Cited on pages: 100, 655, 668.
- [2000FOU/VIN] Fourest, B., Vincent, T., Lagarde, G., Hubert, S., Baudoin, P., Long-term behaviour of a thorium-based fuel, *J. Nucl. Mater.*, **282**, (2000), 180-185. Cited on pages: 172, 188, 655, 678.
- [2000GAG/SKY] Gagliardi, L., Skylaris, C-K., Willetts, A., Dyke, J. M., Barone, V., A density functional study of thorium tetrahalides, *Phys. Chem. Chem. Phys.*, **2**, (2000), 3111-3114. Cited on pages: 202, 233, 252, 263, 655.
- [2000GRE/WAN] Grenthe, I., Wanner, H., Östhols, E., TDB-2: Guidelines for the extrapolation to zero ionic strength, OECD Nuclear Energy Agency, Data Bank, Report , (2000), 34 pp.. Cited on pages: 7, 705, 706, 712.
- [2000NEC/KIM] Neck, V., Kim, J. I., An electrostatic approach for the prediction of actinide complexation constants with inorganic ligands-application to carbonate complexes, *Radiochim. Acta*, **88**, (2000), 815-822. Cited on page: 665.
- [2000OST/WAN] Östhols, E., Wanner, H., TDB-0: The NEA Thermochemical Data Base Project, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Report , (2000), 21 pp.. Cited on page: 7.
- [2000PUR/TYA] Purohit, R. D., Tyagi, A. K., Mathews, M. D., Saha, S., Combustion synthesis and bulk thermal expansion studies of Ba and Sr thorates, *J. Nucl. Mater.*, **280**, (2000), 51-55. Cited on pages: 385, 386, 661, 662, 693.
- [2000RAI/MOO] Rai, D., Moore, D. A., Oakes, C. S., Yui, M., Thermodynamic model for the solubility of thorium dioxide in the $\text{Na}^+\text{-Cl}^-\text{-OH}^-\text{-H}_2\text{O}$ system at 23°C and 90°C , *Radiochim. Acta*, **88**, (2000), 297-306. Cited on pages: 104, 109, 110, 138, 151, 172, 173, 174, 178, 183, 184, 185, 186, 187, 189, 347, 445, 484, 491, 601, 610, 611, 656, 657, 658, 659, 684.

- [2000RAN/FUG] Rand, M. H., Fuger, J., The thermodynamic properties of the transuranium halides: Part 1, Neptunium and plutonium halides, ITU, European Commission Joint Research Centre report, Report 17332 EN, (2000). Cited on pages: 251, 260, 266.
- [2000THO/DAC] Thomas, A. C., Dacheux, N., Le Coustumer, P., Brandel, V., Genet, M., Kinetic and thermodynamic study of the thorium phosphate-diphosphate dissolution, *J. Nucl. Mater.*, **281**, (2000), 91-105. Cited on pages: 325, 659.
- [2000WAN/GUO] Wang, J., Guo, Q., Kleppa, O. J., Standard enthalpies of formation of ThAl₂, ThSi₂, ThGe₂ and Th₅Sn₃, determined by high-temperature direct synthesis calorimetry., *J. Alloys Compd.*, **313**, (2000), 148-153. Cited on pages: 376, 380, 382, 660.
- [2000WAN/OST] Wanner, H., Östhols, E., TDB-1: Guidelines for the review procedure and data selection, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Report , (2000), 5 pp.. Cited on page: 7.
- [2001ALI/MIS] Ali (Basu), M., Mishra, R., Bharadwaj, S. R., Kerkar, A. S., Dharwadkar, S. R., Das, D., Thermodynamic stability of solid SrThO₃, *J. Nucl. Mater.*, **299**, (2001), 165-170. Cited on pages: 385, 386, 661, 662.
- [2001ALI/MIS2] Ali (Basu), M., Mishra, R., Kerkar, A. S., Bharadwaj, S. R., Das, D., Gibbs energy of formation of Ba(OH)₂ vapor species using the transpiration technique, *J. Nucl. Mater.*, **289**, (2001), 243-246. Cited on pages: 387, 647.
- [2001BEE/DYK] Beeching, L. J., Dyke, J. M., Morris, A., Ogden, J. S., Study of the electronic structure of the actinide tetrabromides ThBr₄ and UBr₄ using ultraviolet photoelectron spectroscopy and density functional calculations, *J. Chem. Phys.*, **114**, (2001), 9832-9839. Cited on pages: 252, 663.
- [2001BRA/DAC] Brandel, V., Dacheux, N., Genet, M., Studies on the chemistry of uranium and thorium phosphates. Thorium phosphate diphosphate: A matrix for storage of radioactive wastes, *Radiochemistry (Moscow)*, **43**, (2001), D-22. Cited on pages: 325, 663.
- [2001BRA/DAC2] Brandel, V., Dacheux, N., Genet, M., Hydrothermal synthesis and characterization of the thorium phosphahydrogenophosphate, thorium hydroxide phosphate, and dithorium oxide phosphate, *J. Solid State Chem.*, **159**, (2001), 139-148. Cited on pages: 325, 663.

- [2001DAS/KRI] Dash, S., Krishnan, R., Kamruddin, M., Tyagi, A. K., Baldev Raj., Temperature programmed decomposition of thorium oxalate hexahydrate, *J. Nucl. Mater.*, **295**, (2001), 281-289. Cited on page: 347.
- [2001HUB/BAR] Hubert, S., Barthelet, K., Fourest, B., Lagarde, G., Dacheux, N., Baglan, N., Influence of the precursor and the calcination temperature on the dissolution of thorium dioxide, *J. Nucl. Mater.*, **297**, (2001), 206-213. Cited on pages: 131, 172, 184, 188, 663, 664, 677, 678, 684.
- [2001LEM/FUG] Lemire, R. J., Fuger, J., Nitsche, H., Potter, P. E., Rand, M. H., Rydberg, J., Spahiu, K., Sullivan, J. C., Ullman, W. J., Vitorge, P., Wanner, H., *Chemical Thermodynamics of Neptunium and Plutonium*, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Ed., vol. 4, *Chemical Thermodynamics*, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (2001). Cited on pages: 4, 38, 57, 58, 59, 66, 71, 73, 74, 102, 104, 105, 238, 240, 279, 319, 419, 425, 517, 606, 723, 724, 728, 731, 732, 735, 738, 740, 742, 745, 746, 747, 751.
- [2001MOU/AME] Moulin, C., Ameraz, B., Hubert, S., Moulin, V., Study of thorium hydrolysis species by electrospray-ionization mass spectroscopy, *Anal. Chim. Acta*, **441**, (2001), 269-279. Cited on pages: 156, 157, 158, 159, 664.
- [2001NAV] Navrotsky, A., Systematic trends and prediction of enthalpies of formation of refractory lanthanide and actinide ternary oxide phases, *Ceram. Trans.*, **119**, (2001), 137-146. Cited on page: 396.
- [2001NEC/KIM] Neck, V., Kim, J. I., Solubility and hydrolysis of tetravalent actinides, *Radiochim. Acta*, **89**, (2001), 1-16. Cited on pages: 104, 105, 157, 158, 159, 160, 161, 188, 189, 653, 665, 666, 669, 670, 671, 672, 678, 688.
- [2001NEC/KIM2] Neck, V., Kim, J. I., Seidel, B. S., Marquardt, C. M., Dardenne, K., Jensen, M. P., Hauser, W., A spectroscopic study of the hydrolysis, colloid formation and solubility of Np(IV), *Radiochim. Acta*, **89**, (2001), 439-446. Cited on page: 665.
- [2001THO/DAC] Thomas, A. C., Dacheux, N., Le Coustumer, P., Brandel, V., Genet, M., Kinetic and thermodynamic studies of the dissolution of thorium-uranium(IV) phosphate-diphosphate solid solutions, *J. Nucl. Mater.*, **295**, (2001), 249-264. Cited on pages: 327, 329, 667.

- [2001VEN/NAG] Venkata, K. R., Nagarajan, K., Vasudeva Rao, P. R., Heat capacity measurements on BaThO₃ and BaCeO₃, *J. Nucl. Mater.*, **299**, (2001), 28-31. Cited on pages: 387, 667.
- [2001YAN/TSU] Yang, T., Tsushima, S., Suzuki, A., Quantum mechanical and molecular dynamical simulations on Th(IV) hydrates in aqueous solution, *J. Phys. Chem.*, **105**, (2001), 10439-10445. Cited on pages: 100, 617, 650, 667, 674, 679, 682.
- [2002ABD] Abdel-Rehim, A. M., An innovative method for processing Egyptian monazite, *Hydrometallurgy*, **67**, (2002), IX-17. Cited on pages: 331, 347, 668.
- [2002BRA/DAC] Brandel, V., Dacheux, N., Rousselle, J., Genet, M., Synthesis of some new thorium phosphates, *C. R. Acad. Sci., Chimie*, **5**, (2002), 599-606. Cited on pages: 325, 669.
- [2002DAC/CHA] Dacheux, N., Chassigneux, B., Brandel, V., Le Coustumer, P., Genet, M., Cizeron, G., Reactive sintering of the thorium phosphate-diphosphate. Study of physical, thermal, and thermomechanical durability during leaching tests, *Chem. Mater.*, **14**, (2002), 2953-2961. Cited on pages: 325, 669.
- [2002DAS/SIN] Dash, S., Singh, A., Ajikumar, P. K., Subramanian, H., Rajalakshmi, M., Tyagi, A. K., Arora, A. K., Narasimhan, S. V., Baldev Raj., Synthesis and characterization of nanocrystalline thoria obtained from thermally decomposed thorium carbonate, *J. Nucl. Mater.*, **303**, (2002), 156-168. Cited on page: 347.
- [2002FAN/NEC] Fanghänel, T., Neck, V., Aquatic chemistry and solubility phenomena of actinide oxides/hydroxides, *Pure Appl. Chem.*, **74**, (2002), 1895-1907. Cited on pages: 130, 189, 669, 678.
- [2002JER/VUO] Jernström, J., Vuorinen, U., Hakanem, M., Solubility of thorium in 0.1 M NaCl solution and in saline and fresh anoxic reference groundwater, Posiva Oy, Olkiluoto, Finland, Report 2002-06, (2002). Cited on pages: 162, 172, 179, 180, 647, 670.
- [2002JOS/SIV] Joseph, M., Sivakumar, N., Manoravi, P., Laser-induced-vaporisation mass-spectrometry studies on UO₂, UC, and ThO₂, *High Temp. High Pressures*, **34**, (2002), 411-424. Cited on pages: 121, 670.

- [2002NEC/MUL] Neck, V., Müller, R., Bouby, M., Altmaier, M., Rothe, J., Denecke, M. A., Kim, J. I., Solubility of amorphous Th(IV) hydroxide- application of LIBD to determine the solubility product and EXAFS for aqueous speciation, *Radiochim. Acta*, **90**, (2002), 485-494. Cited on pages: 155, 162, 172, 173, 174, 177, 178, 179, 180, 181, 183, 191, 192, 193, 408, 445, 446, 484, 491, 507, 512, 620, 629, 653, 665, 669, 670, 671, 672, 675, 677, 682, 683, 686, 688.
- [2002PER/RIG] Peretroukhine, V., Riglet-Martial, C., Capdevila, H., Calmon, V., Biennvenu, P., Laszak, I., Effect of soluble silicates on the solubility of thorium(IV) hydrous oxide, *J. Nucl. Sci. Technol.*, Suppl.3, (2002), 516-519. Cited on pages: 379, 673.
- [2002ROB/DAC] Robisson, A. C., Dacheux, N., Aupiais, J., Influence of the pH on the dissolution of TPD and associated solid solutions, *J. Nucl. Mater.*, **306**, (2002), 134-146. Cited on pages: 331, 674.
- [2002ROT/DEN] Rothe, J., Denecke, M. A., Neck, V., Müller, R., Kim, J. I., XAFS investigation of the structure of aqueous thorium(IV) species, colloids, and solid thorium(IV) oxide/hydroxide, *Inorg. Chem.*, **41**, (2002), 249-258. Cited on pages: 99, 100, 672.
- [2002TOR/FAR] Toraiishi, T., Farkas, I., Szabó, Z., Grenthe, I., Complexation of Th(IV) and various lanthanide(III) ions by glycolic acid; potentiometric, ¹³C-NMR and EXAFS studies, *J. Chem. Soc., Dalton Trans.*, **20**, (2002), 3805-3812. Cited on pages: 171, 674, 681.
- [2002YAN/TSU] Yang, T., Tsushima, S., Suzuki, A., Chloride concentration and temperature effects on the hydration of Th(IV) ion: a molecular dynamics simulation, *Chem. Phys. Lett.*, **360**, (2002), 534-542. Cited on pages: 100, 650, 655, 667, 674, 679, 682.
- [2003AGA/PRA] Agarwal, R., Prasad, R., Venugopal, V., Enthalpy increments and heat capacities of ThO₂ and (Th_yU_{1-y})O₂, *J. Nucl. Mater.*, **322**, (2003), 98-110. Cited on pages: 115, 116, 674.
- [2003BIT/MUL] Bitea, C., Müller, R., Neck, V., Walther, C., Kim, J. I., Study of the generation and stability of thorium(IV) colloids by LIBD combined with ultrafiltration, *Colloids. Surf. A.*, **217**, (2003), 63-70. Cited on pages: 491, 507, 512, 675.


- [2003GUI/FAN] Guillaumont, R., Fanghänel, T., Fuger, J., Grenthe, I., Neck, V., Palmer, D. A., Rand, M. H., *Update on the Chemical Thermodynamics of Uranium, Neptunium, Plutonium, Americium and Technetium*, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Ed., vol. 5, *Chemical Thermodynamics*, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (2003). Cited on pages: 4, 57, 58, 59, 64, 70, 71, 72, 73, 99, 102, 104, 105, 106, 107, 173, 187, 188, 213, 238, 240, 250, 257, 258, 279, 282, 283, 291, 294, 314, 330, 344, 349, 353, 361, 425, 476, 559, 597, 643, 657, 665, 685, 686, 698, 722, 724, 727, 739, 740, 742, 743, 744, 746, 747.
- [2003HEL/NAV] Helean, K. B., Navrotsky, A., Lumpkin, G. R., Colella, M., Lian, J., Ewing, R. C., Ebbinghaus, B., Catalano, J. G., Enthalpies of formation of U-Th-Ce-brannerite: implications for plutonium immobilization, *J. Nucl. Mater.*, **320**, (2003), 231-244. Cited on pages: 393, 396, 675.
- [2003NEC/ALT] Neck, V., Altmaier, M., Müller, R., Bauer, A., Fanghänel, T., Kim, J. I., Solubility of crystalline thorium dioxide, *Radiochim. Acta*, **91**, (2003), 253-262. Cited on pages: 110, 131, 172, 173, 184, 185, 186, 187, 188, 191, 347, 651, 669, 670, 676, 677, 678, 684.
- [2003OKA/MOC] Okamoto, Y., Mochizuki, Y., Tsushima, S., Theoretical study of hydrolysis reactions of tetravalent thorium ion, *Chem. Phys. Lett.*, **373**, (2003), 213-217. Cited on pages: 100, 679.
- [2003RAI/YUI] Rai, D., Yui, M., Moore, D. A., Solubility and solubility product at 22°C of UO₂(c) precipitated from aqueous U(IV) solutions, *J. Solution Chem.*, **32**, (2003), 1-17. Cited on pages: 189, 191.
- [2003SAW/SHA] Sawant, R. M., Sharma, R. S., Chaudhuri, N. K., Ramakumar, K. L., A study on the hydrolytic behavior of thorium(IV) and dioxo-uranium(VI) in the absence and presence of fluoride ions, *J. Radioanal. Nucl. Chem.*, **256**, (2003), 263-271. Cited on pages: 135, 136, 140, 156, 157, 158, 161, 679, 680.
- [2003TOR/GRE] Toraiishi, T., Grenthe, I., Potentiometric and ¹H and ¹⁹F NMR studies of the Th(IV) - 5-sulfosalicylate - OH⁻ - F⁻ system, *J. Chem. Soc., Dalton Trans.*, (2003), 1634-1640. Cited on pages: 171, 680, 681.
- [2003TSU/YAN] Tsushima, S., Yang, T., Moshizuli, Y., Okamoto, Y., Ab initio study of Th(IV) hydrate and its hydrolysis products in aqueous solution, *Chem. Phys. Lett.*, **375**, (2003), 204-212. Cited on pages: 100, 681.

- [2003YAN/TSU] Yang, T., Tsushima, S., Suzuki, A., The water exchange mechanism in thorium(IV) hydrates as studied by quantum chemical methods, *J. Solid State Chem.*, **171**, (2003), 235-241. Cited on pages: 100, 681.
- [2004ALT/NEC] Altmaier, M., Neck, V., Fanghänel, T., Solubility and colloid formation of Th(IV) in concentrated NaCl and MgCl₂ solution, *Radiochim. Acta*, **92**, (2004), 537-543. Cited on pages: 162, 168, 172, 179, 180, 188, 446, 466, 484, 556, 670, 682, 683.
- [2004ARB] Arblaster, J. W., Private communication to M. H. Rand, (2004). Cited on pages: 88, 89.
- [2004BEN/BOU] Bentouhami, E., Bouet, G. M., Meullemeestre, J., Vierling, F., Khan, M. A., Physicochemical study of the hydrolysis of rare-earth elements(III) and thorium(IV), *Compt. Rend. Chimie*, **7**, (2004), 537-545. Cited on pages: 135, 136, 140, 156, 158, 159, 161, 683, 684.
- [2004HEI/HUB] Heisbourg, G., Hubert, S., Dacheux, N., Purans, J., Kinetic and thermodynamic studies of the dissolution of thoria-urania solid solutions, *J. Nucl. Mater.*, **335**, (2004), 5-13. Cited on pages: 187, 684.
- [2004KON] Konings, R. J. M., The heat capacity and entropy of actinide(IV) compounds, *J. Chem. Thermodyn.*, **36**, (2004), 121-126. Cited on pages: 232, 685.
- [2005ADA/KUR] Adachi, J., Kurosaki, K., Uno, M., Yamanaka, S., A molecular dynamics study of thorium nitride, *J. Alloys Compd.*, **394**, (2005), 312-316. Cited on pages: 309, 527, 685.
- [2005ALT/NEC] Altmaier, M., Neck, V., Müller, R., Fanghänel, T., Solubility of ThO₂·xH₂O(am) in carbonate solution and the formation of ternary Th(IV) hydroxide-carbonate complexes, *Radiochim. Acta*, **93**, (2005), 83-92. Cited on pages: 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 361, 362, 364, 366, 369, 371, 596, 616, 629, 631, 634, 640, 641, 655, 686, 687, 688, 689, 690, 696.
- [2005BRO/CUR] Brown, P. L., Curti, E., Grambow, B., *Chemical Thermodynamics of Zirconium*, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Ed., vol. 8, *Chemical Thermodynamics*, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (2005). Cited on pages: 4, 561, 783, 784.
- [2005DAS/SIN] Dash, S., Singh, Z., Parida, S. C., Venugopal, V., Thermodynamic studies on Rb₂ThO₃(s), *J. Alloys Compd.*, **398**, (2005), 219-227. Cited on pages: 388, 692.

- [2005GAM/BUG] Gamsjäger, H., Bugajski, J., Gajda, T., Lemire, R. J., Preis, W., *Chemical Thermodynamics of Nickel*, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Ed., vol. 6, *Chemical Thermodynamics*, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (2005). Cited on pages: 4, 31, 38, 57, 58, 59, 66, 70, 73, 721, 722, 726, 730, 734, 739, 742, 744, 749.
- [2005HEN/TUT] Hennig, C., Tutschku, J., Rossberg, A., Bernhard, G., Scheinost, A. C., Comparative EXAFS investigation of uranium(VI) and -(IV) aquo chloro complexes in solution using a newly developed spectroelectrochemical cell, *Inorg. Chem.*, **44**, (2005), 6655-6661. Cited on pages: 245, 441, 694.
- [2005HUM/AND] Hummel, W., Anderegg, G., Puigdomènech, I., Rao, L., Tochiyama, O., *Chemical Thermodynamics of Complexes and Compounds of U, Np, Pu, Am, Tc, Zr, Ni and Se with selected Organic Ligands*, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Ed., vol. 9, *Chemical Thermodynamics*, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (2005). Cited on pages: 4, 7, 104, 720, 721, 722, 725, 738, 739, 740, 741, 742, 743, 744, 745, 746, 748, 749.
- [2005MAZ/USH] Mazeina, L., Ushakov, S. V., Navrotsky, A., Boatner, L. A., Formation enthalpy of ThSiO₄ and enthalpy of the thorite → huttonite phase transition, *Geochim. Cosmochim. Acta*, **69**, (2005), 4675-4683. Cited on pages: 377, 379, 561, 673, 694, 695.
- [2005OLI/NOL] Olin, Å., Noläng, B., Öhman, L.-O., Osadchii, E. G., Rosén, E., *Chemical Thermodynamics of Selenium*, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Ed., vol. 7, *Chemical Thermodynamics*, North Holland Elsevier Science Publishers B. V., Amsterdam, The Netherlands, (2005). Cited on pages: 4, 31, 38, 57, 58, 59, 60, 61, 62, 63, 64, 67, 75, 76, 77, 78, 79, 305.
- [2005RAI/YUI] Rai, D., Yui, M., Hess, N. J., Felmy, A. R., Moore, D. A., Thorium reactions in borosilicate-glass/water systems, *Radiochim. Acta*, **93**, (2005), 443-445. Cited on pages: 379, 673, 696.
- [2005SED/KON] Sedmidubský, D., Konings, R. J. M., Novák, P., Calculation of enthalpies of formation of actinide nitrides, *J. Nucl. Mater.*, **344**, (2005), 40-44. Cited on page: 310.

- [2006ALT/NEC] Altmaier, M., Neck, V., Denecke, M. A., Yin, R., Fanghänel, T., Solubility of $\text{ThO}_2 \cdot x\text{H}_2\text{O}(\text{am})$ and the formation of ternary Th(IV) hydroxide-carbonate complexes in $\text{NaHCO}_3\text{-Na}_2\text{CO}_3$ solutions containing 0 - 4 M NaCl, *Radiochim. Acta*, **94**, (2006), 495-500. Cited on pages: 349, 350, 351, 353, 354, 356, 361, 363, 364, 366, 372, 596, 631, 687, 691, 692, 696.
- [2006CLA/FOU] Clavier, N., du Fou de Kerdaniel, E., Dacheux, N., Le Coustumer, P., Drot, E., Ravaux, J., Simoni, E., Behavior of thorium-uranium(IV) phosphate-diphosphate sintered samples during leaching tests. Part II - Saturation processes, *J. Nucl. Mater.*, **349**, (2006), 304-316. Cited on page: 329.
- [2006DAC/CLA] Dacheux, N., Clavier, N., Ritt, J., Behavior of thorium-uranium(IV) phosphate-diphosphate sintered samples during leaching tests. Part I - Kinetic study, *J. Nucl. Mater.*, **349**, (2006), 291-303. Cited on page: 329.
- [2006KON/MOR] Konings, R. J. M., Morss, L. R., Fuger, J., Chapter 19, Thermodynamic properties of actinides and actinide compounds, *The chemistry of the actinide and transactinide elements*, Morss, L. R., Edelstein, N. M., Fuger, J., Eds., pp.2113-2224, Springer, (2006). Cited on pages: 5, 251, 261, 685.
- [2006MOR/EDE] *The chemistry of the actinide and transactinide elements*, 3rd. Edition, Morss, L. R., Edelstein, N. M., Fuger, J., Eds., Springer, (2006), 5-Volume set. Cited on page: 5.
- [2006NEC/ALT] Neck, V., Altmaier, M., Fanghänel, T., Ion interaction (SIT) coefficients for the Th^{4+} ion and trace activity coefficients in NaClO_4 , NaNO_3 and NaCl solution determined by solvent extraction with TBP, *Radiochim. Acta*, **94**, (2006), 501-507. Cited on pages: 102, 103, 105, 106, 107, 317, 318, 319, 320, 419, 422, 463, 697, 698, 699, 700, 701.
- [2007BRE/ALT] Brendebach, B., Altmaier, M., Rothe, J., Neck, V., Denecke, M. A., EXAFS study of aqueous Zr^{IV} and Th^{IV} complexes in alkaline CaCl_2 solutions: $\text{Ca}_3[\text{Zr}(\text{OH})_6]^{4+}$ and $\text{Ca}_4[\text{Th}(\text{OH})_8]^{4+}$, *Inorg. Chem.*, **46**, (2007), 6804-6810. Cited on pages: 156, 701, 702.
- [2007BRU/BOS] Bruno, J., Bosbach, D., Kulik, D., Navrotsky, A., *Chemical Thermodynamics of Solid Solutions of Interest in Radioactive Waste Management. A State-of-the-art report*, 1st. Edition, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Ed., vol. 10, *Chemical Thermodynamics*, OECD Publications, (2007), 266 pp.. Cited on page: 5.

- [2007HEN/SCH] Henning, C., Schmeide, K., Brendler, V., Moll, H., Tsushima, S., Scheinost, A. C., EXAFS investigation of U(VI), U(IV) and Th(IV) sulfato complexes, *Inorg. Chem.*, **46**, (2007), 5882-5892. Cited on pages: 276, 703.
- [2007WIL/SKA] Wilson, R. E., Skanthakumar, S., Sigmon, G., Burns, P. C., Soderholm, L., Structures of dimeric hydrolysis products of thorium, *Inorg. Chem.*, **46**, (2007), 2368-2372. Cited on pages: 133, 144.
- [2008KOV/KON] Kovács, A., Konings, R. J. M., Molecular structure and thermodynamic properties of the gaseous ThC₂ and ThC₄ species, *J. Nucl. Mater.*, **372**, (2008), 391-393. Cited on pages: 345, 346, 483, 547, 568, 703, 704.
- [2008RAN/FUG] Rand, M. H., Fuger, J., Grenthe, I., Neck, V., Rai, D., *Chemical Thermodynamics of Thorium*, Nuclear Energy Agency Data Bank, Organisation for Economic Co-operation and Development, Ed., vol. 11, *Chemical Thermodynamics*, OECD Publications, (2008). Cited on page: 59.



From:
Chemical Thermodynamics of Thorium, Volume 11

Access the complete publication at:
<https://doi.org/10.1787/9789264056688-en>

Please cite this chapter as:

OECD/Nuclear Energy Agency (2008), "Bibliography", in *Chemical Thermodynamics of Thorium, Volume 11*, OECD Publishing, Paris.

DOI: <https://doi.org/10.1787/9789264056688-20-en>

This work is published under the responsibility of the Secretary-General of the OECD. The opinions expressed and arguments employed herein do not necessarily reflect the official views of OECD member countries.

This document, as well as any data and map included herein, are without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. Extracts from publications may be subject to additional disclaimers, which are set out in the complete version of the publication, available at the link provided.

The use of this work, whether digital or print, is governed by the Terms and Conditions to be found at <http://www.oecd.org/termsandconditions>.