Sustainable agriculture and resilient forests in regions

Changes in temperatures and precipitations have led to a notable decrease in soil moisture in many OECD regions.

Agriculture accounted for 9% of total production-based emissions in 2018 in OECD countries. While total GHG emissions declined by 6% during the last 2 decades, agriculture emissions increased by 4% over the same period in OECD countries (Crippa et al., 2021). Emissions in this sector mainly reflect methane (CH₄, 65%) emitted by animals and rice cultivation and nitrous oxide (N2O, 33%) released from pastures and crops using nitrogen fertilisers. Modelled pathways that limit global warming to 1.5°C above pre-industrial levels involve deep reductions in emissions of methane by 35% or more by 2050 relative to 2010 (IPCC, 2018). One-quarter of OECD regions produce 70% of the emissions from the agriculture sector. New South Wales (Australia) and Iowa and Texas (US) had the highest emissions in agriculture in 2018. These 3 regions treble the emissions of more than 95% of OECD regions. In terms of emissions per unit of GVA, the most emission-intensive regions are Southern Ireland, the region of Canterbury in New Zealand, Wales in the UK and Montana in the US. This corresponds to territorial emissions and does not reflect the carbon footprint of agricultural products and their export to distant locations (Figure 2.25).

Rising prices of energy and fertilisers, as well as the increasing frequency and intensity of climate hazards, put pressure on the agricultural sector and food security. Increased temperatures and changes in precipitation distribution can lead to droughts, which directly affect agricultural yields. Drought is here measured in terms of percentage change in soil moisture compared to 1981-2010 (reference period). In one-third of OECD regions, croplands' soil moisture decreased by more than 3% over the past 5 years compared to 1981-2010. Across and within OECD countries, the impact of droughts on agriculture differs widely. Among the most affected regions, Tolima in Colombia and Chihuahua in Mexico experienced a soil moisture decline of about 10% over the past 5 years compared to the reference period. In these 2 regions, GVA in agriculture, forestry and fishing account for a significant share of total GVA (respectively 17% and 7%), which makes the economy of these regions particularly vulnerable (Figure 2.27).

Wildfires have also been affecting agricultural lands and forests. In terms of relative surface, the most impacted regions are the Canberra region (Australia) where 52% of the forest area burned in the past 5 years, followed by Attica in Greece and Central Portugal. In terms of cropland exposure, more than

3% of the croplands were burned in the past 5 years in Australia, Costa Rica, Mexico and Türkiye. In the region of South-eastern Anatolia – Middle (Türkiye), around 20% of the cropland area burned over the past 5 years, corresponding to a total area of 5 500 km² (Figure 2.26).

Definition

Agricultural emissions in regions were estimated using EDGAR, version 6 and expressed in CO_2 -eq.

Droughts can be defined in three ways: agricultural, hydrological or meteorological. Meteorological droughts mainly focus on low precipitations at a certain time and usually precede the other types of droughts. Here droughts are defined in terms of cropland soil moisture anomaly, i.e. the percentage change in soil moisture compared to the reference period 1981-2010.

Sources

Artes Vivancos, T. et al. (2019), "A global wildfire dataset for the analysis of fire regimes and fire behaviour", *Scientific Data*, Vol. 6, p. 296.

Crippa, M. et al. (2021), *EDGAR v6.0 Greenhouse Gas Emissions*, Joint Research Centre (JRC), European Commission, *http://data.europa.eu/89h/97a67d67-c62e-4826-b873-9d972c4f670b*.

ECMWF (2022), "ERA5-Land monthly averaged data from 1950 to present", European Centre for Medium-Range Weather Forecasts, *https://cds.climate.copernicus.eu/cdsapp#!/dataset/ reanalysis-era5-land-monthly-means?tab=overview.*

ESA CCI (2019), "Land cover classification gridded maps from 1992 to present derived from satellite observations", European Space Agency Climate Change Initiative.

IPCC (2018), *Global Warming of 1.5°C*, Intergovernmental Panel on Climate Change, *https://doi.org/ 10.1017/9781009157940.001*.

Figure notes

2.26: Only large regions with at least 5% of their territory covered by forests are represented.

Sustainable agriculture and resilient forests in regions



Percentage change in croplands' soil moisture in large regions (TL2), 2017-2021 compared to 1981-2010 Bay of Plenty NJPNK JUNE AND A STATEMENT AND Regional values S -Kanto -Copenhagen Region 🧔 National average Åland Tuscany 6 South Ionian I. Brunca . -Oslo and Viken S.E. England Southern West New Mexico 00800 0000 00 Manitoba 🔶 Atacama 🔶 Canary Islands Stockholm 🧼 -Seoul Region Bratislava Zurich Vienna N. Great Plain Northwest Lubusz Vilnius Chihuahua Middle Black Sea 4 Gelderland

Flemish Region

.

-5

0

Bourgogne-Franche-C.

N. Territory 🧄

2.27. Regional exposure to agricultural droughts

StatLink ans https://stat.link/8elz0s

%

5

-15

AUS

Madeira 🔶

tolima 斜

-10

From: OECD Regions and Cities at a Glance 2022



Access the complete publication at: https://doi.org/10.1787/14108660-en

Please cite this chapter as:

OECD (2022), "Sustainable agriculture and resilient forests in regions", in OECD Regions and Cities at a Glance 2022, OECD Publishing, Paris.

DOI: https://doi.org/10.1787/e92d97dc-en

This work is published under the responsibility of the Secretary-General of the OECD. The opinions expressed and arguments employed herein do not necessarily reflect the official views of OECD member countries.

This document, as well as any data and map included herein, are without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. Extracts from publications may be subject to additional disclaimers, which are set out in the complete version of the publication, available at the link provided.

The use of this work, whether digital or print, is governed by the Terms and Conditions to be found at <u>http://www.oecd.org/termsandconditions</u>.

