

## Hospital care

Hospitals in most countries and territories account for the largest part of health care expenditure. Capacity of the hospital sector and access to hospital care are assessed in this report by the number of hospital beds and hospital discharge rates. However, increasing the numbers of beds and overnight stays in hospitals does not always bring positive outcomes as resources need to be used efficiently. Hence, the average length of stay (ALOS) is also used to assess appropriate access to and use of hospital care, but caution is needed in its interpretation. Although, all other things being equal, a shorter stay will reduce the cost per discharge and provide care more efficiently by possibly shifting care from inpatient to less expensive post-acute settings, too short a length of stay may reduce the comfort and hamper the recovery of the patient or increase hospital readmissions.

The number of hospital beds is 2.6 and 2.8 per 1 000 population on average across upper-middle and lower-middle and low-income Asia-Pacific countries and territories, respectively; lower than the OECD average of 4.6 and the high-income Asia-Pacific countries and territories average of 5.4 (Figure 5.11). More than one bed per 100 population is available in DPRK, Korea and Japan, whereas the stock of beds is less than one per 1 000 population in India, Pakistan, Bangladesh and Cambodia. These large disparities reflect substantial differences in the resources invested in hospital care across countries and territories.

Hospital discharge is at 121.3 and 130 per 1 000 population on average in upper-middle and lower-middle and low-income Asia-Pacific countries and territories, respectively; close to the OECD average of 130.6 (Figure 5.12). The highest rates are in Sri Lanka and Mongolia, with over 275 discharges per 1 000 population in a year, while in Bangladesh, Cambodia and Nepal, discharge rates are less than 50 per 1 000 population, suggesting deferrals in accessing hospital services.

In general, countries and territories with more hospital beds tend to have higher discharge rates, and vice versa (Figure 5.13). However, there are some notable exceptions. Korea and Japan, with the second and third highest number of hospital beds per population, respectively, have relatively low discharge rates; while Sri Lanka, with a close-to-average hospital beds availability for the region, has the highest discharge rate.

In Asia-Pacific, the variation across countries and territories in the number of days spent – on average – in hospital is large (Figure 5.14). Lower-middle- and low-income countries and territories report the lowest ALOS in Asia-Pacific at 4.9 days. The longest average length of stay is of more than 16 days in Japan, while the shortest length of stay is 2.5 days in Lao PDR and Bangladesh. In Japan, “social admission”, in that some “acute care” beds are devoted to long-term care for the elderly, partly explains the large number of beds and long ALOS (Sakamoto, Rahman and Nomura, 2018<sup>[1]</sup>). A short ALOS, coupled with the high admission rates in Sri Lanka, suggests that inpatient services may be partly substituting for outpatient and primary care.

### Definition and comparability


All hospital beds include those for acute care and chronic/long-term care, in both the public and private sectors. A discharge is defined as the release of a patient who has stayed at least one night in hospital. It includes deaths in hospital following inpatient care but usually excludes same-day separations. The discharge rates presented are not age-standardised, not considering differences in the age structure of the population across countries and territories.

The figures reported for ALOS refer to the number of days that patients spend overnight in an acute-care inpatient institution. ALOS is generally measured by dividing the total number of days stayed by all patients in acute-care inpatient institutions during a year by the number of admissions or discharges. There are considerable variations in how countries and territories define acute care, and what they include or exclude in reported statistics. For the most part, reported ALOS data in the developing countries and territories of the Asia-Pacific region cover only public sector institutions.

## References

- Sakamoto, A., M. Rahman and S. Nomura (2018), *Japan Health System Review*, Health Systems in Transition, World Health Organization, Regional Office for South-East Asia, <https://apps.who.int/iris/handle/10665/259941>. [1]


**Figure 5.11. Hospital beds per 1 000 population, latest year available**



Source: OECD Health Statistics 2022; WHO GHO 2020, Hong Kong annual statistic digest 2021, National sources (see Annex A).

StatLink <https://stat.link/65m3na>


**Figure 5.12. Hospital discharges per 1 000 population, latest year available**



Source: OECD Health Statistics 2022; National sources (see Annex A).

StatLink <https://stat.link/daf3b>


**Figure 5.13. Hospital beds per 1 000 population and hospital discharges per 1 000 population, latest year available**



Source: OECD Health Statistics 2022; WHO GHO 2022.

StatLink <https://stat.link/sjpe57>

**Figure 5.14. Average length of stays for acute care in hospitals, latest year available**



Source: OECD Health Statistics 2022; National data sources (see Annex A).

StatLink <https://stat.link/08h6bc>



**From:**  
**Health at a Glance: Asia/Pacific 2022**  
Measuring Progress Towards Universal Health Coverage

**Access the complete publication at:**  
<https://doi.org/10.1787/c7467f62-en>

**Please cite this chapter as:**

OECD/World Health Organization (2022), "Hospital care", in *Health at a Glance: Asia/Pacific 2022: Measuring Progress Towards Universal Health Coverage*, OECD Publishing, Paris.

DOI: <https://doi.org/10.1787/8f53ab6f-en>

This work is published under the responsibility of the Secretary-General of the OECD. The opinions expressed and arguments employed herein do not necessarily reflect the official views of OECD member countries.

This document, as well as any data and map included herein, are without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. Extracts from publications may be subject to additional disclaimers, which are set out in the complete version of the publication, available at the link provided.

The use of this work, whether digital or print, is governed by the Terms and Conditions to be found at <http://www.oecd.org/termsandconditions>.