

OECD Health Statistics 2016

Definitions, Sources and Methods

Perceived health status by age and gender

Good/very good health, females 15-24
Good/very good health, females, 25-44
Good/very good health, females, 45-64
Good/very good health, females 65+
Good/very good health, females aged 15+
Good/very good health, males 15-24
Good/very good health, males 25-44
Good/very good health, males 45-64
Good/very good health, males 65+
Good/very good health, males aged 15+
Good/very good health, total 15-24
Good/very good health, total 25-44
Good/very good health, total 45-64
Good/very good health, total 65+
Good/very good health, total aged 15+

Percentage of the population, aged 15 years old and over who [report their health to be 'good/very good' \(or excellent\)](#).

There is not yet full standardisation of the measurement of perceived health status across OECD countries. In Europe, a standard health interview survey instrument has been recommended to measure this variable. The recommendation is described in detail in the publication: "Health Interview Surveys: Towards International Harmonization of Methods and Instruments," WHO Regional Office for Europe, 1996, and is as follows:

How is your health in general?

- Very good
- Good
- Fair
- Bad
- Very bad

Not all countries have adopted this standardised instrument. Differences in the questions and response categories used in national health surveys from this standardised instrument are listed in the *Sources and Methods* below.

Sources and Methods

The **European Union Survey on Income and Living Conditions (EU-SILC)**, available in the **Eurostat** database (accessed in April 2016), is the source for all European countries, except Turkey.

Australia

Source: Australian Bureau of Statistics.

2014: National Health Survey: First Results, 2014-15 - Australia. ABS Cat. No. 4364. Canberra: ABS.

2011: Australian Health Survey: Updated Results, 2011-2012 - Australia. ABS Cat. No. 4364.0. Canberra: ABS.

2007: National Health Survey 2007-2008 (re-issue). ABS Cat. No. 4364.0. Canberra: ABS.

2004: National Health Survey 2004-2005, Summary of results. ABS Cat. No. 4364.0. Canberra: ABS.

2001: National Health Survey 2001, Summary of results. ABS Cat. No. 4364.0. Canberra: ABS.

1997: National Survey of Mental Health and Wellbeing of Adults: profile of adults. ABS Cat. No. 4326.0. Canberra: ABS.

1995: National Health Survey 1995: First results. ABS Cat. No. 4392.0. Canberra: ABS and National Health Survey 1995: Summary of results. ABS Cat. No. 4364.0. Canberra: ABS.

1989: National Health Survey 1989-1990: Summary of results. ABS Cat. No. 4364.0. Canberra: ABS and National Health Survey 1989-1990. Lifestyle and health. ABS Cat. No. 4366.0. Canberra: ABS.

Coverage:

1995 and from 2001: Population aged 15 years old and over.


1997 and 1989: Population aged 18 years old and over.

Methodology: Approximately 20426 persons were surveyed in 2011, 20800 in 2007, 25900 in 2004, 26900 in 2001, 10600 in 1997, 53800 in 1995 and 57000 in 1989. Results age-sex standardised and ratios applied to the whole population.

 **Deviation from the definition:**

- The question is self-assessed. 'In general, would you say that your health is excellent, very good, good, fair or poor?' Data are for Good, Very Good and Excellent.

- In 1989, the question was phrased differently: 'In general, would you say that your health is excellent, good, fair or poor?' Data are for Good and Excellent responses.

 **Break in time series in 1995** due to a change in the survey question phrasing.

Further information: <http://www.abs.gov.au/>.

Austria

Source: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Coverage: Population aged 16 years old and over.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Belgium

Sources:

From 2004: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

1997 and 2001: **Scientific Institute of Public Health**, Direction of Public Health and Surveillance. Health Interview Survey.

Coverage:


From 2004: Population aged 16 years old and over.

1997 and 2001: Population aged 15 years old and over.

Methodology used for the years 1997 and 2001:

- The question is self-assessed: "How is your health in general? Very good / Good / Fair / Bad / Very Bad". Data are for "Very good" and "Good". Rates adjusted for differences in age between men and women.

- Sample size: 7949 (3839 men and 4110 women) in 1997, 9366 (4512 men and 4854 women) in 2001.

 **Break in time series in 2004** due to a change in source and methodology.

Further information:

From 2004: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

1997, 2001: <https://www.wiv-isp.be/epidemio/hisia/index.htm>.

Canada

Source: Statistics Canada, Canadian Community Health Survey (CCHS).

From 2007: Custom tabulation.

2005: CANSIM Table 105-0422.

2003: CANSIM Table 105-0222.

2001: CANSIM Table 105-0022.

1994-1998: National Population Health Survey (NPHS) Health Indicators, Cat. No. 82-221: CANSIM Table 104-0022 at <http://www.statcan.gc.ca/>.

Coverage: Population aged 15 years old and over.

Methodology:

- As of 2007, the CCHS became an annual survey (prior to this it was a biennial survey) of persons aged 12 years old and over, living in private dwellings, half of whom are interviewed in person, and the other half by telephone. It excludes persons living on Indian Reserves or Crown lands, residents of institutions, full-time members of the Canadian Armed Forces, and residents of certain remote regions. The CCHS covers approximately 98% of the Canadian population aged 12 years old and over. Data are collected directly from respondents.

- In NPHS, the household component includes household residents in all provinces, with the principal exclusion of populations on Indian Reserves, Canadian Forces Bases and some remote areas in Québec and Ontario.

Deviation from the definition:

In both surveys, the question asked to all persons (*proxies used for adults who are sick or unable to answer the question*) was: "In general, would you say that your (*or the 'proxied' respondent's*) health is excellent, very good, good, fair or poor?" Due to the difference in the question, data presented in Very Good/Good are from Excellent, Very good and good while data for Bad/Very Bad are from Poor and Fair are from Fair. Non-responses were removed from the calculation.

Further information: <http://www.statcan.gc.ca/>.

Chile

Source: Ministry of Health (MINSAL), Epidemiology Department, Studies Unit.


2009: National Survey of Health, ENS (ENS 2009-2010).

2000 and 2006: National Survey of Quality of Life, ENCAVI ("Encuesta Nacional de Calidad de Vida 2000 y 2006").

Deviation from the definition:

2009: The question asked in the National Survey of Health 2009-2010 (ENS 2009-2010) was: "In general ...would you say that your health is: bad, regular, good, very good, excellent." Data are for the following categories: "Good, Very Good and Excellent". See <http://www.encuestasalud.cl>.

2000 and 2006: The question asked in ENCAVI 2000 and 2006 was: "In general... would you say that your health is: very bad, bad, worse than normal, normal, better than normal, good, very good, do not know, no answer, not applicable." (In Spanish: "En general, usted diría que su salud está: muy mal, mal, menos que regular, regular, más que regular, bien, muy bien, no sabe, no responde, no aplica"). Data are for the following categories: "Good, Very Good". See <http://epi.minsal.cl/epi/html/sdesalud/calidaddevida2006/index.htm> and <http://epi.minsal.cl/epi/html/sdesalud/cdevi/encuescdv.htm> (both in Spanish).

 **Break in time series:** Data for 2009 come from ENS, whereas data for 2000 and 2006 come from the ENCAVI survey.

Czech Republic

Sources:

From 2005: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.


1993, 1996, 1999, 2002: **Institute of Health Information and Statistics of the Czech Republic**. Health Interview Survey in the Czech Republic (HIS CR).

Coverage:

From 2005: Population aged 16 years old and over.

1993, 1996, 1999, 2002: Population aged 15 years old and over.

Methodology used until 2004: Random sample of about 2400 persons. The survey question is a translation of the recommended WHO instrument.

 **Break in time series** in 2005 due to a change in source and methodology.

Further information:

From 2005: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

1993, 1996, 1999, 2002: <http://www.uzis.cz/en>.

Denmark

Source: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Coverage: Population aged 16 years old and over.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Estonia

Source: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Coverage: Population aged 16 years old and over.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Finland

Sources:

From 2004: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Until 2003: **National Institute for Health and Welfare (THL)**, Department of Lifestyle and Participation, Health Behaviour and Health among the Finnish Adult Population/Satu Helakorpi.

Coverage:


From 2004: Population aged 16 years old and over.

Until 2003: Population aged 15-64 years old.

Methodology used until 2003:

- Annual postal survey since 1978. Random sample of Finnish adult population aged 15-64, sample size 5000. Average response rate: 73%.

- Question 19. Do you rate your present state of health generally as: 1. Good 2. Reasonably good 3. Average 4. Rather poor 5. Poor. Data are for good and reasonably good categories.

 **Break in time series** in 2004 due to a change in source and methodology.

Further information:

From 2004: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Until 2003: http://www.thl.fi/en_US/web/en.

France

Source: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Coverage: Population aged 16 years old and over.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Germany

Sources:

From 2005: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

1998 and 2003: Robert Koch-Institute (RKI):

- **2003:** National health examination and telephone interview survey 2003; Beiträge zur Gesundheitsberichterstattung des Bundes, *Daten und Fakten: Ergebnisse der Studie »Gesundheit in Deutschland aktuell 2009*, p.18.

- **1998:** National health examination and interview survey, 1998; indicator 3.15 of the Health Monitoring of the Laender, <http://www.gbe-bund.de>.

Coverage:

From 2005: Population aged 16 years old and over.

1998 and 2003: Population aged 15 years old and over.

Methodology used for 1998 and 2003 data:


- Data for 2003 refer to German demarcation of age, which is as follows: 15-24 years old = 18-29; 25-44 years old = 30-44; 45-64 years old = 45-64; 65 years old and over = 65-79; all ages = 18-79.

- Data could not be provided separately for the total population aged 25-44 years old and 45-64 years old in 2003.

- Question asked in 2003: How is your health in general? Very good / Good / Fair / Bad / Very bad.

- Question asked in 1998: How do you rate your health status? Excellent-Very good / Good / Less good-Bad.

- The National Health Survey 1998 was not a telephone interview survey. Various survey instruments were used: e.g. questionnaire, medical and haematological examinations, medical interview.

 **Break in time series:** Break in 2005 due to a change in source and methodology.

Further information:

From 2005: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

1998 and 2003: <http://www.rki.de> and <http://www.destatis.de>.

Greece

Source: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Coverage: Population aged 16 years old and over.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Hungary

Sources:

From 2005: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

2000 and 2003: **Johan Béla National Center of Epidemiology (OEK)**. National Population Health Survey (OLEF 2000, OLEF 2003).


Coverage:

From 2005: Population aged 16 years old and over.

2000 and 2003: Population aged 18 years old and over.

Methodology used for 2000 and 2003 data:

- Questionnaire survey based on representative samples, started in 2000, repeated about every 3 years.
- Survey question: How is your health in general? Very good/Good/Fair/Bad/Very bad. Data refer to “Very good” and “Good”.

 **Break in time series:** Break in 2005 due to a change in source and methodology.

Further information:

From 2005: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

2000 and 2003: <http://www.oek.hu>.

Iceland

Sources:

From 2004: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

2002: **Gallup Iceland**.

1998: Tables from the **Health and Living Conditions in Iceland**.

Coverage:

From 2004: Population aged 16 years old and over.

2002: Population aged 20 years old and over.

1998: Population aged 18 years old and over.

Methodology:

From 2004: EU-SILC is an annual survey, first conducted in 2004. A telephone interview survey based on a random National Register sample of Icelanders living in private homes, aged 16 years old and over. The sample is around 4000 people and the response rate is around 74%.


The reference is to health in general. Ratings: very good, good, fair, bad, very bad. Data for 2004 and onwards refer to replies “very good” and “good”.

2002: Gallup Iceland is a survey on health and lifestyle conducted in 2002. A postal survey based on random National Register sample of Icelanders aged 20-80 years old. (N=1945, response rate =55%).

Question: Are you in good or poor health in general? Ratings: very good, rather good, fair, rather poor, poor. Data refer to replies “very good” and “rather good”.

1998: Health and Living Conditions in Iceland survey is a postal survey conducted in 1998, which is based on a random National Register sample of Icelanders aged 18-75 years old (N=1924, response rate=69%) (Vilhjalmsson, Olafsson, Sigurdsson and Herbertsson, 1999).

Question: How would you rate your physical health? Would you say it is very good, good, fair or poor? Figures refer to replies “very good” “good”.

 **Break in time series** in 2004 due to a change in source and methodology.

Further information:

From 2004: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Ireland

Sources:

From 2004: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

1998 and 2002: Survey of Lifestyle, Attitudes and Nutrition (SLÁN), commissioned by the Health Promotion Unit of the Department of Health and Children and carried out at the **Centre for Health Promotion Studies, National University of Ireland, Galway**.

Coverage: SLÁN survey captures data for persons aged 18 years old and over while EU-SILC from year 2004 captures data for persons aged 16 years old and over.

Methodology: Published in the National Health and Lifestyle Surveys, SLÁN was first undertaken in 1998 and repeated in 2002 and 2007. A representative cross-section of the Irish adult population was surveyed. Respectively, 6539 (62.2% response rate) and 5992 (53.4% response rate) adults were included in 1998 and 2002. 1998 and 2002 SLÁN surveys were postal surveys using samples drawn from the electoral register.

- From 2004, the question is asked as per the WHO recommendation above.

- In 1998 and 2002, the survey question was: "In general, would you say your health is...Excellent, Very good, Good, Fair, Poor". The data refer to those who said their health was excellent, very good or good.

✂ **Break in time series** in 2004 due to a change in source and methodology.

Further information:

From 2004: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

1998 and 2002: <http://www.slan06.ie/>. The results of the SLÁN 1998 were published in 1999 and are available at http://www.dohc.ie/publications/pdf/SLAN_1998.pdf?direct=1.

Israel

Source: **Israel Central Bureau of Statistics**. The Israeli Social Survey.

Coverage: Population aged 20 years old and over.

Methodology:

- The survey is an annual survey of individuals, conducted since 2002. The Population Register is the sampling frame, excluding institutional population and residents living outside of localities, especially in the southern district (about 0.7% of the population).

- Data are based on the question: How is your health, overall? Very good / Good / Not so good / Not good at all.

- Data on **good/very good health** refer to respondents who answered categories 1 or 2: Very good, Good (all positive response categories).

⚠ **Deviation from OECD definition:** In the Israeli Social Survey questionnaires, there is **no category that fits fair perceived health status**. Therefore the proportion of people reporting to be in good or better health might be overestimated.

Further information: <http://surveys.cbs.gov.il/Survey/surveyE.htm>.

Note: The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli authorities. The use of such data by the OECD is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.

Italy

Sources:

From 2004: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Until 2003: **ISTAT**, Istituto Nazionale di Statistica (National Institute of Statistics).

- 2000-2003: Aspect of daily living survey.

- 1994 and 1999: Health conditions and recourse to health services survey.

Coverage:

From 2004: Population aged 16 years old and over.

Until 2003: Population aged 15 years old and over.

Methodology:

- The survey "Health conditions and recourse to health services" is performed every 5 years. The survey "Aspect of daily living" is performed every year.
- For the 1999, 2000, 2001, 2002, 2003 data, the survey uses the WHO recommended question in a self-completion questionnaire.
- In the 1994 and 1999-2000 Health surveys, the question on perceived health status was based on the WHO recommendation, but the scale was reversed.
- The proportion of older Italian people reporting good health is much lower than in other countries. Some of the possible explanations for these results may be that proxy responses are accepted and, more generally, that older people in Italy are not institutionalised and live within households or alone (the rate of institutionalised elderly people is very low).

 **Break in time series in 2004** due to a change in source.

Further information:

From 2004: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Until 2003: <http://en.istat.it/>.


Japan


Source: Ministry of Health, Labour and Welfare, Basic Survey of Health and Hygiene (1980, 1984), Comprehensive Survey of Living Conditions (1986, 1989, 1992, 1995, 1998, 2001, 2004, 2007, 2010, and 2013).

Coverage: In 1980, 1984 and 1986, the age groups included only the population aged 20 years old and over. From 1989, data refer to the population aged 15 years old and over.

Methodology:

- The response categories in 1980 were 'Healthy, Fair, Unhealthy'. Data referred to those reporting being 'Healthy'.
- The question and response categories from 1984 to 2010 were 'Good, Sort of good, Fair, Not so good, Bad'. Data referred to those reporting being 'Good and Sort of good'.
- The age group 15-24 years old actually covers the age group 20-24 years old for 1980, 1984 and 1986.

 Denominator includes those whose perceived health status is unknown.

 **Breaks in time series in 1984** due to a change in methodology, and **in 1986** due to a change in the source.

Korea

Sources:

From 2008: **Ministry for Health and Welfare and Korean Centers for Disease Control and Prevention**, Report on the National Health and Examination Nutrition Survey.

1998-2005: **Ministry for Health and Welfare and Korea Institute for Health and Social Affairs**, Report on the National Health and Nutrition Survey.

1986-1995: **National Statistical Office**. Report on the National Health and Nutrition Examination Survey.

Methodology:

- The National Health and Examination Nutrition Survey had been conducted every 3 years until 2005, and has become an annual survey in 2008.
- The sample size of the National Health and Examination Nutrition Survey in 2013 was 3,182 families (8,018 people). It excludes institutional dwelling units (e.g. dormitories, social welfare institutions, prisons, military camps, etc.) and foreigners.
- Survey questions as follows:

From 2005: "How do you usually consider your health condition? Very Good / Good / Fair / Bad / Very bad."

1998- 2001: "In your opinion, how do you think your health condition compares to others of your own age? Very Good / Good / Fair / Bad / Very bad."

1986- 1995: "Considering your age, what do you think about your health condition? Very Good / Good / Fair / Bad / Very bad."

Further information: <http://knhanes.cdc.go.kr/knhanes/index.do> (in Korean), <http://kosis.kr> and <http://www.kihasa.re.kr/html/english/main.jsp>.

Latvia

Source: Eurostat database. Data extracted in April 2016.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (hlth_silc_01).

Luxembourg

Source: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Coverage: Population aged 16 years old and over.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Mexico

Sources:

2005 and 2006: Ministry of Health / National Institute of Public Health. National Health and Nutrition Survey (Ensanut). Final results.

2002: Ministry of Health. National Survey of Health Systems Performance Assessment.

2001: WHO Multi-country Survey Study on Health and Responsiveness 2000-2001.

2000: Ministry of Health. National Health Survey 2000.

Coverage: 2001 data refer to the population aged 18 years old and over.

Methodology:

2001, 2002 and 2006:

- Health status was evaluated by asking the following question: How do you perceive your health today? (very good, good, regular, bad, very bad). The data reported refer to the percentage of people who considered their health to be very good or good, by sex and age groups.
- Data are representative at national and state level.
- In 2006, results are from 48000 households. Data include 32 states.
- In 2005, results are from 22000 households. Data include only 15 states.
- In 2002, the survey was conducted in 38746 households.
- In 2001, home survey to 4819 people.

2000:

- Health status was evaluated with the question "Do you consider your health in the last year to be: very good, good, average, bad, very bad, do not know?" Data presented refer to the percentage of people who perceived their health status as good or very good, by sex and age group.
- Data are representative at national and state levels.
- Survey conducted in 1470 households with 261123 people. Unpublished data.

Further information: <http://www.salud.gob.mx/> and <http://www.insp.mx/> (both in Spanish).

Netherlands

Sources:

From 2005: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Until 2004: Statistics Netherlands, Health Interview Survey (1981-1996) and Integrated System of Social Surveys, Health and Labour Module (1997-). Vademecum gezondheidsstatistiek Nederland, table 6.7/ 6.8, several issues.

Coverage:


From 2005: Population aged 16 years old and over.

Until 2004: Population aged 15 years old and over.

Methodology used until 2004: The survey question was: "How is your health in general?"

- Possible answers until 2000 were: "Very good / Good / Fair / Sometimes good, sometimes bad / Bad."

- From 2001, they were: "Very good / Good / Fair / Bad / Very bad."

 **Break in time series in 2005** due to a change in source and methodology.

Further information:

From 2005: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Until 2004:

[http://www.cbs.nl/StatLine/MensenMaatschappij/GezondheidenWelzijn/Gezondheidstoestand/Gerapporteerde gezondheid en leefstijl](http://www.cbs.nl/StatLine/MensenMaatschappij/GezondheidenWelzijn/Gezondheidstoestand/Gerapporteerde_gezondheid_en_leefstijl). Also see <https://www.cbs.nl/en-gb/our-services/methods/surveys/brief-survey-descriptions>.

New Zealand

Source: Ministry of Health. New Zealand Health Survey 1996-1997, 2002-2003, 2006-2007, 2011-2012, 2012-2013, 2013-2014 and 2014-15.

Coverage: Population aged 15 years old and over.

Methodology: Interviews are carried out from July to June (following year), collecting information on around 13000 adults aged 15 years old through face to face interviews (see the indicator for perceived health status for further detail).

 **Deviation from the OECD definition:**

- The self-assessed question was: "In general, would you say your health is: Excellent, very good, good, fair, or poor?"

- NZ Health Survey response categories of 'Excellent', 'Very Good', or 'Good' are used for the OECD categories of perceived health 'good' or 'better'.

Further information: <http://www.health.govt.nz/nz-health-statistics/national-collections-and-surveys/surveys/current-recent-surveys/new-zealand-health-survey>.

Norway

Sources:

From 2004: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

1995, 1998, 2002: **Statistics Norway**. Health interview survey.

Coverage:


From 2004: Population aged 16 years old and over.

1995, 1998, 2002: Population aged between 16 and 84 years old.

Methodology used until 2003:

- The surveys are conducted as personal interviews with a random sample from the population (excluding the institutionalised population). Approximately 6500 are interviewed. The survey runs every three years. The mode of interviews is a combination of face-to-face interviews (CAPI) and telephone interviews (CATI).

- The question on health status is: "How do you rate your present health? Would you say that it is very good, good, neither good nor bad, bad or very bad?" Data refer to "Very good" and "Good."

 **Break in time series** in 2004 due to a change in source and methodology.

Further information:

From 2004: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

1995, 1998, 2002: http://www.ssb.no/helseforhold_en.

Poland

Sources:

From 2005: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Until 2004: Central Statistical Office (CSO).

- 2001: Multi-dimensional Living Conditions Questionnaire Survey.

- 1996 and 2004: Health Interview Survey.

Coverage:

From 2005: Population aged 16 years old and over.

Until 2004: Population aged 18 years old and over.

Methodology:

From 2005:

- Proxies used for adults who are sick or unable to answer the question.

- Data adjusted for age and sex.

- Instrument: How is your health in general? Very good / Good / Fair / Bad / Very bad.

2001: Data adjusted for age and sex.

- Instrument: How do you assess your health condition? Very good / Good / Fair / Bad / Very bad.

1996 and 2004: Data adjusted for age and sex.

- Instrument: How do you judge your health? (Temporary health problems, such as flu or a cold, should not be taken into consideration.) Question is not asked of a proxy. Very good / Good / Fair / Bad / Very bad.

🔪 **Break in time series** in 2005 due to a change in source and methodology.

Further information:

From 2005: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Until 2004: <http://www.stat.gov.pl/english/>.

Portugal

Source: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Coverage: Population aged 16 years old and over.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Slovak Republic

Source: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Coverage: Population aged 16 years old and over.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Slovenia

Source: EUROSTAT, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Coverage: Population aged 16 years old and over.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Spain

Sources:


From 2004: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

1987-2003: **Ministerio de Sanidad, Servicios Sociales e Igualdad** (Ministry of Health, Social Services and Equality). Encuesta Nacional de Salud (National Health Survey).

Coverage: Population aged 16 years old and over.

Methodology used until 2003:

- The survey question was: "During the last twelve months, would you say that your health has been very good, good, fair, bad or very bad?". Data refer to "very good" and "good".
- Weighted results.
- In 2003, a probabilistic sample was used.

 **Break in time series** in 2004 due to a change in source and methodology.

Further information:

From 2004: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Until 2003: <http://www.msssi.gob.es/>.

Sweden

Sources:

From 2004: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.

Until 2003: **Statistics Sweden**. National survey of living conditions (ULF).


Coverage:

From 2004: Population aged 16 years old and over.

Until 2003: Population aged 16-84 years old.

Methodology:

- Until 2003, the surveys are conducted as personal interviews with a random sample from the population (including the institutionalised population) aged between 16-84 years old. 12000-13000 people are interviewed over a period of 2 years.
- Until 1995, the question on health status used to be: "How do you rate your health at the present time? Is it good, bad or something in between?"
- From 1996, the response categories have been changed to: very good, good, fair, bad and very bad. This may have affected the trend.

 **Break in time series** in 2004 due to a change in source and methodology.

Further information:

From 2004: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Until 2003: <http://www.scb.se>.

Switzerland

Sources:

From 2008: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.


Until 2007: **Federal Statistical Office**, Neuchâtel. Swiss Health Survey 1992, 1997, 2002 and 2007.

Coverage:

From 2008: Population aged 16 years old and over.

Until 2007: Population aged 15 years old and over.

Methodology: The question included in the survey is as follows: “How is your health in general? Very good / Good / Fair / Bad / Very bad / No answer.”

 **Break in time series in 2008** due to a change in source.

Further information:

From 2008: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Until 2007: http://www.bfs.admin.ch/bfs/portal/fr/index/infothek/erhebungen_quellen/blank/blank/ess/04.html.

Turkey

Sources:

2006-2014: **Turkish Statistical Institute (TURKSTAT)**, Income and Living Conditions Survey.

2003: **School of Public Health of the Ministry of Health**, National Burden of Disease and Cost Effectiveness Study.

Coverage:

2006-2014: Data refer to the population aged 15 years old and over.

2003: Data refer to the population aged 18 years old and over.

Methodology:

2006-2014:


- The survey question was the following: How good is your health in general? Very good / Good / Fair / Bad / Very bad. Data refer to “Very Good” and “Good”.

- Data were standardised by age.

2003:

- National Burden of Disease and Cost Effectiveness Study used the World Health Organization’s World Health Survey questionnaire on a sample of 11481 households.

- The category 15-24 years old for females, males and total actually covers the age group 18-24 years old. Data were not weighted by age.

 **Break in time series in 2006** due to a change in source and methodology.


Further information: <http://www.turkstat.gov.tr/>.

United Kingdom

Sources:

From 2005: **EUROSTAT**, European Union Survey on Income and Living Conditions (EU-SILC). Data extracted on April 4th, 2016.


Until 2004: **NHS Information Centre, Health Survey for England**.

 **Coverage:** Until 2004, data are for England only and refer to adults aged 16 years old and over. From 2005, data are for UK and refer to adults aged 16 years old and over.

Methodology:


- The survey question was “How is your health in general? Very good/Good/Fair/Bad/Very bad.” Data refer to “Very good” and “Good.”

- From 1995 to 2004, the following age groups have been used for those aged 15 years old or over: 1995, 1996, 1998, 2000, 2001, 2002: (13 to) 15, 16-64, 65+ 1997: (13 to) 15, 16-17, 18-24, 25+ 1999: (13 to) 15, 16-34, 35-64, 65+.

-  Children aged 2 to 15 years old have been included in the survey from 1995 to 2004, and from 2001 to 2004, infants (under 2 years old) have also been included.

- From 1991-1994, the lower age range is 16-24 years old, as children were not included in the survey in these years. From 1995 onwards, the lower age range is 15-24 years old.

- In 1991 and 1992, the survey methodology differed from later years: there was a smaller sample, and interviews were not carried out over the whole year.

 **Break in time series** in 2005 due to a change in source and methodology.

Further information:

From 2005: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health (hlth) > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (%) (hlth_silc_01).

Until 2004: <http://www.hscic.gov.uk>.

United States

Source: U.S. Department of Health and Human Services/Centers for Disease Control and Prevention/National Center for Health Statistics. National Health Interview Survey (NHIS). Unpublished data.

Coverage: National representative sample of the U.S. civilian non-institutionalised population, aged 15 years old and over.

Methodology:


- U.S. health status was measured in the National Health Interview Survey by asking the respondent, "Would you say (name of family member)'s health is excellent, very good, good, fair, or poor?" Estimates are based on the number of persons with excellent, very good, and good health.

- The National Health Interview Survey (NHIS) is an ongoing nationwide sample survey in which data is collected through personal household interviews. Information is obtained on personal and demographic characteristics, including race and ethnicity by self-reporting or as reported by an informant. Information is also obtained on illness, injuries, impairments, chronic conditions, utilisation of health resources, and other health topics.

- The final household response rate for the on-going portion of the survey (core) has been between 87 and 92 percent over the years.

Estimates were weighted to represent the U.S. civilian non-institutionalised population for each time period.

Unknowns are excluded from the denominators.

 **Deviation from OECD definition:** In the NHIS, the "Good" or "Very good" categories correspond to the "Excellent", "Very good" or "Good" categories.

Further information: <http://www.cdc.gov/nchs/fastats/healthy.htm>.

NON-OECD ECONOMIES

Lithuania

Source: Eurostat database. Data extracted in April 2016.

Further information: <http://ec.europa.eu/eurostat/data/database> > Population and social conditions > Health > Health status (hlth_state) > Self-perceived health and well-being (hlth_sph) > Self-perceived health by sex, age and labour status (hlth_silc_01).

© OECD, *OECD Health Statistics 2016*. June 2016.

<http://www.oecd.org/health/health-data.htm>